







ROOFTOP TENTS

Dometic TRT 140 AIR 8 - 9

CAMPING TENTS

| Dometic Santorini FTK | 10 - 11 |
|-----------------------------|---------|
| Dometic Pico FTC | 12 |
| Dometic Reunion FTG | 13 |
| Dometic Ascension FTX TC | 14 - 15 |
| Dometic Rarotonga FTT TC | 16 - 17 |
| Dometic Rarotonga FTT Redux | 18 - 19 |
| Dometic Boracay FTC | 20 - 21 |
| | |

ACCESSORIES

| Carpets and Footprints | 2 |
|------------------------|---|
| Inflatable Windbreak | 2 |
| Tent Accessories | 2 |

TECHNICAL DATA

Technical Data 23 - 27

DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogues.

dometic.com

2 — DOMETIC.COM

UNIQUE TO DOMETIC

Innovations developed exclusively for Dometic camping tents

Rear storage area Patent Pending

As family campers know, keeping the living space of the tent tidy is essential when staying put for any length of time. The Dometic storage area provides the solution to camping clutter and keeps your living space free for relaxing with friends and family.

Unique to Dometic camping tents, the rear storage area is located behind the inner tents of each model and is ideal for storing luggage, clothes and other bulky items. Access to this area is through the zipped door in the back of the inner whilst the structure of the space is maintained with aluminium struts and Quick Pitch straps.





Inner Tents


Sleep soundly when camping with a Dometic tent. Our blend of SleepTite darkened material, breathable polyester or polycotton and sizeable door mesh create an environment conducive to a great night's sleep. There's no compromise on space either, Dometic inner tents afford each person at least 70 cm of width and 225 cm of depth, meaning there's plenty of room to stretch out and experience the same comfort you would at home.

Smart external storage and stuff pockets for the inner tent doors help to keep the tent tidy in the day whilst the elastic securing loops and valance create a near seamless connection between the inner and tent flysheet.

Tent Folding Lines Patent Pending

For novice and experienced campers alike, packing your tent away at the end of a trip can be a challenge. To combat this, Dometic camping tents feature small fabric Glow orange tab markers which highlight the folding lines point. Simply fold the back of the tent to this marker which will then give the ideal width to be able to roll your tent away to the ideal size to fit back in the bag.







Climate Control Ventilation

High and low level ventilation located on the sides and rear of Dometic camping tents reduces condensation and improves comfort.

Redesigned to incorporate lightweight aluminium support poles, the mesh ventilation points provide plenty of relief on hot summer days and the ability to keep warmth inside the tent when closed.





Door Tie Backs

Roll back your front door and mesh panel quickly and more securely than ever before. Dometic tents feature heavy duty webbing straps with a quick-release clip for superior convenience and performance.



Zipped Blinds

Zipped window blinds with easy-store pockets provide endless adjustment and privacy when you need it.



Reflective Quick Pitch Guying System

The best guying system made better.

Dometic Quick Pitch straps feature 2 lines of reflective stitching for extra visibility when navigating around the tent at night.



Durable Pegs

In addition to our versatile plastic pegs,
Dometic tents include 10 extra-tough Rock
Pegs. These additional pegs are included
to help you pitch on stoney and uneven
ground, enabling you to stay longer and
thrive in any environment.



Cable Entry Points

Keep your electronics charged up when enjoying the outdoors in a Dometic camping tent. Cable entry points are included as standard on 3 sides of our larger models and on 2 sides of the FTC range, ensuring you stay in touch with the outside world whilst you get lost in nature.



Carabiners

Add convenience to your outdoor holiday with Dometic. Durable carabiners hanging centrally in the porch and living areas of our camping tents are ideal for hanging lights, electric fans and other small camping accessories.

KEY FEATURE ICONS

Included as standard, innovative features to enhance your camping experience



Climate Control

High and low level vents create airflow to ventilate your tent. Ventilation helps prevent condensation and improves comfort.



Sleep-Tite Darkened Bedrooms

Inner tents use dark materials to help block out early sunlight for a good night's sleep.



Quickpitch™ Guying System

Heavy-duty straps can be pegged out in seconds. Peg the bottom strap taut and adjust the top buckle to apply tension.



SabreLink™ Ready

Attach up to three lights in the living area. Switch the lights on/off and adjust the brightness remotely. Also suits poled tents.



Tent Folding Lines

Glow folding lines make setting down and folding the tent away a simple process.



Luggage Area

Unique to Dometic camping tents, the rear storage area is located behind the inner tents of each model and is ideal for storing luggage, clothes and other bulky items.



Zipped Blinds

Zipped window blinds with easy-store pockets provide privacy when you need it.



Wider Bedrooms

On average, Dometic bedrooms are the widest available, ensuring a comfortable night's sleep.



Wardrobe Pole Ready

Simply clip-in to either the left or right hand inner tents to add hanging storage to your Dometic tent



Cable Entry Points

For added convenience, all tents have zipped cable entry points for 12V and mains cable access.



Headroom

Near vertical side walls ensure Dometic camping tents provide ample living space throughout and generous headroom from front to back.



Waterproof

Tested to 200L/m² per hour to ensure that you are kept dry.



Dometic inflatable tents will transform your camping experience. Our reliable Air Frame system uses multiple inflation and deflation points for the most straightforward, time-saving tent set-up and

The Dometic Air Frame is constructed with durable, oversized Ø12 cm Air Poles, which create an extremely strong yet flexible structure. Each tent comes with a manual hand pump or for maximum convenience, simply plug in the optional Gale 12 V pump.



TENT MATERIALS



Weathershield™ TC

High quality polycotton material allows the tent to breathe, reducing condensation and regulating the interior temperature on hot days.




Weathershield™ 150D

Extremely light and easy to handle. Highly durable and weather-resistant too, this versatile polyester offers great value with no compromises.



Weathershield™ Redux

Waterproof, lightweight, and environmentally responsible. This polyester is woven from recycled plastic bottle yarn, providing reliable protection from the elements without compromise.





Each Air Pole is made of a strong TPU inflation tube that is zipped into a tough reinforced polyester cover. This is then zipped into a heavy-duty sleeve in the tent. The result is an extremely well protected, durable Air Frame which requires no maintenance.







Dometic TRT 140 AIR

- 12v electric pump (included)
- Single point inflation
- Fast, effective shelter for up to two people
- Breathable technical cotton material and mesh windows throughout
- Width: 2190 mm
- Depth: 1440 mm
- Height: 1100 mm
- Sleeping area: 2100 x 1400 mm
- Pack size: 1460 x 800 x 320 mr

790 x 500 x 115 mm

 Weight: 48.62 kg / 9.02 kg







Ref. 9120002118





Sturdy inflatable tent frame with 12 V electric pump



Compact pack size

Tri-fold design for convenient transport and storage



Full comfort control

Polycotton fabric, mesh windows and zipped blinds for extra comfort



Dometic RT Awning

Adding privacy and shelter to your car camping setup, the Dometic RT Awning can be set up as either an all round sun shade or a privacy room in a matter of minutes.

- Width: 2200 mm
- Depth: 1900 mm
- Connection Height: 1450 1690 mm (Low) / 1700 2000 mm (Tall)
- Weight: 8.21 kg (Low) / 8.64 kg (Tall)
- Low designed for use with standard height passenger cars
- Tall designed for use with taller SUVs and off-road vehicles

Ref. 9120002119 (Low) / 9120002120 (Tall)






Dometic Santorini FTK 4X8 TC

- Pack size: 800 x 440 x 460 mm
- Weight: 28.28 kg


Ref. 9120002091



Dometic Santorini FTK 2X4 TC

- Pack size: 750 x 400 x 430 mm
- Weight: 22.12 kg

Ref. 9120002097



SANTORINI FTK TC

Experience camping luxury

Dometic Santorini FTK TC is constructed with advanced technical cotton material and features a large integrated canopy to ensure you panels on all sides of the tent provide maximum airflow control, remain sheltered, comfortable and dry throughout your camping reducing condensation and regulating the inner temperature.

The ideal inflatable camping tent for families and groups alike, the trip. Sleep comfortably anywhere inside the tent or clip-in the option inner tent for added comfort and privacy. Zipped, bug-proof mesh



Large ventilation panel

Zip-close or open, the gusseted rear mesh panel helps ensure interior comfort.



Integral inflatable canopy

Increased the livable space of the tent and provides additional overhead cover.



Weathershield™ TC

Polycotton material reduces condensation and regulates the interior temperature.















(Optional)


Inner Tent

Toggle a breathable inner tent into your tent living area to create a private sleeping space.

FTK 4X8 TC (4 berth) / Ref. 9120002121 FTK 2X4 TC (2 berth) / Ref. 9120002124



10 - DOMETIC.COM



Featuring an integrated inflatable mattress and durable inflatable frame, the Dometic Pico is the ideal all-in-one tent for couples and solo campers. The convenient carry bag includes backpack straps your camping trip.

Jump out the car and set up camp with the Dometic Pico FTC. for easy transport on foot over short and longer distance. The advanced technical cotton material provides protection from the elements and ensures you remain comfortable and dry throughout






Dometic Pico FTC 2X2 TC

- Pack size: 700 x 290 x 290 mm
- Weight: 9.98 kg


Ref. 9120002113




Dometic Pico FTC 1X1 TC

- Pack size: 650 x 280 x 280 mm
- Weight: 8.45 kg

Ref. 9120002116





For full technical data, see p. 24












Designed to pack down small and pitch fast, the inflatable Dometic Reunion FTG camping tent ensures quick, effective shelter for up to 5 people. Constructed using lightweight Weathershield Redux polyester, woven from yarn made from recycled plastic bottles, it's high-performance and extremely reliable. The Reunion FTG features an all-round bug proof design without compromising airflow, the lightweight mesh construction keeps you cool even in warm climates. Should the weather change and the rain come down, simply clip-on the flysheet and continue your adventure.

Dometic Reunion FTG 5X5 REDUX

- Pack size: 700 x 300 x 300 mm
- Weight: 13.16 kg


Ref. 9120002103



Dometic Reunion FTG 4X4 REDUX

- Pack size: 600 x 300 x 300 mm
- Weight:11.52 kg

Ref. 9120002108





Panoramic views

Outer flysheet can be removed to increase ventilation and allow for panoramic views





ASCENSION FTX TC

Thrive outdoors

spacious living area, advanced technical cotton construction and clever 3-position front door ensure you can stay outdoors in comfort

Embrace the outdoors with the Dometic Ascension FTX TC. The longer. Use the generous storage area behind the inner tent to keep your belongs safe and your tent clutter free.




Rear Storage Area

Store luggage with ease using the generous rear storage area accessed through the inner tents.



Zip-out Porch Door

Zip-out the 6-position front porch door for a seamless transition from outside to inside.



Weathershield™ TC

Polycotton material reduces condensation and regulates the interior temperature.










Dometic Ascension FTX 401 TC

- Pack size: 1000 x 640 x 580 mm
- Weight: 54.01 kg

Ref. 9120001460




Dometic Ascension FTX 601 TC

- Pack size: 1000 x 640 x 580 mm
- Weight: 67.51 kg

Ref. 9120001459





For full technical data, see p. 25



TC Annexe

Fit an annexe to your tent for additional storage space. Simply zip-on, insert the aluminium pole and peg out.

Ref. 9120001480



This optional front canopy simply zips onto the tent for additional living space and overhead cover.

FTX 401 TC / Ref. 9120001472 FTX 601 TC / Ref. 9120001470



+1 Inner Tent

Toggle a breathable one-berth inner tent into your tent living area to create a private sleeping space.

FTX 401 / Ref. 9120001504 FTX 601 / Ref. 9120001503



Mesh Vestibule

Add comfort with a zip-out mesh vestibule. When you need extra weather protection when using the optional canopy, simply replace the mesh with the FTX Ascension front panel.

FTX 401 TC / Ref. 9120002040 FTX 601 TC / Ref. 9120002038




Dometic Rarotonga



• Weight: 53.55 kg


Ref. 9120001461

FTT 601 TC



- Pack size: 1000 x 540 x 500 mm
- Weight: 39.32 kg


Ref. 9120001462



For full technical data, see p. 25









Multi Point inflation frame and near vertical front and side walls vestibule.

Rear Storage Area

Store luggage with ease using the generous rear storage area accessed through the inner tents.




RAROTONGA FTT TC

Extend your stay

Climate Control Ventilation

High and low level vents create airflow to ventilate your tent. Ventilation helps prevent condensation and improves comfort.



WeatherShield™ TC

Polycotton material reduces condensation and regulates the interior temperature.







Canopy

Optional

This optional front canopy simply zips onto the tent for additional living space and overhead cover.

FTT 401 TC / Ref. 9120001476 FTT 601 TC / Ref. 9120001474





Vestibule

This optional front vestibule simply zips onto the tent, creating a large door to protect you from the elements.

FTT 401 TC / Ref. 9120001484 FTT 601 TC / Ref. 9120001482

Optional



Mesh Vestibule

Remain comfortable and invite the outdoors in with an optional mesh vestibule.

FTT 401 TC / Ref. 9120001492 FTT 601 TC / Ref. 9120001490

16 - DOMETIC.COM MOBILE LIVING MADE EASY — 17






Dometic Rarotonga FTT 401 Redux

- Pack size: 850 x 420 x 420 mm
- Weight: 28.72 kg

Ref. 9120002036


For full technical data, see p. 26



Dometic Rarotonga FTT 601 Redux

- Pack size: 850 x 520 x 480 mm
- Weight: 39 kg

Ref. 9120002035









Mesh Windows

Large mesh windows feature throughout, helping to increase air circulation, reduce condensation and add comfort in hot weather.



RAROTONGA FTT REDUX

Unmatched outdoors

Experience family camping vacations like never before with the lightweight and extremely reliable too. Mesh windows with zipped Dometic Rarotonga FTT Redux. Constructed with all-new polyester, blinds and the recycled oxford polyester groundsheet add comfort woven with recycled plastic bottle yarn, this inflatable tent is and provide reliable performance as you explore the outdoors.

Reflective Quickpitch™ Guying System

Peg the reflective straps taut and adjust the buckle to apply tension.



Weathershield™ Redux

Environmentally responsible polyester ensures reliable protection from the elements.









18 — DOMETIC.COM MOBILE LIVING MADE EASY — 19
















Ref. 9120001463



Dometic Boracay FTC 401 TC

 Pack size: 820 x 480 x 420 mm

• Weight: 33.2 kg

Ref. 9120001995

CARPETS AND FOOTPRINTS

Durable carpets and footprints tailored to your tent

9120002127

9120002129

For full technical data, see p. 26

Footprints

Tough non-breathable tent



BORACAY FTC

Superior comfort

windows, a rear storage compartment and low-to-high ventilation make for a luxurious camping experience. Zipped window blinds

The compact Boracay FTC is the ideal touring tent; large full height and Sleep Tite darkened bedrooms provide essential privacy whilst the integrated front canopy affords additional outdoor living space.







Tent Folding Lines

Tab markers make breaking down and folding the tent away a simple process.



Optional



Canopy

This optional front canopy simply zips onto the tent for additional living space and overhead cover.

FTC 301 TC / Ref. 9120001478 FTC 401 TC / Ref. 9120001996

Carpets Fleece carpets are cushioned, hard-wearing and tailored to your tent. **Ascension FTX 601 Carpet** 9120001493 Ascension FTX 401 Carpet 9120001494 Rarotonga FTT 601 Carpet 9120001495 Rarotonga FTT 401 Carpet 9120001496 **Boracay FTC 401 Carpet** 9120001997 **Boracay FTC 301 Carpet** 9120001497 Santorini FTK 4X8 Carpet 9120002122 9120002125 Santorini FTK 2X4 Carpet

Reunion FTG 5X5 Carpet

Reunion FTG 4X4 Carpet


| footprints reduce condensation when pitched on wet ground. | Ref. |
|--|------------|
| Ascension FTX 601 Footprint | 9120001498 |
| Ascension FTX 401 Footprint | 9120001499 |
| Rarotonga FTT 601 Footprint | 9120001500 |
| Rarotonga FTT 401 Footprint | 9120001501 |
| Boracay FTC 401 Footprint | 9120001998 |
| Boracay FTC 301 Footprint | 9120001502 |
| Santorini FTK 4X8 Footprint | 9120002123 |
| Santorini FTK 2X4 Footprint | 9120002126 |
| Reunion FTG 5X5 Footprint | 9120002128 |
| Reunion FTG 4X4 Footprint | 9120002130 |
| Pico FTC 2X2 Footprint | 9120002131 |
| Pico FTC 1X1 Footprint | 9120002132 |

20 - DOMETIC.COM

pump or double-action hand pump. And just in case something happy camp. gets damaged, it's always useful to have a repair kit ready to fix the

Pitching your inflatable tent is effortless when using an electric situation. Essential accessories for maintaining a well-set-up and







Inflation Inflatable awning and tent essentials

Lighting Reliable lighting for nighttime convenience

Repairing

Supporting your outdoor adventure

INFLATABLE WINDBREAK

Inflatable windbreak to match Dometic tents



Dometic Air Screen FTA

Never has a windbreak been so easy to set-up. Simply peg and pump to enjoy the AIR Screen's free-standing protection. Pitch beside your Dometic camping tent to maximise the usable space of your pitch and keep pets close to camp.

- Length: 5000 mm
- Height: 1300 mm
- Pack size (L x W x H): 670 x 290 x 180 mm
- Weight: 5.36 kg

Ref. 9120002187



| TECHNICAL DATA ROOF TOP TENTS | TRT 140 AIR |
|--|---|
| Ref. | 9120002118 |
| Tent width (mm) | 2180 |
| Tent depth (mm) | 1450 |
| Tent height (mm) | 1200 |
| Sleeping area width (mm) | 2150 |
| Sleeping area depth (mm) | 1400 |
| Sleeping area height (mm) | 1100 |
| $\textbf{Pack size} (L \times W \times H, mm)$ | 1460 x 800 x 320 / 790 x 500 x 115 |
| Weight (kg) | 48.62 / 9.02 |
| Material | Weathershield™ TC |
| / Key features | |
| Single Point Inflation™ | • |
| Climate control | • |
| SabreLink™ Flex ready | • |
| Flyscreen panels | • |
| Blinds | Zipped |
| / Scope of delivery | |
| Telescopic ladder | • |
| Mattress | • |
| Pump | Dometic Gale 12v electric pump |
| Storage pocket bags | • |
| Carry bag | PVC cover |
| Tool bag | • |
| / Optional extras | |
| Rooftop tent awning | 9120002119 (low) / 9120002120 (tall) |

| TECHNICAL DATA | | | |
|------------------------------|----------------------|----------------------|--|
| INFLATABLE TENTS | SANTORINI FTK 4X8 TC | SANTORINI FTK 2X4 TC | |
| Ref. | 9120002091 | 9120002097 | |
| Tent length (mm) | 6250 | 4550 | |
| Tent width (mm) | 3000 | 3000 | |
| Tent height (mm) | 2150 | 2150 | |
| Inner tent width (mm) | 2800 | 1300 | |
| Inner tent depth (mm) | 2150 | 2050 | |
| Inner tent height (mm) | 2000 | 2000 | |
| Pack size (L x W x H, mm) | 800 x 440 x 460 | 750 x 400 x 430 | |
| Weight (kg) | 28.28 | 22.12 | |
| Material | Weathers | hield™ TC | |
| / Key features | | | |
| Climate control | | • | |
| Blinds | Zip | ped | |
| Sleep-Tite bedrooms | Option | aal extra | |
| QuickPitch™ guying system | | • | |
| SabreLink™ Flex ready | | • | |
| Multi Point Inflation | | • | |
| Flyscreen doors | • | | |
| Groundsheet | Sewn-in | | |
| / Scope of delivery | | | |
| Hand pump | | • | |
| Storm straps | | • | |
| Pegs | | • | |
| Repair kit | | • | |
| Carry bag | | • | |
| / Optional extras | | | |
| Inner Tent | 9120002121 | 9120002124 | |
| Carpet | 9120002122 | 9120002125 | |
| Footprint | 9120002123 | 9120002126 | |
| | | | |

22 - DOMETIC.COM MOBILE LIVING MADE EASY — 23 TECHNICAL DATA

TECHNICAL DATA







| INFLATABLE TENTS | PICO F1 | гстс | REUNION FTG REDUX | | |
|---|-----------------|-----------------|-----------------------|-----------------------|--|
| Product name | Pico FTC 1X1 TC | Pico FTC 2X2 TC | Reunion FTG 4X4 REDUX | Reunion FTG 5X5 REDUX | |
| Ref. | 9120002116 | 9120002113 | 9120002108 | 9120002103 | |
| Tent length (mm) | 2150 + 400 | 2150 + 400 | 3250 | 3750 | |
| Tent width (mm) | 900 | 1400 | 2350 | 2850 | |
| Tent height at front (mm) | 900 | 900 | 1500 | 1560 | |
| Tent height at rear (mm) | - | - | - | - | |
| Inner tent width (mm) | - | - | 2350 | 2850 | |
| Inner tent depth (mm) | - | - | 2300 | 2800 | |
| Inner tent height (mm) | - | - | 1400 | 1460 | |
| Side inner tent (W \times D \times H, mm) | - | - | - | - | |
| Pack size (L x W x H, mm) | 650 x 280 x 280 | 700 x 290 x 290 | 600 x 300 x 300 | 700 x 300 x 300 | |
| Weight (kg) | 8.45 | 9.98 | 11.52 | 13.16 | |
| Material | Weathersh | ield™ TC | Weathershie | eld™ Redux | |
| / Key features | | | | | |
| Climate control | • | | | | |
| Blinds | Zipp | ed | | , | |
| Sleep-Tite bedrooms | - | | - | | |
| Wider bedrooms | - | | - | - | |
| QuickPitch™ guying system | • | | • | | |
| Wardrobe pole ready | - | | - | | |
| SabreLink™ Flex ready | • | | • | | |
| Cable entry point | • | | - | | |
| Multi Point Inflation | Sing | le | Sin | gle | |
| Flyscreen doors | • | | | , | |
| Groundsheet | Sewn | n-in | Sew | n-in | |
| / Scope of delivery | | | | | |
| Inner tent | - | | - | | |
| Mattress | • | | - | - | |
| Hand pump | • | | • | | |
| Canopy groundsheet | - | - | | - | |
| Adjustable alloy poles | • | | - | | |
| Side canopy pole | _ | | Front Canopy Pole | | |
| Storm straps | - | | | | |
| Pegs | • | | | | |
| Repair kit | • | | | | |
| Carry bag | • | | | | |
| / Optional extras | | | | | |
| Annexe | - | - | - | - | |
| Canopy | - | - | - | - | |
| +1 inner tent | - | - | - | - | |
| Vestibule | - | - | - | - | |
| Mesh vestibule | - | - | - | - | |
| Carpet | - | - | 9120002129 | 9120002127 | |
| Footprint | 9120002132 | 9120002131 | 9120002130 | 9120002128 | |
| Wardrobe pole | - | - | - | - | |
| | | | | | |






ASCENSION FTX TC

RAROTONGA FTT TC

| Ascension FTX 401 TC | Ascension FTX 601 TC | Rarotonga FTT 401 TC | Rarotonga FTT 601 TC |
|-------------------------------|-------------------------------------|----------------------|----------------------|
| 9120001460 | 9120001459 | 9120001462 | 9120001461 |
| 7500 | 7650 | 6050 | 6850 |
| 3200 | 4600 | 3000 | 4400 |
| 2100 | 2200 | 2100 | 2100 |
| 2100 | 2200 | 2100 | 2100 |
| 1600 / 1400 | 1400 / 1600 / 1400 | 1400 / 1400 | 2100 / 2100 |
| 2250 | 2250 | 2250 | 2250 |
| 2000 | 2100 | 2000 | 2000 |
| 1000 x 2000 x 2000 (optional) | 1150 x 2100 x 2100 (optional) | - | - |
| 1000 x 640 x 580 | 1000 x 640 x 580 | 1000 x 540 x 500 | 1000 x 600 x 560 |
| 54.01 | 67.51 | 39.32 | 53.55 |
| Weathersl | Weathershield™ TC Weathershield™ TC | | hield™ TC |
| | | | |

| | • | | • |
|------------|------------|------------|------------|
| Zip | ped | Zip | ped |
| | • | | • |
| | • | | |
| | • | | • |
| | • | | • |
| | • | | |
| | • | | • |
| | • | | |
| × | 2 | x | 2 |
| Sev | vn-in | Sew | n-in |
| | | | |
| | • | | |
| | - | | - |
| | • | | |
| | • | | |
| | - | | - |
| | • | | - |
| | • | | |
| | • | | |
| | - | - | - |
| | • | | • |
| | | | |
| 9120001480 | 9120001480 | - | - |
| 9120001472 | 9120001470 | 9120001476 | 9120001474 |
| 9120001504 | 9120001503 | - | - |
| | | | |

TECHNICAL DATA







BORACAY FTC

| NFLATABLE TENTS | RAROTONGA FTT REDUX |
|-------------------|----------------------|
| IN ENIMBLE ILITIO | MARKOTOTIOATTI REDOX |

| Product name | Rarotonga FTT 401 Redux | Rarotonga FTT 601 Redux | Boracay FTC 301 TC | Boracay FTC 401 TC |
|--|----------------------------|----------------------------|--------------------|--------------------|
| Ref. | 9120002036 | 9120002035 | 9120001463 | 9120001995 |
| Tent length (mm) | 6050 | 6850 | 4350 | 4750 |
| Tent width (mm) | 3000 | 4400 | 2300 | 3000 |
| Tent height (mm) | - | - | 2000 | 2000 |
| Tent height at front (mm) | 2100 | 2100 | - | - |
| Tent height at rear (mm) | 2100 | 2100 | + | - |
| Inner tent width (mm) | 1400 / 1400 | 2100 / 2100 | 2100 | 2800 |
| Inner tent depth (mm) | 2250 | 2250 | 2250 | 2250 |
| Inner tent height (mm) | 2000 | 2000 | 1900 | 1900 |
| $\textbf{Pack size} (L \times W \times H, mm)$ | 850 x 420 x 420 | 850 x 520 x 480 | 800 x 480 x 420 | 820 x 480 x 420 |
| Weight (kg) | 28.72 | 39 | 27.63 | 33.2 |
| Material | Weathershi | eld™ Reduy | Weathers | hield™ TC |

| 1 | Kov | feat | IIPAS |
|---|-----|------|-------|

| Climate control | • | • |
|---------------------------|---------|---------|
| Blinds | Zipped | Zipped |
| Sleep-Tite bedrooms | • | • |
| Wider bedrooms | • | • |
| QuickPitch™ guying system | • | • |
| Wardrobe pole ready | • | • |
| SabreLink™ Flex ready | • | • |
| Cable entry point | • | - |
| Multi Point Inflation | • | • |
| Flyscreen doors | x 2 | x1 |
| Groundsheet | Sewn-in | Sewn-in |
| / Scope of delivery | | |
| Inner tent | • | • |
| | | |

| nner | tont | |
|------|------|--|

| • |
|---|
| • |
| • |
| • |
| • |
| • |
| • |
| |

/ Optional extras

| Canopy | - | + | 9120001478 | 9120001996 |
|----------------|------------|------------|------------|------------|
| Vestibule | - | - | - | - |
| Mesh vestibule | - | - | - | - |
| Carpet | 9120001496 | 9120001495 | 9120001497 | 9120001997 |
| Footprint | 9120001501 | 9120001500 | 9120001502 | 9120001998 |
| Wardrobe pole | 9120001505 | 9120001505 | 9120001505 | 9120001505 |

| CHNICAL DATA | |
|---------------|--|
| CHINICAL DAIA | |

ACCESSORIES CANOPIES

| Product name | Ascension FTX 401 TC | Ascension FTX 601 TC | Rarotonga FTT 401 TC | Rarotonga FTT 601 TC | Boracay FTC 301 TC | Boracay FTC 401 TC |
|--|-------------------------|-------------------------|-------------------------|-------------------------|-----------------------|-----------------------|
| Ref. | 9120001472 | 9120001470 | 9120001476 | 9120001474 | 9120001478 | 9120001996 |
| Product length (mm) | 1800 | 1800 | 1800 | 1800 | 1800 | 1800 |
| Product width (mm) | 3200 | 4600 | 3000 | 4400 | 2300 | 3000 |
| Product height (mm) | 2100 | 2200 | 2100 | 2100 | 2000 | 2000 |
| $ \begin{array}{l} \textbf{Pack size} \ (L \times W \times H, \\ mm) \end{array} $ | 520 x 260 x 240 | 520 x 260 x 240 | 530 x 270 x 160 |
| Weight (kg) | 7.98 | 9.42 | 8.29 | 9.81 | 7.09 | 7.42 |
| Material | Weathershield™TC | | | | | |

/ Scope of delivery

| , scope of delivery | |
|---------------------|---|
| Canopy groundsheet | • |
| Pegs | • |
| Carry bag | • |

| TECHNICAL DATA | WAY. | AU | | | |
|---|----------------------|----------------------|-------------------|-------------------|-------------------------|
| ACCESSORIES | VESTIBULES | | INNER TENTS | | ANNEXE |
| Product name | Rarotonga FTT 401 TC | Rarotonga FTT 601 TC | Ascension FTX 401 | Ascension FTX 601 | Ascension FTX TC Annexe |
| Ref. | 9120001484 | 9120001482 | 9120001504 | 9120001503 | 9120001480 |
| Product length (mm) | 1050 | 1050 | 2000 | 2100 | 1335 |
| Product width (mm) | 3000 | 4400 | 1000 | 1150 | 100 |
| Product height (mm) | 2000 | 2000 | 2000 | 2100 | 180 |
| Pack size (L \times W \times H, mm) | 520 x 170 x 160 | 520 x 170 x 160 | 350 x 450 x 60 | 350 x 450 x 60 | 640 x 180 x 160 |
| Weight (kg) | 4.66 | 5.87 | 1.98 | 2.1 | 3.47 |
| Material | Weathers | hield™ TC | - | - | Weathershield™ TC |
| / Scope of delivery | | | | | |
| Groundsheet | | • | - | - | • |
| Pegs | | • | - | - | • |
| Carry bag | | • | • | • | • |

| TECHNICAL DATA | TO STORY | | | | | | |
|---------------------------|----------------------|----------------------|----------------------|----------------------|--|--|--|
| ACCESSORIES | MESH VESTIBULES | MESH VESTIBULES | | | | | |
| Product name | Ascension FTX 401 TC | Ascension FTX 601 TC | Rarotonga FTT 401 TC | Rarotonga FTT 601 TC | | | |
| Ref. | 9120002040 | 9120002038 | 9120001492 | 9120001490 | | | |
| Product length (mm) | 800 | 800 | 1050 | 1050 | | | |
| Product width (mm) | 3200 | 4600 | 3000 | 4400 | | | |
| Product height (mm) | 2000 | 2100 | 2000 | 2000 | | | |
| Pack size (L x W x H, mm) | 520 x 170 x 160 | | | |
| Weight (kg) | 3.75 | 4.67 | 3.88 | 4.71 | | | |
| Material | Weathershield™TC | | | | | | |
| Scope of delivery | | | | | | | |
| Groundsheet | | | • | | | | |

Pegs Carry bag



dometic.com

YOUR LOCAL DEALER

dometic.com/dealer

YOUR LOCAL SUPPORT

dometic.com/contact

YOUR LOCAL SALES OFFICE

dometic.com/sales-offices