CATALOGUE 2024

Curry

T

9

T

Y

10


PROFESSIONAL EQUIPMENT FOR HOTELS AND RESTAURA



THE NUMBER ONE CHOICE

Welcome to Dometic!

Whether it's a family-run Bed & Breakfast or the world's first 7-star hotel, the hospitality industry trusts us to deliver high-quality solutions for enhanced guest satisfaction. Today you can find millions of Dometic minibars, room safes and wine coolers in hotels of all star categories across the world – something we are very proud of. Our latest products are now here for you to explore. Welcome to our new catalogue – enjoy browsing and let us know what we can do for you.





DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogues.

DOMETIC.COM/PROFESSIONAL

MINIBARS

Dometic minibars intro	6 – 13
HiPro minibars	14 – 23
Drawer minibars	24 – 25
Classic minibars	26 – 27
Ventilation guidelines	28 – 29
HiPro exchange guide	30 - 31

SAFES

Dometic safes intro	32 - 35
Dometic Premium Class	36 - 39
Dometic Standard Class	40 - 43

WINE COOLERS

Dometic wine coolers intro	44 – 45
DrawBar	46 - 49
Built-in wine coolers	50 - 53
Free-standing wine coolers	54 - 55
Wine cooler accessories	56 - 57

MOBAR


MoBar

58 - 67

RESTAURANT & CATERING

Restaurant & Catering intro	68 - 69
Delivery box	70 – 71





GIVE YOUR GUESTS AN UNFORGETTABLE STAY

You will find more Dometic minibars and safes than any other make in first-class hotels across the world. Why? Know-how accumulated more than over 50 years, a track record of innovation as well as leading design solutions are the three main reasons.

The top of the line Dometic HiPro Evolution and Alpha range minibars are developed with your business experience in mind. A sustainable minibar is a smart minibar. The HiPro Evolution range is just that. Boasting precise temperature control, world-class efficiency and the best minibar cooling capacity, the premium Dometic HiPro range ensures chromate-free absorption technology checks in for a clean, sustainable future in your hotel.

Our modern and energy-efficient range of noiseless drawer minibars (Dometic DM 20 drawer minibar).



Dometic HiPro minibars The next generation of minibars

The state-of-the-art design of Dometic HiPro will help you create a premium in-room feeling. With sleek design, elegant illumination and crystal clear doors, invite your guests to treat themselves to something special.

Sustainability checking in

Sustainability means doing more with less. It's a philosophy we put into action with outstanding energy efficiency and the first chromate free minibar range on the market. A sustainable minibar is a smart minibar. The all new HiPro range delivers more powerful cooling with up to 40% less energy consumption, making a visible difference in OPEX for hotel owners.

Read more on this on p. 12

access.

Read more on this on p. 24



Dometic drawer minibars Unique design, outstanding construction

Our drawer minibars are a class of their own in terms of design, size and functionality. Noiseless cooling, convenient slide-out

DRIVING SUSTAINABILITY IN OUR INDUSTRY

After recently having been granted the "Most Efficient 2024" EnergyStar certification in the USA, Dometic also scored the "Leader Level" for its minibar products in the MindClick Sustainability Assessment Program (MSAP) of the hospitality sector. These accomplishments stand as a testament to the dedication and hard work of our exceptional team. We are committed to maintaining and even elevating our efforts in driving sustainability in our industry.

More and more hotel guests today expect a sustainable travel experience. Dedicated to a more sustainable lifestyle, they seek to reduce their overall carbon footprint - including that of their travels. When it comes to choosing their holiday accommodation, they are likely to prefer hotels that share their mindset. The MindClick Sustainability Assessment Program (MSAP) helps traveller and hotel brands to make well informed decisions in the jungle of labels and certifications.

The MindClick methodology rates candidates into three levels based on their scores: Starter, Achiever or Leader. Dometic achieved notably high scores in the rating, with emphasis on hotel impact, end-of-use considerations, packaging, and social/environmental aspects of production. That means that Dometic minibars are currently performing at "Leader Level", which is not only an achievement we are proud of, but also a motivation to keep up our efforts in developing sustainable solutions for the future.

DOMETIC MINIBARS

Always at your service

Premium can't be measured. It's all about the first impression, elegant design, and the silence that your guests appreciate. What can be measured is efficiency. With improved cooling performance and up to 40% lower energy consumption, it's clear to see why the HiPro range is considered the world's best minibar. After more than 50 years in the hotel business and 6 million installed units, we're proud to say that we're pioneering the hotel industry. Again.

1. COST REDUCTION The new HiPro offers best-in-class energy efficiency - no matter which cooling technology is used.

PIONEERING THE HOTEL INDUSTRY. AGAIN.

2. SUSTAINABILITY

We work hard to achieve even lower footprints within manufacturing as well as energy consumption.

We believe in sustainable

lost Efficient



DOUBLE STAR AWARD

In addition to numerous other international awards, the Dometic HiPro minibar generation received the golden Star Award in the Food & Beverage category. This well-known award is voted by readers and decision-makers in the hotel industry and thus sets a clear exclamation mark behind this latest generation of minibars.

The Dometic MoBar was also successful and received the gold Star Award in the Technology category.

> **MORE INFORMATION** ABOUT STAR AWARD





COOLING TECHNOLOGY

Dometic HiPro minibars are available with three different cooling technologies: absorption, thermoelectric, and compressor cooling. All have been improved and refined in the new HiPro range with the best cooling capacity and lowest energy consumption on the market - up to 50% less compared to standard units.

- Improved cooling performance
- Best-in-class energy efficiency
- Sustainable production and footprint
- Global sales and service network

10 - DOMETIC.COM/HOSPITALITY

guest experience

3. GUEST EXPERIENCE

HiPro will not only deliver premium cooling performance - it is also an attractive and sales promoting feature in the guest room.

4. STRONG PARTNERSHIP

After more than 50 years in the hotel business we have a strong promise to ensure care free maintenance



1. ABSORPTION


Up to 40 % lower energy consumption.

2. THERMOELECTRIC (NTE)

Up to 20% lower energy consumption.

3. COMPRESSOR

Up to 50 % lower energy consumption.



WE DEVELOPED HIPRO WITH HOTEL GUESTS IN MIND

A well-stocked minibar is an expected and appreciated hotel room feature for well-traveled hotel guests. Let's have a deeper look at some outstanding features we offer to the market with the all-new HiPro minibar generation:

> **Optional Locking Function** (Evolution line only)

Intelligent modular system to choose between cooling technologies: Economical thermoelectric, long lasting powerful absorption cooling (chromate-free) or compressor cooling technology.

Menu Celebrating Illumination for highlighting your minibar menu (Evolution line only)

> Improved usability: Optimized interior for flexible arrangement of the minibar assortment.

Adjustable shelves at door opening angle of 90°; maximum door opening angle 120°

Door shelves to fit 1.5 | bottles.



Lower energy consumption

Dometic's new HiPro range will reduce energy consumption by up to 50%.

Improved cooling power

Improved cooling capabilities with updated and optimized functionality.






Premium guest experience

New HiPro will be an attractive and sales-promoting feature in the guest room.



A strong partner

With more than 50 years of experience and more than 6 million installed units; we are a proven partner.



Many business travellers are constantly on the move living a suitcase life. Most days represent hard work with long hours - arriving late to the room preparing for the next day's meeting while burning the midnight oil. That's why the minibar is a much-appreciated feature offering cold beverages and energizing snacks. For the leisure tourist, the hotel minibar is an opportunity to enjoy a cold beverage at the late arrival check-in, after a long city excursion and while getting ready for a fun night out - or perhaps waking up with a need to quench the thirst.







Most Efficie 2024

Celebrating menu illumination Top LED light



Door-racks and balconies Door-rack 1,5 L bottles

HIPRO LINE TECHNICAL DATA		G			Mart Efficient 2024
MODEL	ALPHA N30S	ALPHA A30S	ALPHA N40S	ALPHA A40S	ALPHA C40S
Cooling technology	Thermoelectric	Absorption	Thermoelectric	Absorption	Compressor
Model class (litre)	30	30	40	40	40
Storage volume (litre)	26	26	33	33	33
Door type	Metal sheet door	Metal sheet door	Metal sheet door	Metal sheet door	Metal sheet door
Product dimensions (H×W×D, mm)	520/384/415	520/384/446	550/405/435	550/405/466	550/405/481
Can be built-in/integrated	With ventilation	With ventilation	With ventilation	With ventilation	With ventilation
Sliding hinge kit	Yes	Yes	Yes	Yes	Yes
Variable door hinge	Yes	Yes	Yes	Yes	Yes
LED interior light	LED top light	LED top light	LED top light	LED top light	LED top light
Input rating (W)	55	60–70	55	60–70	45
Energy consumption (kWh/24 h)	0.259	0.535	0.262	0.576	0.130
Noise level (dB[A])	0	0	0	0	33
Energy class	F	G	F	G	С
Features	 Noiseless Low energy consumption 1 x door rack 1 x plastic shelf Adjustable shelf 	 Noiseless 1 x door rack 1 x plastic shelf Adjustable shelf Long lasting technology 	 Noiseless Low energy consumption 2 x door rack 1 x plastic shelf Adjustable shelf 	 Noiseless 2 x door rack 1 x plastic shelf Adjustable shelf Long lasting technology 	 High performance Lowest energy consumption Integrated silent mode 2 x door rack 1 x plastic shelf Adjustable shelf



Options



Key lock



Key lock

ALPHA N30S

ALPHA A30S

See the replacement guide on p. 30 and 31 which new HiPro can replace your existing minibar.

14 - DOMETIC.COM/HOSPITALITY

Plastic without decorative trim

Shelves





ALPHA N40S




Key lock

ALPHA A40S



Key lock

ALPHA C40S



A sustainable minibar is a smart minibar. The new Dometic HiPro range is just that. It's also more efficient with improved cooling and up to 40% less energy consumption. Add to that the first chromate-free absorption inhibitor on the market and sustainability is an easy choice. After more than 50 years in the hotel business and 6 million installed units, we're proud to say that we're pioneering the hotel industry. Again.





Shelves Tempered glass with decorative trim



Most Effici

Celebrating menu illumination Ambient LED lights top + bottom



Door-racks and balconies Door-rack 1,5 L bottles with tempered glass and decorative trim

HIPRO LINE TECHNICAL DATA			F A G	G
MODEL	EVOLUTION N30S	EVOLUTION A30S	EVOLUTION N40S	EVOLUTION A40S
Cooling technology	Thermoelectric	Absorption	Thermoelectric	Absorption
Model class (litre)	30	30	40	40
Storage volume (litre)	26	26	33	33
Door type	Stainless steel door	Stainless steel door	Stainless steel door	Stainless steel door
Product dimensions (H×W×D, mm)	520/384/415	520/384/446	550/405/435	550/405/466
Can be built-in/integrated	With ventilation	With ventilation	With ventilation	With ventilation
Sliding hinge kit	Yes	Yes	Yes	Yes
Variable door hinge	Yes	Yes	Yes	Yes
LED interior light	Ambient top + bottom	Ambient top + bottom	Ambient top + bottom	Ambient top + bottom
Input rating (W)	55	60–70	55	60–70
Energy consumption (kWh/24 h)	0.259	0.535	0.262	0.576
Noise level (dB[A])	0	0	0	0
Energy class	F	G	F	G
Features	 Noiseless Low energy consumption Ambient illumination 1 x door rack with decorative trim 1 x tempered glass shelf Adjustable shelf Aluminium handle Decorative panel on evaporator 	 Noiseless Low energy consumption Ambient illumination 1 x door rack with decorative trim 1 x tempered glass shelf Aluminium handle Adjustable shelf Decorative panel on evaporator Long lasting technology 	 Noiseless Low energy consumption Ambient illumination 2 x door rack with decorative trim 2 x tempered glass shelf Adjustable shelf Aluminium handle Decorative panel on evaporator 	 Noiseless Low energy consumption Ambient illumination 2 x door rack with decorative trim 2 x tempered glass shelf Aluminium handle Adjustable shelf Decorative panel on evaporator Long lasting technology
Options	Key lock	Key lock	Key lock	Key lock





EVOLUTION N30S

EVOLUTION A30S

See the replacement guide on p. 30 and 31 which new HiPro can replace your existing minibar.









EVOLUTION N40S



EVOLUTION A40S

HIPRO LINE TECHNICAL DATA			
MODEL	EVOLUTION N30G	EVOLUTION A30G	
Cooling technology	Thermoelectric	Absorption	
Model class (litre)	30	30	
Storage volume (litre)	26	26	
Door type	Transparent glass door	3 layer transparent glass door	
Product dimensions (H×W×D, mm)	520/384/415	520/384/446	
Can be built-in/integrated	With ventilation	With ventilation	
Sliding hinge kit	No	No	
Variable door hinge	Yes	Yes	
LED interior light	Ambient top + bottom	Ambient top + bottom	
Input rating (W)	55	60–70	
Energy consumption (kWh/24 h)	0.426	0.641	
Noise level (dB[A])	0	0	
Energy class	G	G	
Features • Noiseless • Noiseless • Low energy consumption • Ambient illumination • Ambient illumination • 1 x door rack with • 1 x door rack with decorative trim • 1 x tempered glass shelf • Aluminium handle • Adjustable shelf • Adjustable shelf • Decorative panel on evaporator • Long lasting technology		 Ambient illumination 1 x door rack with decorative trim 1 x tempered glass shelf Aluminium handle Adjustable shelf Decorative panel on evaporator 	
Options	Key lock	Key lock	



MODEL	EVOLUTION N40G	
Cooling technology	Thermoelectric	
Model class (litre)	40	
Storage volume (litre)	33	
Door type	Transparent glass door	3
Product dimensions (H×W×D, mm)	550/405/435	
Can be built-in/integrated	With ventilation	
Sliding hinge kit	No	
Variable door hinge	Yes	
LED interior light	Ambient top + bottom	
Input rating (W)	55	
Energy consumption (kWh/24 h)	0.435	
Noise level (dB[A])	0	
Energy class	G	
Features	 Noiseless Low energy consumption Ambient illumination 2 x door rack with decorative trim 2 x tempered glass shelf Adjustable shelf Aluminium handle 	 Nois Amb 2 x d 2 x t Alur Adju Dec

Decorative panel on evaporator

Options

HIPRO LINE TECHNICAL DATA

Key lock



EVOLUTION N40G



EVOLUTION N30G



EVOLUTION A30G 3G

See the replacement guide on p. 30 and 31 which new HiPro can replace your existing minibar.



G







EVOLUTION A40G	EVOLUTION C40G	
Absorption	Compressor	
40	40	
33	33	
3 layer transparent glass door	Transparent glass door	
550/405/466	550/405/481	
With ventilation	With ventilation	
No	No	
Yes	Yes	
Ambient top + bottom	Ambient top + bottom	
60–70	45	
0.646	0.153	
0	33	
G	C	
 Noiseless Ambient illumination 2 x door rack with decorative trim 2 x tempered glass shelf Aluminium handle Adjustable shelf Decorative panel on evaporator Long lasting technology 	 High performance Lowest energy consumption Integrated silent mode 2 x door rack 2 x tempered glass shelf Aluminium handle Adjustable shelf Decorative panel on evaporato 	

Key lock

Key lock



EVOLUTION A40G 3G



EVOLUTION C40G

FOOD & BEVERAGE



The Dometic HiPro 60 litre class minibar generation is available within the Alpha and Evolution range with different, stylish door designs left or right hinged.

Both ranges use the proven Dometic compressor cooling technology to generate efficient, quiet and powerful comfort for hotel guests.

The state-of-the-art design of Dometic HiPro will help you create a premium in-room feeling. With sleek design, elegant illumination and crystal clear doors, invite your guests to treat themselves to something special.



MINIBAR GENERATION



• Available as Solid Door or Glass Door

- Door handle plastic
- 2 pcs. plastic shelves
- 7 variable slots for shelves
- Transparent balcony
- Top LED light
- Slider kit included for Solid Doors
- Silent mode for compressor
- Dimension (H x W x D): 565 x 490 x 510 mm





Transparent door racks to fit 1,5L bottles


Decorative back cover and shelves





- Available as Solid Door or Glass Door
- Door handle Stainless Steel Hot Foil
- 2 pcs. frosted glass shelves with trim
- 7 variable slots for shelves
- Transparent balcony with trim
- Top and bottom LED light
- Slider kit included for Solid Doors
- Silent mode for compressor
- Optional Lock
- Dimension (H x W x D): 565 x 490 x 510 mm







Alluring illumination to promote sales

To learn more, visit us under **dometic.com/hipro**





HIPRO LINE TECHNICAL DATA



MODEL	EVOLUTION C60S	
Cooling technology	Compressor	
Model class (litre)	60	
Storage volume (litre)	49	
Door Type	Stainless steel door	
Product Dimensions (H x W x D, mm)	565/490/510	
Can be built-in/integrated	With ventilation	
Sliding hinge kit	Yes	
Variable door hinge	Yes	
LED Interior light	Ambient top + bottom	
Input rating (W)	45	
Engery consumption (kWh/24 h)	0,146	
Noise level (dB[A])	36	
Energy Class	D	
Features	 High performance Lowest energy consumption Integrated silent mode 2 x frosted glass shelf with trim 7 position shelf slots 2 x transparent balcony with trim 	

Options

Key lock



EVOLUTION C60S



ALPHA C60S










EVOLUTION C60G

Key lock





EVOLUTION C60G




Convenient slide-out access, noiseless operation, low energy consumption: Dometic drawer minibars set new standards in design and efficiency. Dometic DM 20 is the world's first noiseless 20-litre class drawer minibar. Having the same width as conventional 30-litre absorption minibars, it will easily replace them. Dometic DM 50 provides 50 litres capacity in an award-winning design featuring an automatic slide-out tray for snacks and mini bottles and an adjustable drawer for bottles and cans.

- Unique design for convenient slide-out access
- Thermoelectric cooling unit for low energy consumption
- Noiseless cooling comfort
- Patented and design awarded technology







TECHNICAL DATA		
MODEL	DM 20 D/F	DM 50 NTE D/F
Model class (litre)	20	50
Storage volume (litre)	15.8	45
Cabinet colors	Anthracite	Anthracite
Dimensions built-in version (H×W×D, in mm)	DM 20 D: 365 × 384 × 428 DM 20 F: 365 × 384 × 398	DM 50 NTE D: 418 × 550 × 524 DM 50 NTE F: 418 × 550 × 496
Can be built-in/integrated	with ventilation	with ventilation
LED interior light	•	•
Input rating (W)	52	75
Energy consumption (kWh/24 h)	0.3	0.33
Noise level (dB[A])	0	0
Features	 Highly flexible system of dividers and bottle fingers DM 20 D: with a decorative anthracite panel and handle DM 20 F: prepared for a decor panel to match the furniture design of the room 	 Highly flexible system of dividers and bottle fingers DM 50 D: with a decorative anthracite panel and handle DM 50 F: prepared for a decor panel to match the furniture design of the room
Options	• Lock	• Lock



Pull-out cool Removeable and smooth running sliding rails for convenient use.



Light the way LED interior light – nicely features the snacks and beverages inside.



D models with Dometic front panel – F models with a front panel of your choice

D Version: Door with anthracite grey Dometic front panel and handle **F Version:** Door with plain front allowing the designer and furniture manufacturer to complete the door finish with a custom front panel based on our specifications (dimensions/ thickness/weight)

D Version

F Version

24 - DOMETIC.COM/HOSPITALITY



Organized storage Simply slides out and self closing drawer provides easy access to the contents.

FOOD & BEVERAGE



Energy-saving made easy. Our Classic Line models bring cooling comfort to hotels and residences. Equipped with innovative and energy-efficient absorption cooling technology, Classic Line minibars combine silent service and maintenance-free convenience with added value. All models feature energy-efficient Fuzzy Logic temperature regulation, automatic defrost and well proven Dometic design, inside and out.



RH 429 LDAG



Flexible storage Highly flexible shelving system.



Optional handle The minibar can optionally be equipped with a handle. (RH 429 LDAG and RH 418 NTEG.)



Variable door hinge Easy to change from right to left hand hinge.



TECHNICAL DATA



	G	G	G	G
MODEL	RH 429 LDAG	RH 429 LD	RH 418 NTEG	RH 418 NTE
Model class (litre)	20	20	20	20
Storage volume (litre)	18	18	20	20
Cabinet color	Anthracite	Anthracite	Anthracite	Anthracite
Dimensions built-in version (H×W×D, mm)	435×422×384	435×422×384	435×422×350	435×422×350
Glass door	Yes	No	Yes	No
Can be built-in/integrated	•	•	•	•
Sliding hinge	-	•	•	•
Variable door hinge	•	•	•	•
LED interior light	•	•	•	•
Input rating (W)	75	65	65	65
Energy consumption (kWh/24 h)	0.74	0.63	0.222	0.222
Noise level (dB[A])	0	0	0	0
Features	 1 adjustable metal shelf with recess for tall bottles Glass door with aluminium frame 	 1 door rack for smaller bottles 1 adjustable metal shelf with recess for tall bottles 	 1 adjustable metal shelf with recess for tall bottles Glass door with aluminium frame 	 1 door rack for smaller bottles 1 adjustable metal shelf with recess for tall bottles
Options	 LED door opening control Temperature setting by remote control Also available as stand-alone model (FS version) Door handle Lock 	 LED door opening control Temperature setting by remote control Also available as stand-alone model (FS version) Lock 	 LED door opening control Temperature setting by remote control Door handle Lock 	 LED door opening control Temperature setting by remote control Sliding hinge Lock



RH 429 LDAG

RH 429 LD

G	GG	F
LD	RH 418 NTEG	RH 418 NTE





RH 418 NTEG



RH 418 NTE

VENTILATION GUIDELINES

DM50 NTE DRAWER MINIBARS

HIPRO MINIBARS AND HIPRO CARE MINIFRIDGES

Dometic absorption fridges are equipped with an electrically heated cooling unit which is virtually silent in operation. The heat which the cooling unit extracts from the refrigerator interior is emitted at the back of the fridge. If you have a free-standing model, sufficient directly near a heat source. ventilation is provided in most cases. If you want to integrate the fridge into a piece of furniture, however, the following instructions You can find all our documents, manuals and guidelines at need to met.

A30

N30

A40


N40


C40

В


Please note that there must be sufficient room for ventilation behind the refrigerator to prevent heat build-up. During installation, make sure that the refrigerator is standing on a stable, level surface, and not


documents. dometic.com.











etween the minibar's back (incl. the cooling unit) and the surrounding structure

Important note

Please read these instructions carefully and follow all instructions, guidelines, and warnings included in all our product manuals in order to ensure that you install, use, and maintain our products properly at all times.

By using our products, you hereby confirm that you have read all instructions, guidelines, and warnings carefully and that you understand and agree to abide by the terms and conditions as set forth herein. You agree to use our products only for the intended purpose and application and in accordance with the instructions, guidelines, and warnings as set forth in the product manuals as well as in accordance with all applicable laws and regulations. A failure to read and follow the instructions and warnings set forth herein may result in an injury to yourself and others, damage to your product or damage to other property in the vicinity. Our product manuals, including the instructions, guidelines, and warnings, and related documentation, may be subject to changes and updates. For up-to-date product information, please visit dometic.com.



HIPRO REPLACEMENT GUIDE

Which new dometic hipro minibar can replace your old minibar


OLD MODEL	TOTAL VOLUME	OUTER PRODUCT DIMENSIONS (H X W X D IN MM)	COOLING TECHNOLOGY	NEW MODEL	TOTAL VOLUME	OUTER PRODUCT DIMENSIONS (H X W X D IN MM)	INNER PRODUCT DIMENSIONS (H x W x D w/ DR* / D w/o DR* IN MM)	COOLING TECHNOLOGY
				HiPro Evolution A30S	27L	520 x 384 x 446	406 x 278 x 114/222	Absorption
HiPro 3000	26L	527 x 388 x 418	Absorption	Alternative:				
				HiPro Evolution N30S	27L	520 x 384 x 415	406 x 278 x 114/222	Thermoelectric
				HiPro Evolution A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
HiPro 4000	34L	559 x 405 x 452	Absorption	Alternative:				
				HiPro Evolution N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	Thermoelectric
				HiPro Evolution C60S	49L	565 x 490 x 510	451 x 356 x 167/237	Compressor
HiPro 6000	48L	568 x 490 x 475	Absorption	Alternative:				
				HiPro Evolution A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
				HiPro Evolution A40G	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
HiPro Vision (Glass Door)	34L	559 x 405 x 465	Absorption	Alternative:				
				HiPro Evolution N40G	33L	550 x 405 x 435	436 x 299 x 135/ 242	Thermoelectric
				HiPro Alpha A30S	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
				HiPro Evolution A30S	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
RH 131	31L	524 x 380 x 445	Absorption	Alternative:				
				HiPro Alpha N30S	27L	520 x 384 x 415	406 x 278 x 114/ 222	Thermoelectric
				HiPro Evolution N30S	27L	520 x 384 x 415	406 x 278 x 114/ 222	Thermoelectric
				HiPro Alpha A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
				HiPro Evolution A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
RH 141	41L	554 x 422 x 451	Absorption	Alternative:				
				HiPro Alpha N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	Thermoelectric
				HiPro Evolution N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	Thermoelectric
				HiPro Alpha A30S	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
				HiPro Evolution A30S	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
RH 430 LD	26L	522 x 384 x 410	Absorption	Alternative:				
				HiPro Alpha N30S	27L	520 x 384 x 415	406 x 278 x 114/ 222	Thermoelectric
				HiPro Evolution N30S	27L	520 x 384 x 415	406 x 278 x 114/222	Thermoelectric
				HiPro Evolution A30G	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
RH 430 LG	27L	522 x 384 x 420	Absorption	Alternative:				
(Glass Door)				HiPro Evolution N30G	27L	520 x 384 x 415	406 x 278 x 114/ 222	Thermoelectric
				HiPro Alpha N30S	27L	520 x 384 x 415		Thermoelectric
				HiPro Evolution N30S	27L	520 x 384 x 415	406 x 278 x 114/ 222	
RH 430 NTE	24L	522 x 384 x 395	Thermoelectric	Alternative:	2/2	02070047413		memociccult
		522 / 004 / 000		HiPro Alpha A30S	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
				HiPro Evolution A30S	27L 27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
				FIFTO EVOLUTION ASUS	2/L	J20 x 304 x 440	400 X 270 X 114/ 222	Absolution

OLD MODEL	TOTAL VOLUME	OUTER PRODUCT DIMENSIONS (H X W X D IN MM)	COOLING TECHNOLOGY	NEW MODEL	TOTAL VOLUME	OUTER PRODUCT DIMENSIONS (H X W X D IN MM)	INNER PRODUCT DIMENSIONS (H × W × D w/ DR* / D w/o DR* IN MM)	COOLING TECHNOLOGY
				HiPro Evolution A30S	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
RH 439	25L	522 x 380 x 434	Absorption	Alternative:				
				HiPro Evolution N30S	27L	520 x 384 x 415	406 x 278 x 114/222	Thermoelectric
RH 439				HiPro Evolution A30G	27L	520 x 384 x 446	406 x 278 x 114/222	Absorption
LDAG	26L	522 x 380 x 434	Absorption	Alternative:				
(Glass Door)				HiPro Evolution N30G	27L	520 x 384 x 415	406 x 278 x 114/222	Thermoelectric
				HiPro Alpha A40S	33L	550 x 405 x 466	436 x 299 x 135/242	Absorption
				HiPro Evolution A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
RH 440 LD	36L	554 x 401 x 446	Absorption	Alternative:				
				HiPro Alpha N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	Thermoelectric
				HiPro Evolution N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	Thermoelectric
				HiPro Evolution A40G	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
RH 440 LG	37L	554 × 401 × 456	Absorption	Alternative:				
(Glass Door)	371	554 x 401 x 456	Absorption	HiPro Evolution N40G	33L	550 x 405 x 435	436 x 299 x 135/ 242	Thermoelectric
				HiPro Evolution C40G	33L	550 x 405 x 481	436 x 299 x 135/ 242	Compressor
				HiPro Alpha N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	Thermoelectric
				HiPro Evolution N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	Thermoelectric
RH 440 NTE	32L	554 x 401 x 425	Thermoelectric	Alternative:				
				HiPro Alpha A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
				HiPro Evolution A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
				HiPro Evolution A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
RH 449	32L	580 x 422 x 440	Absorption	Alternative:				
				HiPro Evolution N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	Thermoelectric
RH 449				HiPro Evolution A40G	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
LDAG	33L	552 x 422 x 439	Absorption	Alternative:				
(Glass Door)				HiPro Evolution N40G	33L	550 x 405 x 435	436 x 299 x 135/ 242	Thermoelectric
				HiPro Alpha C60S	49L	565 x 490 x 510	451 x 356 x 167/ 237	Compressor
RH 460 LD	55L	563 x 486 x 474	Absorption	Alternative:				
				HiPro Alpha A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
				HiPro Evolution C60G	49L	565 x 490 x 510	451 x 356 x 237/167	Compressor
RH 460 LG (Glass Door)	55L	563 x 486 x 484	Absorption	Alternative:				
				HiPro Evolution A40G	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
				HiPro Evolution A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
RH 548	40L	554 x 401 x 446	Absorption	Alternative:				
				HiPro Evolution N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	Thermoelectric
	241	EE4.: 401 440	Correct	Hipro Alpha C40S	33L	550 x 405 x 481	436 x 299 x 135/ 242	Compressor
CL 440 LDC	34L	554 x 401 x 440	Compressor	Hipro Evolution C40S	33L	550 x 405 x 481	436 x 299 x 135/ 242	Compressor
CL 440 LGC	241	EE4.: 401 450	Correct	Hipro Alpha C40S	33L	550 x 405 x 481	436 x 299 x 135/ 242	Compressor
(Glass Door)	34L	554 x 401 x 450	Compressor	Hipro Evolution C40S	33L	550 x 405 x 481	436 x 299 x 135/ 242	Compressor
CL 460 LDC	49L	562 x 485 x 475	Compressor	HiPro Alpha C60S	49L	565 x 490 x 510	451 x 356 x 167/ 237	Compressor
CL 460 LGC (Glass Door)	49L	562 x 485 x 485	Compressor	HiPro Evolution C60G	49L	565 x 490 x 510	451 x 356 x 237/167	Compressor
(Class DOOP)								

 $^{*}w/$ DR + w/o DR: Referring to the depth with (including) Door Rack and without Door Rack.

FOOD & BEVERAGE





FROM STANDARD TO PREMIUM

The range of Dometic proSafe models

main reasons for choosing or discarding a destination and a hotel. The Dometic Group aware of this, is always developing and improving all of its products in order to meet the needs of customers.

The latest product innovation Dometic has launched is a proSafe range which goes one step further in terms of design, functionality, technology and security. This proSafe range has a very modern design with a color display, an illuminated keypad, the latest anti-tampering system and a new website platform which offers the possibility to

- Security is an essential requirement for hotel guests, and one of the operate the safe with the strictest security. The elegant cabinets of the new proSafe generation have rounded corners and edges for enhanced safety. Contemporary design.
 - Master key
 - LED interior light
 - iAudit system unique in the industry
 - Remote Emergency Opening System (REOS 2.0) • - ultimate security and user comfort
 - Battery level check ٠



Premium Class

Excellence in form and function: Dometic innovations like iAudit tracking and the REOS Remote Emergency Opening System ensure security on all levels.

PRODUCT FINDER – THE QUICK WAY TO FIND THE RIGHT PRODUCT

Laser-cut door

Our doors are precisely cut and crafted by a laser beam. This allows us to achieve 100% accuracy in dimensions and an extremely small clearance between the door and open.

Anti-Tamper system

With the anti-tampering system, Dometic offers a unique security feature for their models. All anti-tampering manipulation attempts are recorded in the electronic of the safe and can be tracked back at any time.

REOS code

REOS stands for Dometic's Remote Emergency Opening System. The emergency-opening system from Dometic is based on an innovative encoding system. The unique solution casing, making the door impossible to pry combines advanced electronics with state-ofthe-art online technology to allow simple yet highly secure emergency opening by authorised hotel staff.

Premium iAudit

All operations effected on a safe must be documented – for your own security and for your insurance provider. This is where

WHAT'S IMPORTANT TO YOU?	PREMIUM CLASS	STANDARD CLASS
Easy operation	•	٠
Motorised opening	•	•
LED interior light	•	•
LED display	•	•
Emergency opening with master key	•	•
Emergency opening with master code	•	•
Emergency opening with REOS Code	0	-
Anti-Tamper System	0	-
Premium iAudit	•	-
SAM	0	-
Laser-cut door	•	-
From page	34	38


1234	^> DOMETIC
1 2 3 4 5 6 7 8 9 CLEAR 0 CLOSE	Image: Spin 4X + closs Image: Spin 4X Image: Spin 4X

Standard Class

High security level combined with easy operation for perfect comfort and convenience

Dometic's Premium iAudit system offers a truly convenient solution: the integrated microchip provides storage capacity for the last 1,000 events.

The unique Dometic safe management system (SAM) allows for iAudit Trail and one time emergency code generation (REOS) from a user friendly but PIN secured internet based software tool.



DOMETIC PREMIUM CLASS SAFES

Protection for more privacy – comfortably and with absolute reliability. With a Dometic Premium Class proSafe, a hotel room becomes a perfectly private haven for the guest. A safe place for storage, conceived and implemented according to the newest standards. Its innovative and customisable design suits every hotel in a stylish way. Smooth surfaces and rounded edges make it easy to look after and give it long-lasting character. A color display and the integrated softtouch keypad make operation easy. And a Premium Class proSafe

- LED interior light
- Laser-cut door and frame
- iAudit for convenient documentation
- Emergency opening with key and master code
 Remote Emergency Opening System (REOS 2.0)
- ultimate security and user comfort (optional)

WIDE CHOICE OF MODELS AND SIZES

Dometic ProSafe MD series Premium Class safes are available in various sizes to suit different capacity demands, interior designs and installation conditions. Sizes range from 8.2 to 29 litres.



MD 283





Batteries included Dometic safes come ready to use.



36 - DOMETIC.COM/HOSPITALITY





Automatic opening Safe door opens automatically.



Fixing kit Optional fixing kit for secure fastening.

TECHNICAL DATA		15*	17*
MODEL	MD 283	MD 363	MD 383
Type of product		Electronic safe	
Capacity (litres)	8.2	24	28
Exterior dimensions (H \times W \times D, mm)	165×280×235	190×360×410	190 × 380 × 450
Interior dimensions (H \times W \times D, mm)	162×277×185	187×357×360	187 × 377 × 400
Steel thickness (mm)	Door: 5.0 / Body 1.2	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5
Net weight (kg)	6.1	10.2	11.3
Keypad		ADA-compliant rubber keypad	
Display	White LE	D color display, 4-digit guest code, English lar	nguage
Locking mechanism		Two 18 mm solid steel bolts	
Locking system		Motorised with automatic opening	
Power		4 LR6/AA 1.5 V batteries (incl.)	
Cabinet color		Anthracite	
FEATURES			

LED interior light	•	•	•
Laser cut technology	•	•	•
Masterkey opening	•	•	•
Mastercode opening	•	•	•
Anti-tampering System	0	0	0
REOS	0	0	0
iAudit	•	•	•
Laptop size	-	15"	17"

OPTIONS

Left-hand hinge Fixing Kit

- Left-hand hinge
 White color
 Two steps emergency code opening
 (REOS)
 the color of the col
- Integrated socket (EU/US/UK/FR)
 Fixing Kit
- Two steps emergency code opening (REOS)
- Integrated socket (EU/US/UK/FR)
 Fixing Kit

• Left-hand hinge White color



	15"	17"	15"	15"
TECHNICAL DATA				
MODEL	MD 408	MD 493	MDD 403	MDT 403
Type of product		Electro	nic safe	
Capacity (litres)	22.5	29	15.7	9.7
Exterior dimensions (H \times W \times D, mm)	190 × 405 × 350	190 × 490 × 370	200 x 400 x 400	125 x 400 x 350
Interior dimensions (H \times W \times D, mm)	187 × 402 × 300	187 × 487 × 320	135 x 315 x 370	75 x 380 x 300
Steel thickness (mm)	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5
Net weight (kg)	10.4	12.4	17.5	13.7
Keypad		ADA-compliant	rubber keypad	
Display		White LED color display, 4-digi	t guest code, English language	
Locking mechanism		Two 18 mm sc	olid steel bolts	
Locking system		Motorised with a	utomatic opening	
Power		4 LR6/AA 1.5 V	batteries (incl.)	
Cabinet color		Anth	racite	
FEATURES				
LED interior light	•	•	•	•
Laser cut technology	•	•	•	•
Masterkey opening	•	•	•	•
Mastercode opening	•	•	•	•
ANTI-TAMPERING SYSTEM	0	0	0	0
REOS	0	0	0	0
iAudit	•	•	•	•
Laptop size	15"	17"	15"	15"
OPTIONS				
	 Left-hand hinge White color Two steps emergency code 	Left-hand hingeFixing Kit	Two steps emergency code opening (REOS)	Two steps emergency code opening (REOS)



Fixing Kit

- Integrated socket (EU/US/ UK/FR)
 Fixing Kit
 Integrated socket (EU/US/ UK/FR)
 Fixing Kit

● Yes / – No / O Optional

SAFETY & SECURITY

DOMETIC STANDARD CLASS SAFES

Robustly made with user-friendly features and functions

It puts hotel guests' mind at rest to have a safe place for their valuables • Robust and reliable while travelling. Providing a secure space for important or valuable • LED display objects yet it is a distinctive feature when choosing a hotel room or • LED interior light suite. With a Standard Class proSafe, you can create a reliable spot • Master key and master code emergency opening in a guest room that is worth every penny. Security and functionality • Wide choice: vertical, horizontal, top-opening are paramount with all Dometic safe models. The Standard Class safe models offer your guests a high level of security thanks to their robust construction. Their simple and intuitive usability provides perfect comfort and convenience.

DOMETIC PROSAFE MDL – VERTICAL OR HORIZONTAL

MDL 408



With quality and security at their core, these value-for-money in-room safes significantly enhance the security of existing hotel rooms.

- Value-for-money solution for upgrading hotel rooms
- Vertical or horizontal model both with 18.4 litres capacity
- Easy installation inside a cabinet or on the wall
- Emergency opening with master code or master key
- Battery-low warning alerts users to change battery

DOMETIC PROSAFE MD 310 / 390 / 450 SAFE INVESTMENT

The doors on all the Standard Class safe models are precisely cut and crafted. Their robust construction and a locking system with extra-strong steel bolts leave no point of attack for burglars. The LED interior light minimises the risk of forgotten valuables. Fast and secure emergency opening is possible with a master key or master code (depending on the model).



DOMETIC PROSAFE MDT TOP-OPENING SAFE

Part of the Dometic Standard Class range, the Dometic proSafe MDT 400 X top-opening safe provides a simple, yet ingenious solution that is easy to operate and safe to use. The top-opening drawer safe can • Enough room to fit laptop and tablet computers be integrated in an existing furniture drawer and provides easy access • Ideal for installation into existing hotel room drawer to guests' valuables. At the same time it meets the highest demands • Stabilizer arm for smooth opening and closing of the lid on ergonomic design, comfort and security with an LED inside light for standard, master key and master code opening possibility in case of emergency, digital LED illuminated keypad, four-digit code and top-opening stabilizer arm. An audio signal confirms that the safe is securely locked.



Easy operation The operation is easy to understand and explained via the pictogram.



Handle Integrated handle for easy opening and closing

- Robust, reliable construction for optimal safety
- LED interior light makes the contents visible at a glance
- Emergency opening with master key or master code



- Convenient access from above
- LED interior light makes the contents visible at a glance





Light the way Standard LED interior lighting.



Soft close Muted door closing

SAFETY & SECURITY SAFETY SOLUTIONS / PROSAFE STANDARD CLASS

		17*	15'			
TECHNICAL DATA						
MODEL	MD 310	MD 390	MD 450			
Type of product		Electronic safe				
Capacity (litres)	9	31.5	30.4			
Exterior dimensions (H × W × D, mm)	165 × 310 × 245	200 × 390 × 480	200 × 450 × 410			
Interior dimensions (H × W × D, mm)	161 × 306 × 182	196 × 386 × 418	196 × 446 × 348			
Steel thickness (mm)	Door: 5.0 / Body 2	Door: 5.0 / Body 2	Door: 5.0 / Body 2			
Net weight (kg)	7.1	14.3	14.5			
Keypad		Rubber keypad				
Display		Red LED 4-digit guest code, English language				
Locking mechanism	Two 19 mm steel bolts					
Locking system		Motorised with automatic opening				
Power		4 LR6/AA 1.5 V batteries (incl.)				
Cabinet color	Anthracite					
FEATURES						
Confirmation buzzer	•	•	•			
LED interior light	•	•	•			
Door handle opening	-	-	-			
Masterkey opening	•	•	•			
Mastercode opening	•	•	•			
Anti-tampering System	-	-	-			
REOS	-	-	-			
iAudit	-	-	-			
Laptop size	-	17"	15"			
OPTIONS						

(available for all models)

Left-hand hingeFixing kit

MDT 400X 9.7 130 x 400 x 350

75 x 380 x 300 Door: 3.0 / Body 1.5

9 Rubber keypad

ed LED 4-digit guest code, English language

Two 19 mm steel bolts Motorised with automatic opening

4 LR6/AA 1.5 V batteries (incl.)

15"

Anthracite

• -• •

Fixing kit

Left-hand hingeFixing kitWhite cabinet color

0 0

13"

42 - DOMETIC.COM/HOSPITALITY

13"	13"
408	MDL 193

MDL 408

Electronic safe

190 x 405 x 300

18.4

187 x 402 x 245

Door: 4.0 / Body 1.5

10

Rubber keypad

Red LED 4-digit guest code, English language

Two 18 mm solid steel bolts

Motorised

4 LR6/AA 1.5 V batteries (incl.)

Anthracite

	-
	-
	•
	•
	•
	-
	0
	0
1	3"

18.4

405 x 190 x 300

402 x 187 x 245

- Left-hand hingeFixing kitWhite cabinet color

● Yes / – No / O Optional





THE DOMETIC DRAWBAR

Tailored to your taste

Re-creating the feeling of a perfect evening out in the comfort of your own kitchen means getting the details right. Like un-corking a good wine and serving it at the optimal temperature, at just the right moment. The Dometic DrawBar blends elegantly into your kitchen and adds a unique finishing touch to your home. It's an enticing detail that elevates every glass and turns it into a memorable experience.





KEY FEATURES

A PERFECT WINE EXPERIENCE

For optimal serving temperature, select one of five pre-set options, professionally tailored for different types of wine: 5, 8, 11, 14 or 17 °C.

COMPACT WINE STORAGE

The Dometic DrawBar is always close at hand and fits up to five bottles, from long Riesling to large Champagne.

CONTROLLED STORING ENVIRONMENT

Powerful and efficient compressor cooling technology with electronic controls. Humidity-control tray further improves the storing environment.

46 - DOMETIC.COM/RESIDENTIAL


DESIGNED TO STAND OUT

Soft illumination elegantly showcases your wine bottles and adds a touch of luxury to your kitchen.

PERFECT FIT

The Dometic DrawBar fits standard 60 cm wide cabinets. Glass or custom front panels ensure a refined and coordinated finish to your kitchen design.

THE DOMETIC DRAWBAR RANGE



DRAWBAR TECHNICAL DATA	G
MODEL	DRAWBAR 5B
Storage volume (litre)	15
Product dimensions (H × W × D, mm)	140 × 556 × 541.5
Shelves	1 metal rack
Door lock	No
Climate class	16–32 °C (N)
Temperature setting (°C)	5–17
Defrost	Auto
Energy class	G
Noise level (dB)	45
Refrigerant	R600a
Power cord length (m)	1.9
Electrical specifications	45W, 220V~240V 50Hz

CLIMATE

G


G	G	
DRAWBAR 5C	DRAWBAR 5S	
15	15	
140×556×541.5	140×556×541.5	
1 metal rack	1 metal rack	
No	No	
16–32°C (N)	16–32°C (N)	
5–17	5–17	
Auto	Auto	
G	G	
45	45	
R600a	R600a	
1.9	1.9	
45W, 220V~240V 50Hz	45W, 220V~240V 50Hz	

G

BUILT-IN UNDER COUNTER WINE COOLERS

A wine cooler that fits your lifestyle

Store your treasured wine collection in optimal conditions and allow it to take center stage in your home. Dometic wine coolers provide perfect conditions for wine storage and fit seamlessly in any home. The well-engineered cooling technology ensures that the chosen temperature is quickly achieved and reliably maintained. An effective air circulation system and automatic humidity control create the perfect climate for the wine to unfold its full bouquet and flavor. The minimalistic look of the Design range and sleek design of the Classic range of Dometic wine coolers can easily fit any space and provide optimal storage for your wine collection.



KEY FEATURES

DUAL ZONE

Preserve wines in two separate temperature zones (upper zone $4^{\circ}C-12^{\circ}C$; lower zone $12^{\circ}C-22^{\circ}C$).

BUILT-IN Perfect for under-counter installation.

MINIMALISTIC DESIGN*

Fully black exterior with slim handle that discreetly fits under the counter.

CLASSIC DESIGN**

Stainless steel details that match the aesthetic of other appliances in the kitchen.

PRESENTATION LIGHTS

Showcase your collection by softly illuminating the bottles in each temperature zone.

* Design range

** Classic range



TECHNICAL DATA	G	G
MODEL	C18B	D18B
Storage volume (litre)	60	60
Product dimensions (H × W × D, mm)	820 × 295 × 575	820 × 295 × 575
Shelves	5 wooden shelves	5 wooden shelves
Door lock	Yes (2 keys)	No
Reversible door	Yes	Yes
Climate class	10–32°C (SN)	10-32°C (SN)
Winter safety system	Yes	Yes
Temperature setting (°C)	Upper zone 4–12 Lower zone 12–22	Upper zone 4–12 Lower zone 12–22
Defrost	Auto	Auto
Energy class	G	G
Noise level (dB)	39	39
Refrigerant	R600a	R600a
Power cord length (m)	1.8	1.8
Electrical specifications	220V~240V 50Hz	220V~240V 50Hz

C46B	D46B	D42B	
145	145	120	
820 × 595 × 575	820 × 595 × 575	820×595×575	
5 wooden shelves	5 wooden shelves	10 wooden shelves	
Yes (2 keys)	No	No	
Yes	Yes	Yes	
10–32°C (SN)	10–32°C (SN)	10–32°C (SN)	
No	No	Yes	
Upper zone 4–12 Lower zone 12–22	Upper zone 4–12 Lower zone 12–22	Left side 4–22 Right side 4–22	
Auto	Auto	Auto	
G	G	G	
39	39	39	
R600a	R600a	R600a	
1.8	1.8	1.8	
220V~240V 50Hz	220V~240V 50Hz	220V~240V 50Hz	

FOOD & BEVERAGE

51

BUILT-IN LARGE CAPACITY WINE COOLERS

Optimal storage environment

For wine to unfold its full bouquet and flavor, both the storage conditions and the serving temperature must be right. Dometic wine coolers ensure the optimal environment for unlocking the wine's full flavors and character. The temperature is accurately controlled thanks to electronic regulation and a constant humidity level is maintained between 50–70% ensuring the corks don't dry or mold. A fan circulates the air inside the wine cooler while the integrated carbon filter eliminates any potential odors. The "low emission" treatment of the triple-glazed doors on Dometic wine coolers stops ultraviolet rays that can damage and change the character of the wine.



KEY FEATURES

DUAL ZONE

Preserve wines in two separate temperature zones (5 $^{\circ}C$ -22 $^{\circ}C$).

BUILT-IN

Suitable for both freestanding and built-in installation.

MINIMALISTIC DESIGN^{*}

Fully black exterior with slim handle that discreetly fits under the counter.

CLASSIC DESIGN**


Stainless steel details that match the aesthetic of other appliances in the kitchen.

PRESENTATION LIGHTS

Showcase your collection by softly illuminating the bottles in each temperature zone.

* Design range

** Classic range



LARGE CAPACITY RANGE

MODEL	C154F
Storage volume (litre)	418
Product dimensions (H × W × D, mm)	1756 × 595
Shelves	14 full-extension wo
Door lock	Yes (2 ke
Reversible door	Yes
Climate class	10–38 °C (S
Winter safety system	Yes
Temperature setting (°C)	Upper zone Lower zone
Defrost	Auto
Energy class	G
Noise level (dB)	40
Refrigerant	R600a
Power cord length (m)	1.8
Electrical specifications	220V~240V

FOOD & BEVERAGE

FREE-STANDING WINE COOLERS

Precise and stylish storage for your wine

As well as excellent wine storage, a Dometic freestanding wine cooler is an attractive addition to any home. It has a classic design, with stainless steel accents and a recessed handle on the side of the door. The 3-layer glass door protects wine from damaging ultra-violet light. It stores up to 75 bottles of wine at the perfect drinking temperature (5–22°C). Coated racks safely hold each wine bottle. Its well-engineered heating and cooling technology ensure your chosen temperature is quickly achieved and reliably maintained, while an effective air circulation system creates a perfect climate for ageing your wine to unfold its bouquet and flavor.



KEY FEATURES

STORE AND AGE WINE

Provide the perfect climatic conditions for wine storage and ageing.

COATED WINE RACKS

Six coated racks are shaped to securely cradle each wine bottle.

SINGLE TEMPERATURE ZONE

Single-zone wine cooler stores wines at temperatures between 5 $^{\circ}\text{C}$ and 22 $^{\circ}\text{C}.$

SLEEK DESIGN

Control settings are conveniently and neatly integrated into the door.

UV PROTECTION

Triple pane glass door protects wine from damaging ultra-violet light.

SOFT ILLUMINATION

White LED light softly illuminates the black interior and showcases the bottles inside.

FREE-STANDING RANGE TECHNICAL DATA	G
MODEL	C35F
Storage volume (litre)	80
Product dimensions (H × W × D, mm)	855×483×483
Shelves	6
Bottle stopper	Yes
Doorlock	No
Reversible door	No
Climate class	10–38°C (SN-ST)
Winter safety system	Yes
Defrost	Auto
Energy class	G
Noise level (dB)	41
Refrigerant	R600a
Power cord length (m)	1.8
Electrical specifications	220V~240V 50Hz

C55F	C75F	
142	190	
1295×483×483	1645×483×483	
10	19	
Yes	Yes	
No	No	
No	No	
10–38°C (SN-ST)	10–38°C (SN-ST)	
Yes	Yes	
Auto	Auto	
G	G	
42	42	
R600a	R600a	
1.8	1.8	
220V~240V 50Hz	220V~240V 50Hz	

THE DOMETIC WINE COOLER **ACCESSORIES RANGE**







Presentation shelf Width: 595 mm

Black shelf caps Width: 295 mm

Black shelf caps Width: 595 mm




Replacement carbon filter



Humidity tray











DOMETIC MOBAR 550

Dometic MoBar 550 is the ultimate mobile beverage center. It comes with accessories inspired by professional bartenders, and allows you to comfortably host large groups of people in your outdoor living space. With its spacious presentation and preparation area, robust stainless-steel design, heavy-duty wheels, and ergonomic handles, the MoBar can be placed at the heart of any outdoor event.

Adjustable temperature settings and dual-zone cooling provide versatility, while the generous storage capacity of its main compartment can hold up to 39 bottles or 113 cans. Up to additionally 22 bottles or 32 cans can be stored in an insulated rotomoulded ice basket, so you need never worry about running out of chilled drinks.

KEY FEATURES

MODULAR DRY STORAGE

Large dry storage area to keep everything you need within easy reach.

LARGE COLD STORAGE CAPACITY

Dual-zone refrigerator compartment comfortably holds up to 39 bottles of wine.

PROFESSIONAL ACCESSORIES

Developed in collaboration with professional bartenders.

SUPERIOR ICE RETENTION

Rotomolded presentation basket will keep bottles ice-cold.

MOOD ENHANCING LIGHTING

Keeps drinks visible, accessible, and looking enticing.

SPACIOUS PRESENTATION AREA

Prepare, mix, and present like a professional.





Dometic MoBar 300 is the mid-sized model of the series. It allows you to easily entertain friends and family on your patio. With its extension table, robust stainless-steel design, heavy-duty wheels, and ergonomic handles, the MoBar can be placed at the heart of any outdoor event.

Adjustable temperature setting and a space-efficient refrigeration compartment that can hold up to 19 bottles or 70 cans. Up to additionally 22 wine bottles or 32 cans can be stored in an insulated rotomolded ice basket, so you never need to worry about running out of chilled drinks.



KEY FEATURES

CONVENIENT COLD STORAGE CAPACITY

Refrigerator compartment comfortably holds up to 19 wine bottles or 72 cans.

SUPERIOR ICE RETENTION

Rotomolded presentation basket will keep bottles ice-cold.

DRY STORAGE

To keep everything you need within easy reach.

MOOD ENHANCING LIGHTING

Keeps drinks visible, accesible, and looking enticing.

SPACIOUS PRESENTATION AREA

Prepare, mix, and present like a professional.



DOMETIC MOBAR 50

The Dometic MoBar 50 is the most compact model of the series. Its size makes it perfect to easily entertain an intimate group of people on a terrace, balcony for any get-together or pop-up event.

Its spacious presentation area and robust stainless-steel design, heavy-duty wheels, and ergonomic handles allow the MoBar 50 to be placed at the heart of any outdoor event. Up to 22 wine bottles or 32 33cl cans can be stored in its insulated rotomolded ice basket, so you need never worry about running out of chilled drinks.

KEY FEATURES

SUPERIOR ICE RETENTION

Rotomolded presentation basket will keep bottles ice-cold.

AMPLE STORAGE AREA

To keep everything you need within easy reach.





EASY TO MOVE

Always where you need it.

DOMETIC MOBAR SPECIFICATIONS				
MODEL	MOBAR 50	MOBAR 300	MOBAR 550	
Insulated presentation	Roto molded with PU foam insulation			
basket	24L/25 qt stores 22 wine bottles/32 cans			
Refrigerator/ wine cabinet	n/a	20" single-zone, 2 wood shelves	20" dual-zone, 2 wood shelves, 1 metal shelf	
	n/a	19 wine bottles 70 cans	39 wine bottles (14 upper, 25 lower) 155 cans (56 upper, 99 lower)	
	n/a	Lock, illumination	Lock, illumination	
Includes	Serving tray, cutting board, speed rail	Cutting board, speed rail, extension table	Serving tray, cutting board, speed rail, fresh ice container	
Dimensions H×W x D	903 × 646 × 517 mm 25.6 × 22.4 × 35.4 in	980 x 717 × 622 (970 with side board) 28.3 × 24.4 (38.2) × 38.6 in	980 x 1249 × 624 mm 49.2 × 24.4 × 38.6 in	

Additional accessories

Protective covers, speed rails, extension table, cutting board, serving tray, fresh ice container, and illumination light module.

THE DOMETIC MOBAR ACCESSORIES RANGE



Extension table

MoBar 50



Extension table MoBar 300 / 550



Speed rail MoBar 50



Speed rail MoBar 300 / 550



Fresh ice container MoBar 50/300/550



Protective covers MoBar 50 MoBar 300 MoBar 550



Cutting board MoBar 50/300/550







Serving tray MoBar 50 / 300 / 550



FOOD & BEVERAGE

IYGIENE & SANITATION



THE DOMETIC DELIBOX

Chef approved

Dometic is launching an unconventional transport box which can preserve the restaurant quality and temperature of the food until it reaches the customer. The product, the Dometic Food Delivery Box is currently in development, and will provide a better method of home delivery of prepared food and open up business opportunities for restaurateurs and transport companies, allowing them to enter into the ever growing food delivery business. The box, which is mounted on mopeds and motorcycles, has both heating and cooling elements that keep the food warm or cold and maintain the restaurant quality of the dish under transportation until it reaches the consumer.





CLEAN AIR DeliBox is equipped with cold plasma surface disinfection technology that

reduce bacteria build-up & smell.



TEMP PERFECT Active warming and cooling ensure correct temperature of all food transported and food safety.



CONNECT-EN-ROUTE Keep track of every delivery and monitor the temperature during transport.




DUAL TEMP Dual temperature zones with active temperature control. Transport both hot and cold dishes at the same time.



Dometic DeliBox

Active heating guarantees ideal food temperature

- Active warming ensures the correct temperature of all food transported and food safety
- Dual temperature zones. Transport both hot and ambient dishes at the same time
- DeliBox is equipped with cold plasma surface disinfection technology that reduce bacteria build-up & smell
- Food graded interior guarantees that the inner compartment is approved and safe for food use
- Can be mounted on most mopeds, scooters, and motorized vehicles
- Outer dimensions: W500 x H560 x D611,5 mm
- Inner dimensions: W422,4 x H482,5 x D425 mm
- Volume: 87 l
- Weight: 18 kg





Dual temperature zones Isolated shelf divides the inner compartment into two zones – one hot and one ambient. **Stay-in-place** Smart dividers keep food in place, even when the road's bumpy.



Dometic DeliBox dual

Dual compartment system - Separate heating and cooling areas

- Active warming and cooling ensures the correct temperature of all food transported and food safety
- The connectivity feature keeps track of every delivery and monitors the temperature during transport
- Dual temperature zones. Transport hot and cold dishes at the same time
- DeliBox is equipped with cold plasma surface disinfection technology that reduce bacteria build-up & smell
- Food graded interior guarantees that the inner compartment is approved and safe for food use
- Can be mounted on most mopeds, scooters, and motorized vehicles
- Outer dimensions: W500 x H560 x D688,5 mm
- Inner dimensions: W422,4 x H482,5 x D425 mm
- Volume: 87 l
- Weight: 23 kg



Power supply Runs on a 12V or external battery pack.



Superior storage capacity

Large capacity and temperature control offers the possibility for multiple delivery trips.

BELGIUM, NETHERLANDS & LUXEMBOURG Dometic BeNeLuX Lourdesstraat 84 B B-8940 Geluwe

Tel +32 2 3598040 +32 (0) 478 6414 68 Mail hospitality_nl@dometic.com

DENMARK

Dometic Denmark A/S Nordensvej 15, Taulov DK-7000 Fredericia Tel +45 75585966 Mail hospitality_ne@dometic.com

FINLAND

Dometic Finland Oy Valimotie 15 FIN-00380 Helsinki Tel +358 20 7413220 Mail hospitality_ne@dometic.com

FRANCE

Dometic SAS 6 Avenue du Poteau Batiment B1 60300 Chamant Tel +33 3 44633521/33 Mail hospitality_fr@dometic.com

GERMANY, AUSTRIA & SWITZERLAND Dometic GmbH

In der Steinwiese 16 D-57074 Siegen Tel +49 (0) 271 692 134 / 142 +49 (0) 271 692 127 Mail hospitality_de@dometic.com

ITALY

Dometic Italy S.r.I. Via Virgilio, 3 I-47122 Forli (FC) Tel +39 0543 754901 Mail hospitality_it@dometic.com

MIDDLE EAST & AFRICA

Dometic Middle East FZCO P.O. Box 17860 S-D 6, Jebel Ali Freezone Dubai Tel +971 4 883 3858 Mail hospitality_ae@dometic.com

NORWAY

Dometic Norway AS Elveveien 30B 3262 Larvik Tel +47 33428450 Mail hospitality_ne@dometic.com

SWEDEN

Dometic Scandinavia AB Gustaf Melins gata 7 S-421 31 Västra Frölunda Tel +46 31 7341100 Mail hospitality_ne@dometic.com

SPAIN

Dometic Spain, S.L. Avda. Sierra del Guadarrama, 16 E-28691 Villanueva de la Cañada Madrid Tel +34 91 833 6089 Mail hospitality_es@dometic.com

PORTUGAL

Dometic Spain, S.L. Branch Office em Portugal

Rot. de São Gonçalo nº 1– Esc. 12 2775-399 Carcavelos Tel +351 219 244 173 Mail hospitality_pt@dometic.com

UNITED KINGDOM & IRELAND

Dometic UK Ltd. Dometic House, The Brewery, Blandford St. Mary's Dorset DT11 9LS Tel +44 125 841 4581 Mail hospitality_uk@dometic.com

FOR SALES IN POLAND, EASTERN EUROPE, TURKEY & ISRAEL, PLEASE CONTACT HOSPITALITY_EE@DOMETIC.COM

FOR SALES IN GREECE, PLEASE CONTACT HOSPITALITY_GR@DOMETIC.COM

We distribute our products in around 100 markets. Please mail us at: hospitality@dometic.com, or check our website Dometic.com/hospitality

USA & CANADA

 Dometic Corporation

 Columbia Centre 1

 5600 N. River Rd

 Suite 250

 Rosemont, IL 60018

 Tel +1 574 326 7635

 Tel +1 574 294 2511

 Mail hospitality_us@dometic.com

MEXICO

Dometic MX Circuito Médicos No. 6 Local 1 Colonia Ciudad Satélite CP 53100 Naucalpan de Juárez Estado de México Tel +52 55 5374 4108 Mail hospitality_mx@dometic.com

EXPORT

Dometic Competence Center Circuito Médicos No. 6 Local 1 Colonia Ciudad Satélite CP 53100 Naucalpan de Juárez Estado de México Tel +52 55 5374 4108 Mail hospitality_mx@dometic.com AUSTRALIA

Dometic Austria 7 Nursery ave Clayton South Victoria 3169 Tel +61 1800 212 121 Mail hospitality_au@dometic.com

CHINA

Dometic Asia Co., Ltd Room 803-805A, Waterfront Place Block E, No.31,Lane 168, Daduhe Road, Putuo District, Shanghai, China Tel +86-21-60325088 Mail hospitality_cn@dometic.com

JAPAN

Dometic KK Maekawa-Shibaura, Bldg. 2 2-13-9 Shibaura Minato-ku Tokyo 108-0023 Tel +81 3 5445 3333 Mail hospitality_jp@dometic.com

DOMETIC PROFESSIONAL