

BUYING GUIDE

BUYING GUIDE AWNINGS

FIND THE RIGHT AWNING FOR YOUR RECREATIONAL VEHICLE



 **DOMETIC**

CONTENTS

AWNINGS

Bag Awning	10 – 11
PW – wall mounted	12 – 17
PR – roof mounted	18 – 21

SUN & RAIN PROTECT	22 – 23
-------------------------------	---------

CAMP ROOM / PRIVACY ROOM	24 – 26
---------------------------------	---------

ACCESSORIES

LED profile	27
Additional products	28 – 29





WHAT A DOMETIC AWNING DOES FOR YOU

When travelling in your camper vehicle you have the privilege of being free to stop at the most beautiful places. Simply turn off the ignition, get the table and chairs out, and enjoy the marvellous view. A Dometic awning gives you added pleasure: It turns the area in front of your vehicle into your personal mobile patio, which will give you many relaxing hours!

The awning provides shade as well as protection against rain, wind and weather and it can do so much more. With the right accessories you can quickly create an extra living or sleeping room for your mobile home, complete with windows, doors, curtains, fly screens and lighting.

THE PERFECT AWNING FOR EVERY DEMAND




Manual or with a motor

Dometic manual awnings are operated with a crank, which is included in the delivery kit. The motor-operated electric awnings come as standard with a remote control.



Remote control

All electric awnings come standard with a remote control for convenient operation at the touch of a button.



Awning adapters

Vehicle walls and roofs are, among other things, design elements. That means they can have different shapes. With a comprehensive range of adapters Dometic ensures that the vehicle and the awning are perfectly coordinated, so you will get impeccable installation results.




Aluminium housing

All Dometic awnings are designed with a durable and compact aluminium case that seamlessly blend in with any RV design.




Aluminium end caps

The end caps on the models PW 1500 Electric and PR 2500 are made of 100 % aluminium. This means the Dometic awning is more resistant against shock and impact.



Patented easy lock

prevents the support legs from falling down during set-up and fastens them in place to keep the awning in the set height position.



Accessories

Our accessory range gives you a whole world of possibilities. For example, you can add side walls for additional protection, or complete awning tents to get an extra room in front of your vehicle.



Telescopic crank

The Telescopic crank is included for all manual awnings. It can be easily adjusted to the vehicle height for ergonomic handling, or retracted for space-saving storage.





WHICH AWNING FITS YOUR VEHICLE?

Here are the most important things to consider

Small or large caravan, motorhome or campervan – Dometic has a tailor-made awning solution for every size of vehicle and for every demand. The following pages give you an overview of the available options. You can choose between electric and manual awnings, models for wall or roof mounting, white or anthracite housing colours.

Here are the most important criteria to consider before you take your buying decision:

Wall or roof awning?

Awnings are either fitted to the roof or wall of a vehicle. Which method is suitable depends on the type of vehicle you have. Your Dometic dealer will gladly advise you.

Bag awnings

Bag awnings are contained in a zipped bag that simply slides into the existing tent rail of your caravan or motorhome. No drilling, no bolting and no special adapter required.

Electric or manual awning?

Electric awnings can be set up within a few seconds, simply by remote control. Manual awnings require a little more effort, yet make you independent of a power supply.

How much comfort do you want?

Our accessory range gives you some attractive upgrading options: additional weather and privacy protection, an extra room in front of the vehicle, LED lighting.

CHOOSE AWNING COLOUR

Dometic wall and roof awnings are available in two housing colours: anthracite and white. Dometic RevoZip bag awnings come in a white case.

High-quality awning fabrics

The Horizon Grey awning fabric we are using for our wall and roof awnings consists of a high-quality vinyl material with a transparent acrylic coating. UV-resistant, rot-proof and washable, it has all it takes for a long life expectancy. The awning is made from a single piece of fabric, so there are no seams that might leak or gather dirt over time.

Our RevoZip bag awnings come with a grey awning fabric featuring an attractive print. The high-quality, colourfast material is 500 g/m² weatherproof and fitted with an anti-scratch coating for excellent durability.



Horizon Grey for all Dometic roof and wall awnings



Grey with attractive print for all Dometic bag awnings

Housing colours



anthracite



white



AT ONE GLANCE

BAG AWNING



PERFECTWALL AWNINGS



Model	REVO ZIP	PW 1100	PW 1500 MANUAL	PW 1500 ELECTRIC
Length	2.00 – 4.50 m	2.60 – 3.75 m	2.60 – 5.00 m	4.00 – 6.00 m
Extension	1.45 – 2.50 m	2.00 – 2.50 m	2.00 – 2.75 m	2.75 m
Weight	7.3 – 15.9 kg	20 – 26 kg	18 – 33 kg	28 – 41 kg
Case Colour options	White	White / anthracite	White / anthracite /	White / anthracite /
Fabric Colour options	Grey	Horizon Grey	Horizon Grey	Horizon Grey
Support legs (integrated in the front rail)	✓	✓	✓	✓
12-volt motor incl. remote control	–	–	–	✓
Aluminium end caps	–	–	✓	✓
Telescopic crank	–	✓	✓	–
Sun & Rain Protect	–	Accessory	Accessory	Accessory
LED profile	–	Accessory	Accessory	Accessory
Tie Down Kit	Scope of delivery	Accessory	Accessory	Accessory
CampRoom* / PrivacyRoom	Accessory	Accessory	Accessory	Accessory

PERFECTROOF AWNINGS



PR 2000	PR 2500
2.65 – 4.50 m	3.50 – 6.00 m
2.00 – 2.50 m	2.75 m
18 – 31 kg	34 – 53 kg
White / anthracite	White / anthracite
Horizon Grey	Horizon Grey
✓	✓
–	✓
–	✓
✓	–
Accessory	Accessory
–	–
Accessory	Accessory
Accessory	Accessory






DOMETIC REVO ZIP

Bag awning for caravans and motorhomes

The Dometic Revo Zip bag awning, as the name reveals, is contained in a zipped bag that simply slides into the existing tent rail of your caravan or motorhome. No drilling, no bolting! Your Revo Zip awning can be left permanently attached to the vehicle, freeing up storage space and speeding up set-up. Once fitted, just open the

bag zip, roll out the awning and deploy the two front legs and the two rafters – it's as simple as that. Take down is just as quick. If you are looking for more than just shade, you can upgrade your Revo Zip awning with the perfectly matching Privacy Room.



Attractive printed roof

With anti-scratch film for excellent durability



Strong frame

Extra strong, durable, adjustable aluminium frame



Complete package

Complete with guylines and pegs


Benefits of Revo Zip

- Quick and simple installation without drilling – simply slides into the tent rail of the caravan or motorhome
- Set-up and take-down in a matter of minutes – legs and roof rafters fold out of front rail
- High-quality, durable awning fabric – 500 g/m² weatherproof and colourfast with anti-scratch coating
- Extra strong, adjustable aluminium frame
- Frees up interior storage space as the awning stays connected on the outside
- Seven sizes available – for caravans and motorhomes with a rail height of up to 280 cm
- Optional accessories: privacy room, sun screen, aluminium support rafters



Dimensions

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
2.00	1.45	7.3	3.50	2.50	12.9
2.40	1.85	8.9	4.00	2.50	14.1
2.70	2.15	10.2	4.50	2.50	15.9
3.10	2.50	11.4			



Patented easy lock flipper

Secures the support legs in place – no accidental unlocking possible



FABRIC



HOUSING

Colour options

Revo Zip awnings come with a grey fabric and a white housing



PERFECTWALL PW 1100


The campervan awning

The sun is beating down and there's no shade in sight? It's drizzling, but you want to enjoy your coffee outdoors? Then it's time for your smart wall awning to enter the scene. Fitted with patented slide-out support legs, the Dometic PerfectWall PW 1100 can be set up (and dismantled) faster, safer and easier than any awning you have seen before. This makes it ideal for campervans. No need to bend down or reach up, no hassle whatsoever. Your Dometic wall awning gives you unprecedented ease, so you can enjoy the lovely view sooner. Available in three sizes to suit most campervan models.

- Easy, ergonomic setup with patented slide-out support legs
- Safe handling – the EasyLock Flipper system secures the support legs
- Space-saving storage of the tension rafter in the leadrail
- Newly designed awning housing without visible screws
- Available in three lengths: 2.60 / 3.00 / 3.75 m, extensions up to 2.50 m
- High quality, one-piece awning fabric – no welding seam
- Telescopic crank
- Wide choice of awning adapters for different types of campervans



Patented slide-out-supports
or ergonomic setup in upright posture



Patented easy lock flipper
Secures the support legs in place – no accidental unlocking possible



Patented tension rafter
stored away in the front rail after use to save space and avoid damage to the tension rafter

REINVENTION OF A CLASSIC

Dometic PerfectWall PW 1100 awnings come with several patented features for enhanced convenience. The support legs slide out on either side of the shapely housing for easy and ergonomic setup. The Patented easy lock flipper secures them firmly in place. The tension rafter, which gives the fabric extra tension, can be stored in the lead rail after use (4 and 4.5 m).



Slide-out support legs:
Easy setup from the corner of the awning, ergonomic handling without bending or stretching, secure hold also on uneven ground

Dimensions

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
2.60	2.00	21.0	3.75	2.50	26.0
3.00	2.50	22.0			



Elegant housing design

Dometic's design language: elegant appearance with clean lines and no visible screws



Telescopic crank

For manual operation of the very smooth running gear



Colour options

The awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating



12-volt model
with remote control

PERFECTWALL PW 1500 ELECTRIC

Robust electric wall awning – also for very large vehicles


The Dometic PerfectWall PW 1500 Electric comes with a fully integrated 12 V motor, which is conveniently operated by remote control. Supplied in lengths from 4.0 m up to 6.0 m, the robust electric wall awning virtually covers the whole range of vehicles currently available. Regardless of the awning length the same housing is used, which significantly reduces the relative weight of

the longer awnings (> 4.0 m). Details like the 100 % aluminium end caps reveal the high quality standard of the PW 1500 and contribute to a long service life. Thanks to the automatic twisting lead rail, the awning slides out and in easily and quietly. The integrated electric motor features a manual override for emergency operation.



Patented lead rail system

Easy access to the support legs, 100 % tight closing housing



Patented easy lock flipper

Secures the support legs in place – no accidental unlocking possible



Aluminium end caps

Even better resistance to shock, impact and weather. End cap is painted in housing colour

Benefits of PW 1500 Electric

- Fully integrated 12 V motor with remote control
- Aluminium end caps, resistant to shock and impact
- Patented locks on both sides of the lead rail – for perfect closing
- Support legs with patented easy lock flipper
- Same housing for all lengths from 4.0 m to 6.0 m, available with 2.75 m extension



Dimensions

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
4.00	2.75	29.0	5.50	2.75*	39.0
4.50	2.75	32.0	6.00	2.75*	41.0
5.00	2.75	35.0	* with 3 retractable arms		



Remote control

Awning extends and retracts at the touch of a button



Fully integrated motor

Completely integrated, does not extend the housing, 12-volt model with remote control



Colour options

The awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating



PERFECTWALL PW 1500 MANUAL

Robust manual wall awning – also for very large vehicles


With lengths from 2.6 m up to 5.0 m, the manually operated models in the Dometic PerfectWall PW 1500 series cover a wide range of vehicles. The high-quality, single piece awning cloth has no welding seams and its support legs feature the patented Easy Lock Flipper

to ensure that no accidental dropping is possible. This premium awning comes with durable aluminum end caps and is operated using a telescopic crank.



Patented lead rail system

Easy access to the support legs, 100 % tight closing housing



Patented easy lock flipper

Secures the support legs in place – no accidental unlocking possible



Telescopic crank

For manual operation of the very smooth running gear

Benefits of PW 1500 Manual

- Easily set up by just one person
- One of the lightest awnings for large vehicles
- Support legs with patented Easy Lock Flipper to secure the awning
- Heavy duty UV-protected reinforced vinyl
- Strong, one-piece awning cloth: no welding seams
- Great quality with 100 % aluminum end caps
- Telescopic crank



Dimensions

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
2.60	2	18.0	4.50	2.75*	30.0
3.00	2.50	21.0	5.00	2.75*	33.0
3.50	2.50	24.0			
4.00	2.50	27.0	* with 3 retractable arms		



Colour options

The awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating






PERFECTROOF PR 2000

The basic model for roof mounting


Being the flattest roof awning in the market, the Dometic PerfectRoof PR 2000 makes an ideal roof-mount solution for panel vans, smaller motorhomes and caravans. Its compact dimensions and light weight minimise the roof load, so there's still room for other accessories, such as solar panels. Moreover, it comes at a price that puts everything else in the shade, and it still provides all

key Dometic features, e.g. the seamless, high-quality awning fabric. The operation is with a Telescopic crank. The support legs are neatly stored in the lead rail and can be easily folded out by a spring lock. A wide choice of adapters helps to make the awning fit on nearly all types of vehicles.



Optimised design

Compact and lightweight housing



Patented easy lock flipper

Secures the support legs in place – no accidental unlocking possible



Telescopic crank

For manual operation of the very smooth running gear

Benefits of PR 2000

- Lightweight and compact dimensions – flattest roof awning in the market
- Ideal for panel vans and small caravans
- Support legs with patented easy lock flipper
- Lengths from 2.65 m up to 4.50 m, extension up to 2.50 m



Dimensions

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
2.65	2.00	18.0	3.75	2.50	27.0
3.00	2.50	21.0	4.00	2.50	28.0
3.25	2.50	22.0	4.50	2.50	31.0
3.50	2.50	24.0			



Fabric & housing colours

the awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating




With remote
control

PERFECTROOF PR 2500

High-quality roof awning – light and robust, up to 6 m long


For vehicle lengths of 4.50 m and beyond there's no lighter and more compact roof awning around than the Dometic PerfectRoof PR 2500. Available in lengths up to 6 m, with an extension of 2.75 m. Its roof-mounted housing does not affect the vehicle's aerodynamics. End caps made of 100 % aluminium make the awning extra-resistant to shock and impact. Patented locks on both sides of the lead rail

ensure perfect closing as well as additional safety while driving. The fast and smooth running gear is operated with a Telescopic crank, which can easily be adapted to various vehicle heights. The PR 2500 comes with a fully integrated motor (12 V) with manual override for emergency operation.



Optimised design

Compact and lightweight housing



Patented easy lock flipper

Secures the support legs in place – no accidental unlocking possible



Aluminium end caps

Weather-proof, shock-resistant aluminium end caps – paint coated in the colour of the awning housing.

Benefits of PR 2500

- Fully integrated 12 V motor with remote control
- Aluminium end caps, resistant to shock and impact
- Support legs with patented easy lock flipper
- Lengths from 3.50 m up to 6.00 m – with 2.75 m extension



Dimensions

Length (m)	Extension (m)	Weight (kg)	Length (m)	Extension (m)	Weight (kg)
3.50	2.75	34.0	5.00	2.75	46.0
3.75	2.75	35.0	5.50	2.75*	50.0
4.00	2.75	37.0	6.00	2.75*	54.0
4.50	2.75	40.0	* only available with 3 retractable arms		



Remote control

Awning extends and retracts at the touch of a button



Fully integrated motor

Completely integrated, does not extend the housing, 12-volt model with remote control



Fabric & housing colours

The awning fabric is made from hard-wearing vinyl material with a transparent acrylic coating

ADDITIONAL PRIVACY AND WEATHER PROTECTION

SunProtect & RainProtect

What do you do when the low sun is glaring in, when heavy rain gets under your awning roof from the front or side, or when you are bothered by passers-by peering in? With our accessory products SunProtect and RainProtect you are well equipped in such situations. Once they have been fitted in place, you can sit back, relax and enjoy the most precious days of the year.

RAINPROTECT

RainProtect is made from a grey, water- and wind-proof PVC material. The front and the side panels are available in different sizes. The front panel is nontransparent, the side panels (also suitable for use left or right) have a panoramic window. They extend down to the ground to provide optimal protection against moisture.



RainProtect front



For awning width (m)	Extension (m)	Ref. No.
2.60	1.40	9103103954
3.00	1.40	9103103955
3.50	1.40	9103103956
3.75	1.40	9103103957
4.00	1.40	9103103958
4.50	1.40	9103103959
5.00	1.40	9103103960
5.50	1.40	9103103961
6.00	1.40	9103103962

RainProtect Deluxe side




Size	For awning extension (m)	Height (m)	Ref. No.
SMALL	2.50	2.00 – 2.29	9103103967
MEDIUM	2.50	2.30 – 2.59	9103103968
LARGE	2.50	2.60 – 2.89	9103103969
X-LARGE	2.50	2.90 – 3.20	9103103970



SUNPROTECT

SunProtect is a transparent screen fabric that lets the light through and keeps the heat out. It is available as a front panel or side panel. The front panel has an extension of 1.40 metres and can be supplied for various awning widths. The side panel can be fitted either to the right or left of the awning. There's a matching SunProtect for all Dometic awnings.

SunProtect front



For awning width (m)	Extension (m)	Ref. No.
2.60	1.40	9103103941
3.00	1.40	9103103942
3.50	1.40	9103103943
3.75	1.40	9103103944
4.00	1.40	9103103945
4.50	1.40	9103103946
5.00	1.40	9103103947
5.50	1.40	9103103948
6.00	1.40	9103103949

SunProtect side



Size	For awning extension (m)	Height (m)	Ref. No.
SMALL	2.50	2.00 – 2.29	9103103950
MEDIUM	2.50	2.30 – 2.59	9103103951
LARGE	2.50	2.60 – 2.89	9103103952
X-LARGE	2.50	2.90 – 3.20	9103103953

AN EXTRA ROOM IN FRONT OF THE VEHICLE

How you create additional “living space”

Do you want to convert your awning into an awning tent to create an extra room that can be used in all weathers? Our accessory range

gives you a smart solution that can be set up with little effort by only one person.



All windows come standard with mosquito screens, roll-up PVC window (outside) and curtains (inside).



The roll-up door is always fitted on the right hand side. Two doors (left and right) are standard for lengths > 4.50 m.



An additional triangle is included with the Ducato version for even better protection.



You can cover the lower side of the vehicle with a standard supplied skirt (keder rail is not included in the set).



The lock of the clamping profile must be turned only a quarter of a turn.



The mast profiles are fitted with rubber seals to prevent scratching and to make the area entirely waterproof. The height can easily be adjusted.



The side panel is secured to the support legs with Velcro straps and then connected with the front panel.



The cross brace adds stability to the tent.

CampRoom

If you have opted for a cassette awning with support legs, our CampRoom makes a great awning tent for you. The comfortable extra room in front of your vehicle can be set up in a matter of minutes, by only one person. If you cover the underside of the vehicle with a standard supplied skirt you will get a completely waterproof and wind-breaking living space.

The CampRoom is comprised of two packages; one for the front (including the skirt, pegs and ropes) and one for the two side panels (including the clamp profiles, pegs and ropes).

Fast set-up by
only one
person



Description	Height (m)	Ref. No.	Description	Ref. No.
CampRoom sides PW – Small – Ex 2 m	2.00 – 2.28	9103103933	CampRoom front – 2.60 m	9103103923
CampRoom sides PW – Small – Ex 2.5 m	2.00 – 2.28	9103103934	CampRoom front – 3.00 m	9103103924
CampRoom sides PW – Medium – Ex 2.5 m	2.29 – 2.59	9103103935	CampRoom front – 3.25 m	9103103925
CampRoom sides PW – Medium – Ex 2.75 m	2.29 – 2.59	9103104181	CampRoom front – 3.50 m	9103103926
CampRoom sides PW – Large – Ex 2.5 m	2.60 – 2.89	9103103936	CampRoom front – 3.75 m	9103103927
CampRoom sides PW – X-Large – Ex 2.5 m	2.90 – 3.20	9103103937	CampRoom front – 4.00 m	9103103928
CampRoom sides PR – Medium – Ex 2.5 m	2.30 – 2.59	9103103938	CampRoom front – 4.50 m	9103103929
CampRoom sides PR – Large – Ex 2.5 m	2.60 – 2.89	9103103939	CampRoom front – 5.00 m	9103103930
CampRoom sides PR – Ducato – Ex 2.5 m	H2 DUCATO	9103103940	CampRoom front – 5.50 m	9103103931
For Fiat Ducato H2, Peugeot Boxer H2, Citroën Jumper H2, Mercedes Sprinter H2 and Volkswagen Crafter H2			CampRoom front – 6.00 m	9103103932

DOMETIC REVO ZIP PRIVACY ROOM

Looking for more than just shade?

Your Dometic Revo Zip awning can be fitted with a privacy room in a matter of minutes to provide comfortable accommodation away from the elements. The side walls simply zip to the awning roof and can be attached to the vehicle by using the Limpet™ Fix System or upright poles. The front wall slides into the prepared channel on

the awning's front rail and zips to the side walls. The Dometic Revo Zip Privacy Room comes complete with curtains and side doors with mesh panels behind. Suitable for vehicles with a rail height of between 240 and 270 cm.

- Side walls simply zip to the Revo roof
- Front wall slides into channel on the Revo front rail and zips to the side walls
- Side walls can be attached to the vehicle side using the Limpet™ Fix System or by using rear upright poles
- Height of side walls can be varied to suit different height vehicles with a rail height of between 240 -270 cm
- Complete with curtains on easy-slide track
- Zip-out side and front panels
- Side doors with mesh panels behind

Dometic Limpet Fix Kit

Awning fitment accessory

- A clever solution for attaching the rear wall of your awning to your vehicle.



Ref.no: 9120000424



Model	Fits to awning model	Ref. No.
240 PRIVACY ROOM	REVO ZIP 240	9103104329
270 PRIVACY ROOM	REVO ZIP 270	9103104330
310 PRIVACY ROOM	REVO ZIP 310	9103104331
350 PRIVACY ROOM	REVO ZIP 350	9103104332

Model	Fits to awning model	Ref. No.
400 PRIVACY ROOM	REVO ZIP 400	9103104333
450 PRIVACY ROOM	REVO ZIP 450	9103104334
Dometic REVO SUPPORT RAFTER	350 – 450	9103104335

LET THERE BE LIGHT!

Warm summer nights are meant to be spent outdoors. The Dometic LED profile provides you with the correct lighting. Simply install under the awning on the vehicle wall and let there be light for a late night dinner, a get-together round with your friends, reading a good book or whatever you fancy.

Dometic LED profile

The LED profile is available in different lengths. Simply choose the right product to match the length of your awning. Installation requires just a few easy steps. Fix the aluminium profile sections to the underside of the front rail housing, attach the LED strip across the entire length, connect your outdoor light to the 12 V supply. That's it.

- Easy installation under the awning on the vehicle wall
- Perfect angle of illumination thanks to aluminium profile
- Available for all Dometic wall awnings (2.6 – 6 m long)



LED RAIL PIECES, WHITE, 1 X

Length (m)	Ref. No.
2.60	9103104264
3.00	9103104265
3.50	9103104266
4.00	9103104267
4.50	9103104268
5.00	9103104269
5.50	9103104270
6.00	9103104271

LED RAIL FULL LENGTH, WHITE, 5 X

Length (m)	Ref. No.
2.60	9103104272
3.00	9103104273
3.50	9103104274
4.00	9103104275
4.50	9103104276
5.00	9103104277
5.50	9103104278
6.00	9103104279

LED RAIL FULL LENGTH, ANODISED, 5 X

Length (m)	Ref. No.
2.60	9103104283
3.00	9103104284
3.50	9103104285
4.00	9103104286
4.50	9103104287
5.00	9103104288
5.50	9103104289
6.00	9103104290



Dometic PW-SJ

Sealing joint for the Dometic PerfectWall awnings. Available in a variety of lengths and widths, this rubber sealing ensures the water-tight attachment of your awning to your RV (for PW 1100, 1500).

**PW 1500 sealing joints Small,
width 50 mm**

3.00 m / Ref. No. 9103103979
3.50 m / Ref. No. 9103103980
4.00 m / Ref. No. 9103103981
30.00 m / Ref. No. 9103103982

**PW 1500 sealing joints Large,
width 75 mm**

3.00 m / Ref. No. 9103103983
3.50 m / Ref. No. 9103103984
4.00 m / Ref. No. 9103103985
30.00 m / Ref. No. 9103103986

PW 1100 sealing joints

4.00 m / Ref. No. 9103104323
6.00 m / Ref. No. 9103104324
30.00 m / Ref. No. 9103104325



Dometic PR-FS

Awning foam strip kit for PR 2000 and PR 2500, 2 x 1.5 m

- Closes the space between the vehicle and the roof awning to prevent leakage at the door side
- For Dometic PR 2000 or PR 2500 roof awnings
- Optional accessory

Dometic PR Foam Tape, 2 x 1.5M, height 10 mm / Ref. No. 9103104391
Dometic PR Foam Tape, 2 x 1.5M, height 20 mm / Ref. No. 9103104207
Dometic PR Foam Tape, 2 x 1.5M, height 40 mm / Ref. No. 9600049440

Dometic AW-TDKIT

Awning tie down kit

The Dometic AW-TDKIT tie down kit enables you to firmly anchor PerfectWall and PerfectRoof awnings with support legs into the ground. The adjustable straps, robust clasps, and coil springs are perfect for windy days. Easy-to-use and guaranteed secure hold.

- Adjustable straps and robust clasps, just right for windy days
- Easy to use, guarantees firm hold
- Coil springs relieve strain in wind

Ref. No. 9103104000





TRAVELING MEANS THE WORLD

ANNA HEUPEL





Even as a kid, when she'd sneak off with her parents' dusty old analog camera, it was clear that Anna Heupel's love of photography would take her beyond the familiar and out into the world. Her passion undimmed, she till gazes through a camera lens with the wide-eyed wonder of a child.

Anna and her boyfriend, Timo, are from Germany. Siegen, not far from Cologne, is both home and an ideal base from which to explore the world. Timo, who works for an industrial company, is a creative spirit "with the hands of a craftsman." Whenever there's a gap in his busy schedule, he tags along with Anna, whose photography and travel blogging constitute a full-time job. "Timo is not only the perfect travel and work companion, but a

pretty accomplished drone pilot too," says Anna with a smile.

Anna's love affair with the nomadic lifestyle began early and grew stronger over time. "I've always been on the lookout for adventure – even if it's just round the corner. To Anna, combining work with travel is a pleasure and a privilege, not to mention a dream come true.

Will the couple stay on the road? "Traveling literally means the world to us," Anna explains. "We've bonded through shared experience – be it a round-the-world trip, like in 2016, or a long weekend in our beloved VW bus." Either way, Anna and Timo are clearly in it for the long haul. As soon as a destination is ticked off the checklist, ideas for new adventures emerge on the horizon. A spectacular four-week road trip – "the ride of a lifetime"

– in a shabby camper van across Australia's west coast inspired them to buy and rebuild their own home on wheels – and then hit the road again. "Nothing, after all, beats the freedom to roam wherever the wind – and work – take you," says Timo. Plans to criss-cross Scotland in their bus are slowly taking shape. As are trips to similarly exotic locations, including the Philippines, Peru and Bora Bora. This is wonderful news for Anna's thousands of Instagram followers, who can look forward to feasting their eyes on yet another batch of stunning images in the wake of her travels. Anna and Timo appreciate the convenience – and peace of mind – offered by their Dometic products.



[instagram.com/annanassaff](https://www.instagram.com/annanassaff)

THE FULL COMFORT RANGE

View Products:
dometic.com

UNITED KINGDOM

Dometic UK LTD.

Dometic House, The Brewery,

Blandford St. Mary

Dorset DT11 9LS

Tel 0344 626 0133

Fax 0344 626 0143

Mail sales@dometic.co.uk

