

DOMETIC IS YOUR IDEAL PARTNER

FOR NUMEROUS APPLICATIONS FOR SPECIAL VEHICLES, WHETHER IT CONCERNS COMFORT ON THE ROAD OR ON-SITE FACILITIES.

Safety and comfortable conditions are hugely important in work vehicles. Safety as well for the employees as for the wider public. It doesn't mater if you drive a fire or garbage truck, a crane or an ambulance. Dometic offers several solutions for mobile or onsite power supply, ranging from a single power unit to a complex battery-based power system. Air conditioning, cooling boxes and

even complete integrated temperature controlled solutions for vans. For safety solutions you can think at rear-view cameras to so-called "bird view" cameras which capture the entire 360° area around the vehicle or active systems such as parking sensors. And that's just a small selection of the possibilities.


















2 - DOMETIC.COM

FIRE TRUCKS

Emergency service vehicles such as fire trucks need to perform flawlessly under the most difficult conditions. That is also true



flawlessly in difficult conditions



Dometic FreshJet Airconditioner



Dometic PerfectView BVS 71000 Blind spot system



Dometic CFF Portable compressor cooler



Dometic CoolMatic MR 07 Stainless steel refrigerator

CLIMATE

Dometic TEC 40D Diesel generator, 3.5 kW, 230 V

• Dometic CoolAir RTX airconditioners

Under-bench air conditioner

- Dometic FreshJet airconditioners
- · Dometic FreshWell airconditioner
- Awnings

POWER SUPPLIES

- Dometic SinePower DSP / DSP-T sine wave inverters
- Dometic TEC generators
- Dometic MCA chargers
- Dometic PLB40 Lithium Battery

CAMERA SYSTEMS

Dometic PerfectWall PW 1100

Wall-mounted awning

- Dometic PerfectView CAM 360 BirdView
- Dometic PerfectView CAM1000 blind spot solution
- Dometic PerfectView Rear View Camera Systems CAM 55, M55 & 75 AHD

COOLING

- Dometic CFF compressor cooler
- Dometic cooling containers
- Dometic MR/MH Special cooling

AMBULANCES

For emergency service vehicles such as ambulances precision and time matter. They need to perform flawlessly under the most difficult situations. In an ambulance, the crew need highly reliable, controlled cooling facilities for storage of medication. Dometic offers a wide range of professional cooling solutions and vehicle-specific products to provide support for these extreme, often complex, tasks.



Dometic CoolAir RTX
Airconditioner



Dometic FreshWell 3000 Under-bench air conditioner



Dometic PerfectView BVS 71000Blind spot system



Dometic CFFPortable compressor cooler



Dometic CoolMatic MR 07 Stainless steel refrigerator



Dometic PerfectView CAM 360 AHD

All-around view system with four cameras and $7^{\prime\prime}$ AHD monitor





Dometic SinePower DSPSine wave inverters



Available Spring 2022



Energy solutions Solar module / Lithium battery

When precision and time matter

CLIMATE

- Dometic CoolAir RTX airconditioners
- Dometic Freshlet airconditioners
- Dometic FreshWell airconditioner
- Awnings

POWER SUPPLIES

- Dometic SinePower DSP / DSP-T sine wave inverters
- Dometic TEC generators
- Dometic MCA chargers
- Dometic PLB40 Lithium Battery

CAMERA SYSTEMS

- Dometic PerfectView CAM 360 BirdView
- Dometic PerfectView CAM1000 blind spot solution
- Dometic PerfectView Rear View Camera Systems
 CAM 55, M55 & 75 AHD

COOLING

- Dometic CFF compressor cooler
- Dometic cooling containers
- Dometic MR/MH Special cooling

BODYWORK MANUFACTURING

Truck and trailer body builders design and build vehicles for all kinds of applications: from furnishing a small delivery van, to building a long vehicle for cargo transport or mobile exhibition vehicle. Professional body builders are creative and inventive and so it helps to work with suppliers who operate in the same way. Dometic is the ideal partner for numerous applications, whether it concerns comfort on the road or on-site facilities. **Dometic CoolAir RTX** Airconditioner **Dometic PerfectView BVS 71000** Blind spot system **Tailored Dometic PerfectView CAM 360 AHD** All-around view system with four cameras to your and 7" AHD monitor workflow **Dometic SinePower DSP Dometic CFF** Sine wave inverters Portable compressor cooler

CLIMATE

Dometic TEC 30EV

Diesel generator, 2.5 kW, 230 V

• Dometic CoolAir RTX airconditioners

Energy solutions

Solar module / Lithium battery

- Dometic FreshJet airconditioners
- Dometic FreshWell airconditioner
- Awnings

POWER SUPPLIES

- Dometic SinePower DSP / DSP-T sine wave inverters
- Dometic TEC generators
- Dometic MCA chargers
- Dometic PLB40 Lithium Battery

CAMERA SYSTEMS

- Dometic PerfectView CAM 360 BirdView
- Dometic PerfectView CAM1000 blind spot solution
- Dometic PerfectView Rear View Camera Systems
 CAM 55, M55 & 75 AHD

COOLING

Mobile cooling

• Dometic CFF compressor cooler

Dometic cooling containersFront or top loading chest freezers


• Dometic cooling containers

Refrigeration

- Dometic RM series refrigerators
- Dometic CRX series refrigerators
- Dometic Frigo DC

TRANSPORT REFRIGERATION

When you're transporting food or medicine, absolute temperature precision is required. That's why we provide proven cooling and freezing solutions for a variety of temperature-sensitive applications. From modular vehicle systems to fixed temperature coolers and chest freezers, our professional cooling range offers the perfect solution for the last mile delivery.



Dometic cooling containersFront or top loading chest freezers

DOMETIC FRIGO

- Dometic Frigo DC
 Full integrated electrical
 refrigeration system
- Dometic Frigo BD
 Belt driven system
 Also deep-freezing possible


COOLING

- Dometic cooling containers
- Dometic CFF compressor cooler

DOMETIC FRIGO

Operation performance according to ATP regulations with 3 door openings per hour at 30 $^{\circ}$ C outside temperature.

NEW Dometic Frigo DC 2500 12°C Specifications for R134a: k-value = 0.4 W (m² K) with 3 door openings ■ 12°C **NEW** Dometic Frigo of 3 minutes each per hour, ambient DC 3500 temperature 30°C, relative air humidity ■ 0°C Cargo room 10 m³ capacity Dometic Frigo BD 2500 12°C



R 134a	R 404a	Specifications for R 134a: k-value = 0.7 W (m ² K) with 3 door openings of 3 minutes each per hour, ambient temperature 30 °C,
■ 12°C	■ 0°C	relative air humidity 60 % (DIN 1815)
■ 6°C	∥ –10 °C	Specifications for R 404a: k-value = 0.4 W (m ² K) with 3 door openings of 3 minutes each per hour, ambient temperature 30 °C,
■ 0°C	_20°C	relative air humidity 60 % (DIN 1815)



INFO

The Dometic Frigo control unit displays when service is due. The cooling system will keep running, though. The calculation of the operating hours is based on the time the compressor is in operation. Service is due after the first 100 operating hours after the cooling system's initial start-up, and then every 1,000 operating hours.

HORSE TRANSPORT

Trucks provide safe transportation for people and animals (or machines). Special vehicles can also house them, we encounter these vehicles in equestrian sport, and also in the world of car and motor racing, cycling and skating. In most cases, these vehicles are customized by specialized companies with carefully choosen suppliers. After all, the quality of the products used also affects the quality of the entire vehicle.



Dometic Freshlet Airconditioner









Dometic L100RM LED spot



Wall-mounted awning

Roof and frame windows



Dometic HBG 2335 Two-burner gas hob with glass lid



Dometic 10 series Absorption refrigerators







water tank

Dometic Saneo CW Revolving cassette toilet with ceramic inlay and a flush







CLIMATE

- Dometic CoolAir RTX airconditioners
- Dometic Freshlet airconditioners
- Dometic FreshWell airconditioner
- Awnings

POWER SUPPLIES

- Dometic SinePower DSP / DSP-T sine wave inverters
- Dometic TEC generators
- Dometic MCA chargers
- Dometic PLB40 Lithium Battery

CAMERA SYSTEMS

- Dometic PerfectView CAM 360 BirdView
- Dometic PerfectView CAM1000 blind spot solution
- Dometic PerfectView Rear View Camera Systems CAM 55, M55 & 75 AHD

COOLING

Mobile cooling

- Dometic CFF compressor cooler
- · Dometic cooling containers

Refrigeration

- Dometic RM series refrigerators
- Dometic CRX series refrigerators

SANITATION

Dometic toilets

LIGHTS

- Dometic L100RM
- Dometic DTO-06


COOKING

• Dometic mobile kitchen cooktops

WINDOWS & DOORS

MOBILE SHOPS AND FOOD TRUCKS

From trade events to markets in towns and city centres, we see vehicles being used everywhere for the promotion, demonstration and sale of products. Often they take the form of a mobile shops, selling bread, fish and candy, to name just a few or even the most delicious food and drinks to enjoy with friends and family.



Dometic PerfectView CAM 360 AHD


All-around view system with four cameras and $7^{\prime\prime}$ AHD monitor



Dometic SinePower DSPSine wave inverters



Energy solutionsSolar module / Lithium battery



Dometic TEC 30EVDiesel generator, 2.5 kW, 230 V



CLIMATE

- Dometic CoolAir RTX airconditioners
- Dometic FreshJet airconditioners
- Dometic FreshWell airconditioner
- Awnings

POWER SUPPLIES

- Dometic SinePower DSP / DSP-T sine wave inverters
- Dometic TEC generators
- Dometic MCA chargers
- Dometic PLB40 Lithium Battery

CAMERA SYSTEMS

- Dometic PerfectView CAM 360 BirdView
- Dometic PerfectView CAM1000 blind spot solution
- Dometic PerfectView Rear View Camera Systems
 CAM 55, M55 & 75 AHD

COOLING

Mobile cooling

- Dometic CFF compressor cooler
- Dometic ColdMachine cooling units
- Dometic cooling containers

Refrigeration

- Dometic RM series refrigerators
- Dometic CRX series refrigerators

SANITATION

• Dometic portable toilets

LIGHTS

- Dometic L100RM
- Dometic DTO-06

COOKING

• Dometic mobile kitchen cooktops

WINDOWS & DOORS



Serve food fresh with comfort

Dometic PerfectWall PW 1100 Wall-mounted awning



Dometic PerfectView BVS 71000 Blind spot system



Dometic CFFPortable compressor cooler



Dometic ColdMachine VD-14N

Circulating air evaporator



Dometic ColdMachine CU 95 Cooling unit for max. 400 l

GERMANY, AUSTRIA & SWITZERLAND **Dometic Germany GmbH**

Hollefeldstraße 63 D-48282 Emsdetten Tel +49 (0) 2572 879-0

Mail kontak@dometic.de

BELGIUM, NETHERLANDS & LUXEMBOURG

Dometic Benelux B.V.

Innovatiepark 12 4906 AA Oosterhout Tel +31 76 5029000 Mail info@dometic.nl

MIDDLE EAST & AFRICA **Dometic Middle East FZCO**

P.O. Box 17860 Jebel Ali Dubai

Tel +971 4 883 3858 Fax +971 4 883 3868 Mail info@dometic.ae

SWEDEN Dometic Scandinavia AB

Gustaf Melins gata 7 SE-421 31 Västra Frölunda Tel +46 31 7341100 Mail info@dometic.se

DENMARK

Dometic Denmark A/S

Nordensvej 15, Taulov DK-7000 Fredericia Tel +45 75585966 Mail info@dometic.dk

FINLAND

Dometic Finland OY

Valimotie 15 FIN-00380 Helsinki Tel +358 20 7413220 Mail myynti@dometic.fi

NORWAY

Dometic Norway AS

Flyeveien 30B N - 3262 Larvik

Tel +47 33 428 450 Mail info@dometic.no

POLAND

Dometic Poland Sp. z o.o

ul Puławska 435A PL 02-801 Warszawa Tel +48 22 414 32 00 Mail info@dometic.pl

HUNGARY

Dometic Zrt.

Értékesítési iroda 1143 Budapest Gizella út 42-44 (Moha Ház)

Tel +36 1 468 4400 Fax +36 1 468 4401 Mail budapest@dometic.hu

SLOVAKIA

Dometic Slovakia S.R.O

Sales Office Bratislava Nádražná 34/A 90028 Ivanka pri Dunaji

Bratislava Tel +421 24 552 9680

Fax +421 24 552 9680 Mail bratislava@dometic.com

RUSSIA

Dometic RUS LLC

18 Malaya Pirogovskaya str. bld 1, office 505 2775-399 Carcavelos RU-119435 Moscow

Tel + 7 495 374 8896 Fax +7 495 916 56 53 Mail info@dometic.ru

FRANCE

Dometic SAS

ZA du Pré de la Dame Jeanne B.P. 5 F-60128 Plailly

Tel +33 3 44 63 35 24/25 Mail serviceclients@dometic.com

ITALY

Dometic Italy S.r.I.

Via Virgilio, 3 I-47122 Forli (FC) Tel +39 0543 754901 Fax +39 0543 754983 Mail vendite@dometic.it

SPAIN

Dometic Spain S.L.

Avda. Sierra del Guadarrama, 16 E-28691 Villanueva de la Cañada

Madrid

Tel +34 91 833 6089 Fax +34 900 100 245 Mail info@dometic.es

PORTUGAL

Dometic Spain S.L.

Branch Office em Portugal Rot. de São Gonçalo nº 1- Esc. 12

Tel +351 219 244 173 Fax +351 219 243 206 Mail info@dometic.pt

UNITED KINGDOM

Dometic UK Ltd.

Dometic House, The Brewery, Blandford St. Mary Dorset DT11 9LS Tel +44 344 626 0133

Fax +44 344 626 0143 Mail sales@dometic.co.uk

We distribute our products in around 100 markets. Please ask for your contact point if not listed here, or check our website Dometic.com

