

2023

MOTORHOME AWNINGS

THE FULL RANGE



 **DOMETIC** **OUTDOOR**



MOBILE LIVING MADE EASY.

Welcome to Dometic!

Make the most of the outdoors with a Dometic awning. Our premium awnings feature the latest innovations and enhancements to provide privacy and comfort wherever you pitch-up. Designed for easy and convenient extension of your living space, quality materials are used to ensure reliable operation and durability. This year, we've advanced and developed our best-selling awnings to give you the confidence and ability to adventure further and for longer.

Welcome to our new catalogue! We invite you to go on a journey of discovery.
Explore the Dometic world and let us know what we can do for you.



DRIVE-AWAY AWNINGS

PAGE 16 - 19



STATIC INFLATABLE AWNINGS

PAGE 20 - 35



ACCESSORIES

PAGE 36 - 47

DRIVE-AWAY AWNINGS

Dometic Rally AIR Pro DA	16 - 17
Dometic Rally AIR All-Season DA	18
Dometic Rally AIR Pro 240 TG	19

STATIC AWNINGS

Dometic Ace AIR Pro	20 - 21
Dometic Club AIR All-Season / Pro	22 - 25
Dometic Grande AIR All-Season / Pro	26 - 27
Dometic Rally AIR Pro / All-Season	28 - 30
Dometic Winter AIR PVC	31
Dometic Leggera AIR / Leggera AIR Redux	32 - 35

ACCESSORIES

Annexes	36
Canopies	37
Side Wings	38
Poled Windbreaks	39
Inflatable Windbreaks	40 - 41
Dometic K9 80 AIR Inflatable Dog Tent	42
Bespoke Awning Equipment	43
Inner Tents / Mesh Panels	44
Roof Linings / Solar Shade	45
Carpets & Footprints	46 - 47

TECHNICAL DATA

Technical Data	48 - 63
----------------	---------

DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogues.

dometic.com




EXPERT ADVICE FROM AWNING PIONEERS

Choose the best inflatable awning for you and your vehicle

It's important to know the height of the attachment point on your vehicle from the ground to determine which awning will best suit your vehicle. For static awnings, this refers to the height from the ground to the awning rail or cassette awning which the awning will be connected to. For drive-away awnings this could also refer to your

vehicle's roof, depending on your preferred fitment method. We offer drive-away and static awnings in a range of heights, designed to fit vehicles with heights of 220 cm up to 325 cm. The diagram below outlines the sizes available for static awnings.

Static Awning Heights



- L 295 - 325 cm
- m 265 - 295 cm
- S 235 - 265 cm

DRIVE-AWAY AWNINGS

Dometic free-standing awnings are available in a range of sizes, built to fit vehicles with a connection height between 220 and 300 cm. Our innovative drive-away awnings are versatile by design, adjustable connection tunnels fit securely to most motorhomes, panel vans and campervans.



STATIC AWNINGS

For tourers wanting an awning designed for static use, our best-selling static awnings are easy to set-up and take-down, providing fantastic fitting to the vehicle side and first class accommodation. Utilising the unique AIR Frame system, which links individual AIR Poles together, Dometic static awnings can be conveniently inflated from a single point. Twin beading comes as standard (5 mm and 7 mm) and can either be fed through the awning rail attached to your vehicle or threaded through the front channel of a cassette awning.






DOMETIC INFLATABLE AWNINGS

Quick and secure – our innovative air frame has revolutionised touring

The patented AIR Frame technology in Dometic inflatable awnings will transform your touring experience. Conventional steel and fibreglass awning poles are replaced with interlinked inflatable AIR Poles, enabling you to inflate the entire awning from a single external point. Conveniently, the AIR Frame is always attached to the awning for a quick and easy setup. Not only is the AIR Frame extremely strong, it can flex in the wind too, so you'll never break or bend a pole.

Additionally, with no metal or fibreglass poles there's nothing to damage your caravan, as the AIR Poles simply rest against your vehicle with no other attachment needed. For optimal awning performance inflate the awning to 9 psi. Each awning comes with a Downdraught hand pump and for maximum convenience, simply plug in the optional Gale 12 V pump.

Air frame pressure in response to differing air temperatures



SINGLE POINT INFLATION



Individual AIR Poles are linked together allowing the entire awning to be inflated from a single external inflation point. The entire AIR Frame is easily deflated through quick release deflation valves at the base of each leg; as each AIR Pole is connected there is no need to deflate each AIR Pole individually. So, as well as being the easiest awnings to set-up, the user-friendly Dometic awnings are also the easiest to take down.



Deflation valve



For optimal performance inflate to 9 psi

Air Frame Construction

The AIR Frame is incredibly durable, each AIR Pole is made of a strong TPU inflation tube zipped into a reinforced laminated oxford polyester/PE cover, which is then zipped into a heavy-duty polyester sleeve in the awning. Tested up to 22 psi, the AIR Frame system best functions when inflated to 9 psi.



Reliable Technology

Dometic AIR Poles are well protected and require no maintenance. Inflatable awnings are considerably lighter, and with no poles to snap, the AIR Frame is also far more durable than conventional poles. Suitable for both hot and cold climates, the AIR Frame can even handle extreme changes in temperature.




MULTI HEIGHT SYSTEM

Patent Pending

Dometic height adjustable static awnings ensure exceptional vehicle fitment

Our new Multi-Height System delivers the most versatile inflatable static awnings ever. Rather than strictly being suited to either a caravan or motorhome, this ground-breaking feature enables the same awning to fit to a variety of leisure vehicles, with the keder connection now achieved at a multitude of heights within an expanded range.

We know that real-world experience is everything, and thanks to our latest awning innovation these are our best performing awnings ever. The Multi-Height System means your Dometic awning will be easier to pitch on uneven ground and perform better in adverse conditions, effectively shedding rainwater and fitting closer to the vehicle side.



How does it work?

The operation couldn't be easier; simply unzip the gusseted awning side panels, peg the awning down to fine tune fitment, then close the internal zips to hide any excess material. Once you've set the Multi-Height System for the first time, you are free to set the awning down and pitch again and again without needing to re-adjust. For convenience, the adjustable zipped gussets are positioned just above the zip-out side panels, meaning fitting and adjusting the awning to your motorhome can be achieved without the need for a step or ladder.



Designed for touring confidence

As all experienced tourers know, selecting the correct size awning for your vehicle is essential to maximise the living space of your pitch and enhance your holiday. The Multi-Height System makes finding your perfect awning easier than ever before, size S awnings connect to vehicles with a connection height range of 235 – 265 cm, size M from 265 – 295 cm and size L from 295 – 325 cm.

DUAL KEDER

Fitted to all new Dometic inflatable motorhome awnings, premium dual awning keder. For 2021, 5 mm and 7 mm keder has been installed as standard, allowing a seamless connection to both conventional caravan awning rail and motorhome cassette awnings. This innovative design feature means Dometic inflatable static awnings are equally suited for use with caravans, motorhomes and panel vans. Dual keder reduces model complexity and affords you the freedom to change vehicles without necessarily changing awning.



APEX VENTILATION

Experience greater comfort with our new weather protected apex ventilation. Fitted to all new Dometic inflatable motorhome awnings, triangular apex ventilation panels increase air circulation and improve comfort inside the awning. These auxiliary ventilation points, found in the top corners of each inflatable awning, conveniently allow air to escape the awning as it rises and warms. Importantly, this feature helps to regulate the interior temperature in hotter climates and effectively combats condensation for early and late-season tourers.





AWNING KEY FEATURES

Innovative features to enhance your touring experience



AIR Frame™

Single Point Inflation AIR Frame awnings inflate entirely from just one external inflation point, creating an exceptionally strong structure.



Multi-Height System

Your Dometic awning will be easier to pitch on uneven ground and perform better in adverse conditions, effectively shedding rainwater and fitting closer to the vehicle side.



Quickpitch™ Guying System

Heavy-duty straps can be pegged out in seconds. Peg the bottom strap taut and adjust the top buckle to apply tension.



Dual-Pitch™ Roof System

Effectively deflect wind and shed rain water efficiently to prevent puddling on the roof and enhance performance.



SabreLink™ ready

Attach up to three lights on the front and centre AIR Poles. Switch the lights on/off and adjust the brightness remotely. Also suits poled awnings.



Limpet® ready

Pre-punched holes ready to attach the rear wall of the awning to the vehicle using Limpet Fix technology.



Weathershield™ All-Season

Ultra-rugged and UV resistant All-Season material, perfect for touring in warmer climates and for use on a seasonal pitch. The fully breathable fabric is constructed to handle extremes of weather and has been tested in the wettest regions of Europe and the sunniest parts of Australia to ensure it never lets you down.



Weathershield™ Pro

The iconic fabric used extensively throughout the awning range has proven quality in diverse environments. With the look and feel of a traditional fabric, but weighing far less, Weathershield™ Pro continues to be the definitive choice for tourers the world over.



Weathershield™ 150D

Extremely light and easy to handle, Weathershield™ 150D promises super-fast set-up and take-down every time. Highly durable and weather-resistant too, this lightweight material offers great value with no compromises.



Weathershield™ PVC

Constructed with 400g/m² PVC, this super tough awning material is waterproof, long-lasting and easy to clean. Developed for winter touring, Weathershield™ PVC is rated to -20 °C, more than a match for even the most extreme snowy conditions.



Weathershield™ Redux

Waterproof, lightweight, and environmentally responsible. This material is woven from recycled plastic bottle yarn, providing reliable protection from the elements without compromise.

UV Protection

An Ultraviolet Protection Factor (UPF) denotes how much solar ultraviolet radiation is reduced when passing through fabric. Dometic awning material allows only 1/50th of ultraviolet rays to pass through, ensuring you're protected and kept cool.

Waterproof

Tested to 200L/m² per hour to ensure that you are kept dry.



We love the outdoors. As pioneers in the mobile living arena, we are committed to driving sustainability in our industry. Because we want nature to be a resource for everyone to enjoy and explore. Forever.

The new Weathershield Redux material used on our Redux tents and shelters is an important step towards our collective goals. Plastic waste is a major environmental issue but we can play our part by turning a problem into a solution. The material name, Redux, meaning 'brought back', hints at the responsible construction of


our new awnings, tents and furniture. Weathershield Redux is made from 100% recycled plastic bottles and is Global Recycled Standard certified. This new material is only one of the many ways Dometic is ensuring future sustainability across the whole company, to balance our environmental, economic and social impact.

We're now on the move to a better tomorrow, but we're not there yet.

Find our new Redux recycled products on pages 34 - 35



THE PROCESS



The Dometic Leggera AIR Redux 260 uses approximately 28 metres of material

= 280

That means 280 bottles have been recycled to make this awning.





DRIVE-AWAY ATTACHMENT OPTIONS

Dometic awnings are available in a range of heights, designed to fit vehicles from 220 to 300 cm in height. Specifically designed for secure attachment to most motorhomes, maximise your awnings performance and your enjoyment of it.

So which best suits you and your van? Let's look at the options: guy line, velcro loops and beading attachment methods are explained below.



Guy Line Straps

The quickest method. Throw the guy lines, attached to the top corners of the tunnel, over the vehicle and either peg down on the other side or tie to the wheels. To drive-away, simply untie/unpeg and throw them back over.



Velcro Loops

Velcro straps are quick to attach to your vehicle's roof rails, if available. Connected from the top edge of the tunnel to the rail, simply release the hoops and drive away.



Twin drive-away kit keder

Connect to the front channel of cassette awnings or a pre-installed awning rail. 4 mm and 6 mm twin keder drive-away kit. Available in 3 m and 4 m lengths.



Magnetic drive-away kit

6 mm keder to magnetic system. Guying loops included (guy lines not included). 3 m length.



Limpet™ suction drive-away kit


6 mm keder to Limpet™ Fix System. Supplied with six Limpet's. 3 m length.

DRIVE-AWAY KITS



Drive-away kits offer a secure way to attach your awning to your vehicle. Simply connect the figure-of-8 strip to the keder along one edge before attaching the pre-sewn awning beading along the other. To drive away, slide the figure-of-8 out of position and leave the awning free-standing on your pitch.

Drive-Away Kit Example



View the full range online, visit [dometic.com](https://www.dometic.com)



RALLY AIR PRO DA

The ultimate drive-away awning


Designed to suit a wide range of vehicles, the Rally AIR DA allows you to leave your awning on site while you explore the local area. It's easy to set up too, thanks to the Single Point AIR Frame technology.



Adjustable awning tunnel
Adjustable height rear tunnel to suit a wide range of vehicles. Webbing straps take up material slack to ensure a tight fit to your vehicle.



Single point inflation
Conveniently inflate the entire AIR Frame from just one external inflation point.




Weathershield™ Pro
Weathershield™ Pro double coated polyester fabric.



Dometic Rally AIR Pro 260 DA

- Width: 2600 mm
- Depth: 2500 mm
- Weight: 23.8 / 7.5 kg
- Min weight: 20.14 kg


Ref. 9120001137



Dometic Rally AIR Pro 330 DA

- Width: 3300 mm
- Depth: 2500 mm
- Weight: 25.72 / 8.08 kg
- Min weight: 21.96 kg


Ref. 9120001138



Dometic Rally AIR Pro 390 DA

- Width: 3900 mm
- Depth: 2500 mm
- Weight: 27.1 / 9.06 kg
- Min weight: 24 kg

Ref. 9120001139



For full technical data, see p. 49







Fitting height
220 - 300 cm

RALLY AIR ALL-SEASON DA

Freedom to explore




The Rally AIR All-Season 330 Drive-Away is quick to set up with Single Point Inflation AIR Frame technology. Combining rugged seasonal pitch material with zip-out front and side panels to use the awning veranda style.


Dometic Rally AIR All-Season DA 330

- Width: 3300 mm
- Depth: 2500 mm
- Weight: 28 kg / 9.82 kg
- Min weight: 25.78 kg

Ref. 9120001136




For full technical data, see p. 49



Adjustable awning tunnel

Adjustable height rear tunnel to suit a wide range of vehicles. Webbing straps take up material slack to ensure a tight fit to your vehicle.



Weathershield™ All-Season

Ultra-rugged and UV resistant material for touring in hot climates and seasonal use.



Apex ventilation

Ventilation improves comfort by increasing air circulation and reducing condensation.



Fitting height
220 - 275 cm

RALLY AIR PRO 240 TG

Inflatable drive-away tailgate awning

Purpose built to fit onto panel van conversions with a rear barn door, simply open doors and let the living area flow into the awning. The


fully adjustable connecting tunnel can be quickly disconnected and left in place, while you explore the local area.



Dometic Rally AIR Pro 240 TG

- Width: 2400 mm
- Depth: 2600 mm
- Weight: 26.3 kg
- Min weight: 17.38 kg

Ref. 9120000101



For full technical data, see p. 48





ACE AIR PRO

Perfect from every angle

With its timeless style, expansive 3.25 m depth and integrated inflatable canopy, you'll be the envy of the touring park wherever you pitch up. Large full-height windows and skylights offer beautiful views during the day and a starry vista at night.



Integral inflatable canopy
Integral inflatable wet weather canopy with apex mesh ventilation.



Extra depth
Generous 3.25 m depth creates a spacious awning interior.




Multi-Height system
Height adjustable awning technology ensures fitment across multiple vehicle types.



Dometic Ace AIR Pro 400 S

- Width: 4000 mm
- Depth: 3250 mm
- Weight: 28 kg / 7.6 kg
- Min weight: 21.9 kg


Ref. 9120001124



Dometic Ace AIR Pro 500 S

- Width: 5000 mm
- Depth: 3250 mm
- Weight: 30.7 / 8 kg
- Min weight: 23.9 kg

Ref. 9120001125



For full technical data, see p. 50



Optional

Ace AIR Pro Side Wing

Zip-on to create shade, shelter and a social space to prepare meals. In less favourable conditions, the Side Wing provides covered access to your awning.

LH S / Ref. 9120001149
RH S / Ref. 9120001150

For further details, see p. 38





Fitting Heights
S: 235 - 265 cm
M: 265 - 295 cm
L: 295 - 325 cm

CLUB AIR ALL-SEASON

The awning for every environment

Ideal on a seasonal pitch or for touring in warmer climates. The Club AIR All-Season boasts a striking Dual-Pitch™ roof apex, offering a unique aesthetic and masses of headroom. Its 2.75 m depth means you'll never be short on space, while single-point inflation AIR Frame Technology makes the set up easy.



Multi-height system
Height adjustable awning technology ensures fitment across multiple vehicle types.



Integral inflatable canopy
Integral inflatable wet weather canopy with apex mesh ventilation.




Apex ventilation
Ventilation improves comfort by increasing air circulation and reducing condensation.



Dometic Club AIR All-Season 330 S / M

- Width: 3300 mm
- Depth: 2750 mm



330 S

- Weight: 27.8 / 8.74 kg
- Min weight: 22.14 kg

Ref. 9120001104

330 M


- Weight: 28.7 / 8.74 kg
- Min weight: 23.84 kg

Ref. 9120001105



Dometic Club AIR All-Season 390 S / M / L

- Width: 3900 mm
- Depth: 2750 mm



390 S

- Weight: 29.4 / 9.44 kg
- Min weight: 24.38 kg

Ref. 9120001106

390 M

- Weight: 31.3 / 9.44 kg
- Min weight: 25.34 kg

Ref. 9120001107

390 L

- Weight: 31.9 / 9.44 kg
- Min weight: 26.1 kg

Ref. 9120001108

For full technical data, see p. 51



Club AIR All-Season Canopy

This optional front canopy simply zips onto the awning for additional overhead cover.

Club AIR All-Season 330 Canopy / Ref. 9120000058
Club AIR All-Season 390 Canopy / Ref. 9120000057

For further details, see p. 37



Fitting Heights
S: 235 - 265 cm
M: 265 - 295 cm
L: 295 - 325 cm

CLUB AIR PRO


Modern awning technology meets classic styling

With its Dual-Pitch™ roof apex and integral canopy the Club AIR Pro is instantly recognizable. The clever front panel configuration offers two front doors, or simply unzip and remove the panels to open the awning up veranda style.



Dometic Club AIR Pro 260 S / M

- Width: 2600 mm
- Depth: 2750 mm



260 S

- Weight: 26.5 kg
- Min weight: 16.7 kg

Ref. 9120001113

260 M


- Weight: 26.8 kg
- Min weight: 17.26 kg

Ref. 9120001114



Dometic Club AIR Pro 330 S / M

- Width: 3300 mm
- Depth: 2750 mm



330 S

- Weight: 27 kg
- Min weight: 18.5 kg

Ref. 9120001115

330 M


- Weight: 28.6 kg
- Min weight: 18.6 kg

Ref. 9120001116



Dometic Club AIR Pro 390 S / M / L

- Width: 3900 mm
- Depth: 2750 mm



390 S

- Weight: 28.7 kg
- Min weight: 19.4 kg

Ref. 9120001117

390 M

- Weight: 24.1 / 6.84 kg
- Min weight: 19.6 kg

Ref. 9120001118

390 L


- Weight: 24.8 / 6.84 kg
- Min weight: 20.22 kg

Ref. 9120001119



Dometic Club AIR Pro 440 S / M

- Width: 4400 mm
- Depth: 2750 mm



440 S

- Weight: 25.4 / 7.35 kg
- Min weight: 20.66 kg

Ref. 9120001120

440 M

- Weight: 25.6 / 7.35 kg
- Min weight: 20.72 kg

Ref. 9120001121

For full technical data, see p. 52- 53



Multi-height system

Height adjustable awning technology ensures fitment across multiple vehicle types.



Apex ventilation

Ventilation improves comfort by increasing air circulation and reducing condensation.



Dual keder

5 mm and 7 mm keder for fitment to caravans and motorhome cassette awnings.



Featuring ultra-rugged and UV resistant Weathershield™ All-Season material, this awning is perfectly suited to seasonal pitching and touring in extreme weather. We've tested this awning in the wettest

regions of Europe to the sunniest parts of Australia – so it won't let you down.



Dometic Grande AIR All-Season 390 S / M

- Width: 3900 mm
- Depth: 3000 mm

390 S


- Weight: 28.1 / 9.8 kg
- Min weight: 26.8 kg

Ref. 9120001109

390 M

- Weight: 29.6 / 9.8 kg
- Min weight: 27.4 kg

Ref. 9120001110



Multi-height system

Height adjustable awning technology ensures fitment across multiple vehicle types.




Apex ventilation

Ventilation improves comfort by increasing air circulation and reducing condensation.



Extra depth

The near-vertical awning front and generous 3 m depth create an abundance of usable interior space.



QuickPitch™ webbing straps, removable front panels, Weathershield™ Pro fabric and single point inflation technology make the Grande AIR Pro the perfect touring companion. Its

generous 3 m depth and Dual-Pitch™ roof create a wonderful sense of space.



Dometic Grande AIR Pro 390 S / M

- Width: 3900 mm
- Depth: 3000 mm

390 S


- Weight: 21.4 / 7.16 kg
- Min weight: 17.66 kg

Ref. 9120001122

390 M

- Weight: 23.1 / 7.16 kg
- Min weight: 18.32 kg

Ref. 9120001123



Internal return

Dometic awnings have been designed from top to bottom to enhance your touring experience. The internal return is designed for use when attaching to a cassette awning, this effective feature ensures the best possible fit from your awning to your motorhome. Simply undo the velcro tab and fold the rear bumper pads out to create a tight seal to the motorhome side, secure with optional rear upright poles.





RALLY AIR PRO

Touring changed forever

Evolved to explore. The iconic Rally AIR Pro benefits from years of continuous design improvements and is packed full of the latest awning innovations to enhance your touring experience. Its Weathershield™ Pro material, crystal clear windows and additional ventilation create a comfortable living space wherever you pitch-up.



Multi-height system
Height adjustable awning technology ensures fitment across multiple vehicle types.



Apex ventilation
Ventilation improves comfort by increasing air circulation and reducing condensation.




Zip-out front panels
Front panels can be zipped out to reduce weight and to open the awning up.



Dometic Rally AIR Pro 200 S

- Width: 2000 mm
- Depth: 2500 mm



200 S


- Weight: 19 kg
- Min weight: 10.28 kg

Ref. 9120001126



Dometic Rally AIR Pro 260 S / M

- Width: 2600 mm
- Depth: 2500 mm



260 S

- Weight: 23.1 kg
- Min weight: 13.45 kg

Ref. 9120001127

260 M


- Weight: 23.4 kg
- Min weight: 13.68 kg

Ref. 9120001128



Dometic Rally AIR Pro 330 S / M

- Width: 3300 mm
- Depth: 2500 mm



330 S

- Weight: 24 kg
- Min weight: 14.12 kg

Ref. 9120001129

330 M


- Weight: 24.64 kg
- Min weight: 14.34 kg

Ref. 9120001130



Dometic Rally AIR Pro 390 S / M

- Width: 3900 mm
- Depth: 2500 mm



390 S

- Weight: 26.2 kg
- Min weight: 15.1 kg

Ref. 9120001131

390 M

- Weight: 26.6 kg
- Min weight: 15.32 kg

Ref. 9120001132

For full technical data, see p. 56 - 57



Ideal for compact motorhomes and weekend tourers. Wherever you roam, you can rely on this awning's rugged All-Season material and innovative inflatable frame technology.

Dometic Rally AIR All-Season 260 S / M

- Width: 2600 mm
- Depth: 2500 mm

260 S


- Weight: 28.8 kg
- Min weight: 16.32 kg

Ref. 9120001111

260 M

- Weight: 21.7 / 8.18 kg
- Min weight: 16.85 kg

Ref. 9120001112



Multi-height system
Height adjustable awning technology ensures fitment across multiple vehicle types.



Dual keder
5 mm and 7 mm keder for fitment to caravans and motorhome cassette awnings.



Zip-out front panels
Front panels can be zipped out to reduce weight and to open the awning up.



The world's first inflatable winter awning, featuring our unique multi-height system and Single Point Inflation, the Winter AIR PVC comes complete with snow support poles, a double mud wall, storm straps

and tarzan pegs as standard. Its super tough Weathershield™ PVC material ensures this awning stands up to the most extreme snowy conditions.



Dometic Winter AIR PVC 260 S/M

- Width: 2600 mm
- Depth: 1800 mm

260 S


- Weight: 29.14 kg
- Min weight: 20.46 kg

Ref. 9120001962

260 M

- Weight: 29.78 kg
- Min weight: 20.84 kg

Ref. 9120001963



Prepared for anything

The Winter AIR PVC has been designed from top to bottom to support your winter adventures. In anticipation of the demanding weather conditions you may face, the world's first purpose built inflatable winter awning has everything you need to thrive in the most challenging of conditions.

Included with the awning as standard:

- 2 x Rear upright poles
- 2 x winter securing poles
- Roof lining
- Storm straps
- Draught skirt
- Downdraught hand pump
- Tarzan pegs



LEGGERA AIR

Mobile touring just got easier

The Leggera AIR's featherweight Weathershield™ 150D polyester material and a compact 2.4 m depth makes this awning perfect for tourers seeking a high-quality, lightweight inflatable awning.



Dual keder
5 mm and 7 mm keder for fitment to caravans and motorhome cassette awnings.



Multi-Height system
Height adjustable awning technology ensures fitment across multiple vehicle types.




Apex ventilation
Ventilation improves comfort by increasing air circulation and reducing condensation.



Dometic Leggera AIR 220 S

- Width: 2200 mm
- Depth: 2400 mm
- Weight: 9.85 kg
- Min weight: 7.85 kg




Ref. 9120001133



Dometic Leggera AIR 260 S

- Width: 2600 mm
- Depth: 2400 mm
- Weight: 10.5 kg
- Min weight: 8.09 kg




Ref. 9120001134



Dometic Leggera AIR 260 M

- Width: 2600 mm
- Depth: 2400 mm
- Weight: 12.02 kg
- Min weight: 9 kg



Ref. 9120002139

For full technical data, see p. 58



Optional

Leggera AIR Canopy

This optional front canopy simply zips onto the awning for additional overhead cover.

Canopy 220 / Ref. 9120000289
Canopy 260 / Ref. 9120000288

For further details, see p. 37





LEGGERA AIR REDUX

Adventure responsibly

For tourers seeking a high-quality, inflatable touring awning, the Dometic Leggera AIR ECO has you covered. Featuring 150D ripstop polyester, woven with recycled plastic bottle yarn, this easy-to-pitch RV awning provides exceptional functionality without compromise.



Dual keder
5 mm and 7 mm keder for fitment to caravans and motorhome cassette awnings.



Multi-Height system
Height adjustable awning technology ensures fitment across multiple vehicle types.



Apex ventilation
Ventilation improves comfort by increasing air circulation and reducing condensation.

Adjustable height
Suitable for vehicles with a rail height of 235 - 265 cm



The Dometic Leggera 260 Redux uses approximately 28 metres of material

=280

That means **280 bottles** have been recycled to make this awning.




MADE WITH RECYCLED MATERIALS



Dometic Leggera AIR Redux 220 S


- Width: 2200 mm
- Depth: 2400 mm
- Weight: 9.85 kg
- Min weight: 7.85 kg



Ref. 9120001966

Dometic Leggera AIR Redux 260 S


- Width: 2600 mm
- Depth: 2400 mm
- Weight: 12.08 kg
- Min weight: 10.05 kg



Ref. 9120001967

For full technical data, see p. 59





Dometic All-Season AIR Tall Annexe

- Width: 1900 mm
- Depth: 1800 mm
- Weight: 10.9 kg

Ref. 9120001169



Dometic Pro AIR Conservatory

- Width: 1900 mm
- Depth: 1800 mm
- Weight: 9.6 kg

Ref. 9120000052



Dometic Pro AIR Tall Annexe

- Width: 1900 mm
- Depth: 1800 mm
- Weight: 7.72 kg

Ref. 9120001170



Dometic Pro AIR Annexe

- Width: 2200 mm
- Depth: 1800 mm
- Weight: 6.8 kg

Ref. 9120000051



Dometic Pro Annexe (Poled)

- Width: 2200 mm
- Depth: 1800 mm
- Weight: 6.58 kg

Ref. 9120000056



Dometic Club AIR All-Season Canopy

330

- Width: 3300 mm
- Depth: 2400 mm
- Weight: 6.4 kg

Ref. 9120000058

390

- Width: 3900 mm
- Depth: 2400 mm
- Weight: 7.36 kg

Ref. 9120000057



Dometic Leggera AIR Canopy

220

- Width: 1500 mm
- Depth: 1450 mm
- Weight: 2.1 kg

Ref. 9120000289

260

- Width: 1900 mm
- Depth: 1450 mm
- Weight: 2.3 kg

Ref. 9120000288



Dometic Club AIR Pro Canopy

260	330	390	440
<ul style="list-style-type: none">• Width: 2600 mm• Depth: 2400 mm• Weight: 4.5 kg	<ul style="list-style-type: none">• Width: 3300 mm• Depth: 2400 mm• Weight: 5.12 kg	<ul style="list-style-type: none">• Width: 3900 mm• Depth: 2400 mm• Weight: 5.74 kg	<ul style="list-style-type: none">• Width: 4400 mm• Depth: 2400 mm• Weight: 6.13 kg
Ref. 9120001172	Ref. 9120000061	Ref. 9120000060	Ref. 9120001171



SIDE WINGS

Zip-on to create shade, shelter and a social space to prepare meals. In less favourable conditions, the Side Wing provides covered access to your awning

Model	Side Wing	Width	Height	Weight	Ref.
Club/Ace Pro S	LH	2400 mm	2350 - 2650 mm	3.38 kg	9120001149
	RH	2400 mm	2350 - 2650 mm	3.38 kg	9120001150
Club Pro M	LH	2400 mm	2650 - 2950 mm	3.44 kg	9120001151
	RH	2400 mm	2650 - 2950 mm	3.44 kg	9120001152
Club Pro L	LH	2400 mm	2950 - 3250 mm	3.5 kg	9120001153
	RH	2400 mm	2950 - 3250 mm	3.5 kg	9120001154
Grande Pro S	LH	2400 mm	2350 - 2650 mm	3.34 kg	9120001155
	RH	2400 mm	2350 - 2650 mm	3.34 kg	9120001156
Grande Pro M	LH	2400 mm	2650 - 2950 mm	3.4 kg	9120001157
	RH	2400 mm	2650 - 2950 mm	3.4 kg	9120001158
Club/Ace All-Season S	LH	2400 mm	2350 - 2650 mm	4.05 kg	9120001159
	RH	2400 mm	2350 - 2650 mm	4.05 kg	9120001160
Club All-Season M	LH	2400 mm	2650 - 2950 mm	4.2 kg	9120001161
	RH	2400 mm	2650 - 2950 mm	4.2 kg	9120001162
Club All-Season L	LH	2400 mm	2950 - 3250 mm	4.34 kg	9120001163
	RH	2400 mm	2950 - 3250 mm	4.34 kg	9120001164
Grande All-Season S	LH	2400 mm	2350 - 2650 mm	4.14 kg	9120001165
	RH	2400 mm	2350 - 2650 mm	4.14 kg	9120001166
Grande All-Season M	LH	2400 mm	2650 - 2950 mm	4.2 kg	9120001167
	RH	2400 mm	2650 - 2950 mm	4.2 kg	9120001168



POLED WINDBREAKS

Vital protection from the wind

The Pro Windbreak is the perfect addition to make your awning more comfortable. Quick to set-up and supported with adjustable support bars. Its full aluminium frame is lightweight and corrosion-resistant.



Dometic Pro Windbreak 1

- Length: 1530 mm
- Height: 1400 mm
- Pack size (L x W x H): 1050 x 170 x 110 mm
- Weight: 3.62 kg

Ref. 9120000355



Dometic Pro Windbreak 3

- Length: 4600 mm
- Height: 1400 mm
- Pack size (L x W x H): 1050 x 170 x 180 mm
- Weight: 10.7 kg

Ref. 9120000356



Dometic Pro Windbreak 5

- Length: 7650 mm
- Height: 1400 mm
- Pack size (L x W x H): 1050 x 190 x 210 mm
- Weight: 16.3 kg

Ref. 9120000357



Dometic Pro Windbreak Door

- Length: 1000 mm
- Height: 1250 mm
- Pack size (L x W x H): 550 x 80 x 80 mm
- Weight: 1.06 kg

Ref. 9120000358



Support Poles

Ref. 9120000361

AIR BREAK

The world's first inflatable windbreak

This windbreak is extremely easy to set up. Simply peg and pump to enjoy the AIR Break's free-standing protection. You can even connect it to the front of your Dometic awning to create a fully enclosed area – great for keeping dogs in.



Dometic AIR Break All-Season 1

- Length: 2250 mm
- Height: 1400 mm
- Pack size (L x W x H): 850 x 170 x 170 mm
- Weight: 3.8 kg

Ref. 9120001988



Dometic AIR Break All-Season 3

- Length: 6800 mm
- Height: 1400 mm
- Pack size (L x W x H): 850 x 310 x 270 mm
- Weight: 10.2 kg

Ref. 9120001989



Dometic AIR Break All-Season 5

- Length: 11400 mm
- Height: 1400 mm
- Pack size (L x W x H): 990 x 370 x 270 mm
- Weight: 16.7 kg

Ref. 9120001990



Dometic AIR Break Pro 1

- Length: 2250 mm
- Height: 1400 mm
- Pack size (L x W x H): 850 x 170 x 170 mm
- Weight: 3.32 kg

Ref. 9120001984



Dometic AIR Break Pro 3

- Length: 6800 mm
- Height: 1400 mm
- Pack size (L x W x H): 850 x 310 x 210 mm
- Weight: 8.64 kg

Ref. 9120001985



Dometic AIR Break Pro 5

- Length: 11400 mm
- Height: 1400 mm
- Pack size (L x W x H): 850 x 310 x 310 mm
- Weight: 11.46 kg

Ref. 9120001986



For full technical data, see p. 62 - 63

DOMETIC AIR BREAK DOOR

Provide easy access to your pitch with the Dometic AIR Break Door. Simply zip-on aside your AIR Break and conveniently close off your pitch, adding privacy and keeping pets in. The inflatable door panels meet magnetically and can be pegged down too for additional security in windy conditions.

Dometic AIR Break Pro Door

- Length: 2250 mm
- Height: 1400 mm
- Pack size (L x W x H): 620 x 180 x 180 mm
- Weight: 3.8 kg

Ref. 9120001987

Dometic AIR Break All-Season Door

- Length: 2250 mm
- Height: 1400 mm
- Pack size (L x W x H): 620 x 200 x 200 mm
- Weight: 3.98 kg

Ref. 9120001991



New

Dometic AIR Break RV Connector

New for 2023 is the ability to attach the market-leading AIR Break to the side of RVs. This RV connector is Limpet ready so with the optional Limpet Fix Kit (9120000424) it is possible to create a secure enclosure from one side of the awning to the side of the van or even just around your cassette awning.

Ref. 9120002162



This inflatable dog kennel is perfect for day trips in the car and vacations in the outdoors. The Dometic K9 80 AIR features lightweight, durable fabric to ensure comfort and safety for your dog. This versatile kennel is easy to clean, packs down compactly and has a carry handle for easy transportation. So you can bring the family dog with you on every adventure!

Dometic K9 80 AIR

- Width: 800 mm
- Depth: 1200 mm
- Height: 800 mm
- Pack size (L x W x H): 670 x 250 x 230 mm
- Weight: 4.68 kg

Ref. 9120001970



Mesh Panels

Integrated mesh panels on three sides ensure fresh air circulation within the kennel.



Carry handle

Simply hook the webbed carry straps onto the kennel for easy transportation.



Zip-out floor

Easily unzip the removable PVC kennel floor to air out, wipe clean or wash after use.



Enjoy a hassle-free set up of your awning and start relaxing as soon as possible. Inflatable awnings are quickly assembled using an electric pump or double-action hand pump, while easy to use mounting

brackets complete the job. And if anything gets damaged, a handy repair kit will save the day.



Inflation

Inflatable awning and tent essentials



Awning fitment

Maximize your awning's performance



Repairing

Supporting your outdoor adventure



Lighting

Reliable lighting for nighttime convenience



Skirting

Improve your comfort inside the awning

Explore the full range online

Dometic have hundreds of accessories for awnings, from weather protection and furniture to lights and portable batteries.

Visit [dometic.com](https://www.dometic.com)

INNER TENTS

Conveniently add sleeping space to your awning with a breathable inner tent.



Model	Width	Height	Ref.
Grande EXT LH	1750 mm	1950 mm	9120001201
Grande EXT RH	1750 mm	1950 mm	9120001202
Club/Ace EXT LH	1750 mm	1950 mm	9120001203
Club/Ace EXT RH	1750 mm	1950 mm	9120001204
Inner Tent Rally AIR 240 TG	1450 mm	2450 mm	9120000203
Inner Tent Universal	1200 mm	2250 mm	9120000330

MESH PANELS

Simply zip the mesh in behind the awning panel to keep insects out and add shaded comfort



Model	Ref.
Ace AIR 500	9120001303
Ace AIR 400	9120001304
Club AIR 440	9120001193
Club AIR 390	9120000192
Club AIR 330	9120000193
Club AIR 260	9120001194

Model	Ref.
Rally/Grande AIR 390	9120000194
Rally AIR 330	9120000195
Rally AIR 260	9120000196
Rally AIR 200	9120000197
Rally AIR 240	9120000199

ROOF LININGS

Insulate the roof and regulate the interior temperature.
Zipped openings provide optional sky light cover


💡 Recommended for early and late season use to minimise the effects of condensation.

Model	Ref.
Rally Pro 200	9120000165
Rally Pro 260	9120000164
Rally Pro 330	9120000163
Rally Pro 390	9120000162
Rally AIR 200 S	9120001174
Rally AIR 260 S/M	9120001175
Rally AIR 330 S/M	9120001176
Rally AIR 390 S/M	9120001177
Ace AIR 400 S	9120001178
Ace AIR 500 S	9120001179

Model	Ref.
Club AIR 260 S/M	9120001180
Club AIR 330 S/M	9120001181
Club AIR 390 S/M/L	9120001182
Club AIR 440 S/M	9120001183
Grande AIR 390 S/M	9120001184
Rally AIR 260 DA	9120001300
Rally AIR 330 DA	9120001301
Rally AIR 390 DA	9120001302
Rally AIR 240 TG	9120000187

SOLAR SHADE

Easily zips onto your awning roof to help keep you cool, protect from bird droppings and block UV rays



Model	Ref.
Solar Shade 200	9120001186
Solar Shade 260	9120001973
Solar Shade 330	9120001974
Solar Shade 390	9120001975
Solar Shade 440	9120001976
Solar Shade 400	9120001977
Solar Shade 500	9120001978
Solar Shade LH Extension	9120001979
Solar Shade RH Extension	9120001980



FOOTPRINTS

Tough non-breathable awning footprints reduce condensation when pitched on wet ground.

Model	Ref.
Rally 200	9120000363
Rally 260	9120000364
Rally 330	9120000365
Rally 390	9120000366
Grande 390	9120000368
Ace 400	9120001205
Ace 500	9120001206

Model	Ref.
Club 260	9120001207
Club 330	9120000374
Club 390	9120000375
Club 440	9120001208
Winter 260	9120000383
Rally 240 TG	9120000384
Leggera 220	9120000385
Leggera 260	9120000386
Annexe	9120000387


CARPETS

Each carpet is hard-wearing, breathable, UV stabilised and tailored to your awning.


Model	Continental Carpet	Easy Tread Carpet	Ref.
Rally 200	●	-	9120000293
	-	●	9120000318
Rally 260	●	-	9120000294
	-	●	9120000319
Rally 330	●	-	9120000295
	-	●	9120000320
Rally 390	●	-	9120000296
	-	●	9120000321
Grande 390	●	-	9120000298
Ace 400	●	-	9120001196
Ace 500	●	-	9120001197
Club 260	●	-	9120001198
Club 330	●	-	9120000304
Club 390	●	-	9120000305
Club 440	●	-	9120001199
Club DA	●	-	9120001200
Winter 260	●	-	9120000283
Leggera 220	●	-	9120000285
Leggera 260	●	-	9120000286
Annexe	●	-	9120000287



Continental carpet



Easy tread carpet



Footprint









TECHNICAL DATA


TECHNICAL DATA DOMETIC MOTORHOME AWNINGS 2023

TECHNICAL DATA	
INFLATABLE DRIVE-AWAY AWNINGS	RALLY AIR PRO 240 TG
Product name	Rally AIR Pro 240 TG
Ref.	9120000101
Awning width (mm)	2400
Awning depth (mm)	2600
Highest point at front (mm)	1850
Connection height (mm)	2200 - 2750
Pack size (L x W x H mm)	990 x 560 x 350
Weight (kg)	26.3
Min. Weight (kg)	17.38
Material	Weathershield™ Pro
/ Key features	
Single Point Inflation	•
Dual-Pitch™ roof system	•
QuickPitch™ guying system	•
SabreLink™ ready	•
Flyscreen panels	RH window LH & RH doors
Zip-out front panels	–
Roll-to-side front panels	•
Zip-out side panels	•
Curtains / Blinds	Curtains
Door in tunnel	–
/ Scope of delivery	
Hand pump	•
Pegs	•
Connection straps	•
Storm straps	–
Carry bag	•
/ Optional extras	
All-Season AIR tall annexe	–
Pro AIR tall annexe	9120001170
Pro AIR annexe	9120000051
Pro AIR conservatory	9120000052
Roof lining	9120000187
Mesh panel set	9120000199
Inner tent	9120000203
Continental carpet	9120000284
Easy tread carpet	–
Footprint	9120000384



			
RALLY AIR ALL-SEASON 330 DA	RALLY AIR PRO DA		
Rally AIR All-Season 330 DA	Rally AIR Pro 260 DA	Rally AIR Pro 330 DA	Rally AIR Pro 390 DA
9120001136	9120001137	9120001138	9120001139
3300	2600	3300	3900
2500	2500	2500	2500
1850	1850	1850	1850
2200 - 3000	2200 - 3000	2200 - 3000	2200 - 3000
990 x 560 x 390 / 990 x 130 x 330	990 x 560 x 310 / 990 x 130 x 330	990 x 560 x 330 / 990 x 130 x 330	990 x 560 x 370 / 990 x 130 x 330
28 / 9.82	23.8 / 7.5	25.72 / 8.08	27.1 / 9.06
25.78	20.14	21.96	24
Weathershield™ All-Season	Weathershield™ Pro		
•	•		
•	•		
•	•		
•	•		
RH window LH & RH doors	RH window LH & RH doors		
•	•		
•	–		
•	•		
Curtains	Curtains		
Two	Two		
•	•		
•	•		
•	•		
•	•		
•	•		
9120001169	–	–	–
–	9120001170	9120001170	9120001170
–	9120000051	9120000051	9120000051
–	9120000052	9120000052	9120000052
9120001301	9120001300	9120001301	9120001302
9120000195	9120000196	9120000195	9120000194
9120000330	9120000330	9120000330	9120000330
9120000295	9120000294	9120000295	9120000296
9120000320	9120000319	9120000320	9120000321
9120000365	9120000364	9120000365	9120000366



TECHNICAL DATA		
	ACE AIR PRO	
INFLATABLE AWNINGS		
Product name	Ace AIR Pro 400 S	Ace AIR Pro 500 S
Ref.	9120001124	9120001125
Awning width (mm)	4000	5000
Awning depth (mm)	3250	3250
Highest point at front (mm)	1850	1850
Connection height (mm)	2350 - 2650	2350 - 2650
Pack size (L x W x H mm)	990 x 560 x 390 / 990 x 130 x 330	990 x 560 x 390 / 990 x 130 x 330
Weight (kg)	28 / 7.6	30.7 / 8
Min. weight* (kg)	21.9	23.9
Material	Weathershield™ Pro	
/ Key features		
Single Point Inflation™	•	
Dual-Pitch™ roof system	•	
QuickPitch™ guying system	•	
Limpet™ ready	•	
SabreLink™ ready	•	
Flyscreen panels	RH window LH & RH doors	
Zip-out front panels	•	
Zip-out side panels	•	
Curtains / Blinds	Curtains	
/ Scope of delivery		
Hand pump	•	
Pegs	•	
Carry bag	•	
/ Optional extras		
All-Season AIR tall annexe	–	–
Pro AIR tall annexe	9120001170	9120001170
Pro AIR annexe	9120000051	9120000051
Pro AIR conservatory	9120000052	9120000052
Canopy	–	–
Side Wing	LH: 9120001149 RH: 9120001150	LH: 9120001149 RH: 9120001150
Solar shade	9120001977	9120001978
Roof lining	9120001178	9120001179
Mesh panel set	9120001304	9120001303
Inner tent	–	–
Continental carpet	9120001196	9120001197
Footprint	9120001205	9120001206
Storm tie down kit	Green: 9120000389 Grey: 9120000390	Green: 9120000389 Grey: 9120000390
AccessoryTrack™	9120000328	9120000328


				
CLUB AIR ALL-SEASON 330				
Club AIR All-Season 330 S	Club AIR All-Season 330 M	Club AIR All-Season 390 S	Club AIR All-Season 390 M	Club AIR All-Season 390 L
9120001104	9120001105	9120001106	9120001107	9120001108
3300	3300	3900	3900	3900
2750	2750	2750	2750	2750
2200	2200	2200	2200	2200
2350 - 2650	2650 - 2950	2350 - 2650	2650 - 2950	2950 - 3250
990 x 560 x 370 / 990 x 130 x 330	990 x 560 x 370 / 990 x 130 x 330	990 x 560 x 370 / 990 x 130 x 330	990 x 560 x 390 / 990 x 130 x 330	990 x 560 x 390 / 990 x 130 x 330
27.8 / 8.74	28.7 / 8.74	29.4 / 9.44	31.3 / 9.44	31.9 / 9.44
22.14	23.84	24.38	25.34	26.1
Weathershield™ All-Season				
•				
•				
•				
•				
•				
RH window LH & RH doors				
•				
•				
Curtains				
•				
•				
•				
9120001169	9120001169	9120001169	9120001169	9120001169
–	–	–	–	–
–	–	–	–	–
–	–	–	–	–
9120000058	9120000058	9120000057	9120000057	9120000057
LH: 9120001159 RH: 9120001160	LH: 9120001161 RH: 9120001162	LH: 9120001159 RH: 9120001160	LH: 9120001161 RH: 9120001162	LH: 9120001163 RH: 9120001164
9120001974	9120001974	9120001975	9120001975	9120001975
9120001181	9120001181	9120001182	9120001182	9120001182
9120000193	9120000193	9120000192	9120000192	9120000192
9120000330	9120000330	9120000330	9120000330	9120000330
9120000304	9120000304	9120000305	9120000305	9120000305
9120000374	9120000374	9120000375	9120000375	9120000375
•	•	•	•	•
9120000328	9120000328	9120000328	9120000328	9120000328

TECHNICAL DATA				
	CLUB AIR PRO			
INFLATABLE AWNINGS				
Product name	Club AIR Pro 260 S	Club AIR Pro 260 M	Club AIR Pro 330 S	Club AIR Pro 330 M
Ref. no.	9120001113	9120001114	9120001115	9120001116
Awning width (mm)	2600	2600	3300	3300
Awning depth (mm)	2750	2750	2750	2750
Highest point at front (mm)	2200	2200	2200	2200
Connection height (mm)	2350 - 2650	2650 - 2950	2350 - 2650	2650 - 2950
Pack size (L x W x H mm)	990 x 560 x 310	990 x 560 x 330	990 x 560 x 330	990 x 560 x 330
Weight (kg)	26.5	26.8	27	28.6
Min. weight* (kg)	16.7	17.26	18.5	18.6
Material	Weathershield™ Pro			
/ Key features				
Single Point Inflation™	•			
Dual-Pitch™ roof system	•			
QuickPitch™ guying system	•			
Limpet™ ready	•			
SabreLink™ ready	•			
Flyscreen panels	RH window LH & RH doors			
Zip-out front panels	•			
Zip-out side panels	•			
Curtains / Blinds	Curtains			
/ Scope of delivery				
Hand pump	•			
Pegs	•			
Carry bag	•			
/ Optional extras				
Pro AIR tall annexe	9120001170	9120001170	9120001170	9120001170
Pro AIR annexe	9120000051	9120000051	9120000051	9120000051
Pro AIR conservatory	9120000052	9120000052	9120000052	9120000052
Canopy	9120001172	9120001172	9120000061	9120000061
Side Wing	LH: 9120001149 RH: 9120001150	LH: 9120001151 RH: 9120001152	LH: 9120001149 RH: 9120001150	LH: 9120001151 RH: 9120001152
Roof lining	9120001180	9120001180	9120001181	9120001181
Solar Shade	9120001973	9120001973	9120001974	9120001974
Mesh panel set	9120001194	9120001194	9120000193	9120000193
Inner tent	9120000330	9120000330	9120000330	9120000330
Continental carpet	9120001198	9120001198	9120000304	9120000304
Footprint	9120001207	9120001207	9120000374	9120000374
Storm tie down kit	Green: 9120000389 Grey: 9120000390	Green: 9120000389 Grey: 9120000390	Green: 9120000389 Grey: 9120000390	Green: 9120000389 Grey: 9120000390
AccessoryTrack™	9120000328	9120000328	9120000328	9120000328


Club AIR Pro 390 S	Club AIR Pro 390 M	Club AIR Pro 390 L	Club AIR Pro 440 S	Club AIR Pro 440 M
9120001117	9120001118	9120001119	9120001120	9120001121
3900	3900	3900	4400	4400
2750	2750	2750	2750	2750
2200	2200	2200	2200	2200
2350 - 2650	2650 - 2950	2950 - 3250	2350 - 2650	2650 - 2950
990 x 560 x 330	990 x 560 x 330 / 990 x 130 x 330	990 x 560 x 330 / 990 x 130 x 330	990 x 560 x 330 / 990 x 130 x 330	990 x 560 x 350 / 990 x 130 x 330
28.7	24.1 / 6.84	24.8 / 6.84	25.4 / 7.35	25.6 / 7.35
19.4	19.6	20.22	20.66	20.72
Weathershield™ Pro				
•				
•				
•				
•				
•				
RH window LH & RH doors				
•				
•				
Curtains				
•				
•				
•				
9120001170	9120001170	9120001170	9120001170	9120001170
9120000051	9120000051	9120000051	9120000051	9120000051
9120000052	9120000052	9120000052	9120000052	9120000052
9120000060	9120000060	9120000060	9120001171	9120001171
LH: 9120001149 RH: 9120001150	LH: 9120001151 RH: 9120001152	LH: 9120001153 RH: 9120001154	LH: 9120001149 RH: 9120001150	LH: 9120001151 RH: 9120001152
9120001182	9120001182	9120001182	9120001183	9120001183
9120001975	9120001975	9120001975	9120001976	9120001976
9120000192	9120000192	9120000192	9120001193	9120001193
9120000330	9120000330	9120000330	9120000330	9120000330
9120000305	9120000305	9120000305	9120001199	9120001199
9120000375	9120000375	9120000375	9120001208	9120001208
Green: 9120000389 Grey: 9120000390	Green: 9120000389 Grey: 9120000390	Green: 9120000389 Grey: 9120000390	Green: 9120000389 Grey: 9120000390	Green: 9120000389 Grey: 9120000390
9120000328	9120000328	9120000328	9120000328	9120000328

TECHNICAL DATA				
INFLATABLE AWNINGS	GRANDE AIR ALL-SEASON		GRANDE AIR PRO	
Product name	Grande AIR All-Season 390 S	Grande AIR All-Season 390 M	Grande AIR Pro 390 S	Grande AIR Pro 390 M
Ref. no.	9120001109	9120001110	9120001122	9120001123
Awning width (mm)	3900	3900	3900	3900
Awning depth (mm)	3000	3000	3000	3000
Highest point at front (mm)	1850	1850	1850	1850
Connection height (mm)	2350 - 2650	2650 - 2950	2350 - 2650	2650 - 2950
Pack size (L x W x H mm)	990 x 560 x 350 / 990 x 130 x 330	990 x 560 x 370 / 990 x 130 x 330	990 x 560 x 330 / 990 x 130 x 330	990 x 560 x 330 / 990 x 130 x 330
Weight (kg)	28.1 / 9.8	29.6 / 9.8	21.4 / 7.16	23.1 / 7.16
Min. weight* (kg)	26.8	27.4	17.66	18.32
Material	Weathershield™ All-Season		Weathershield™ Pro	
/ Key features				
Single Point Inflation™	•		•	
Dual-Pitch™ roof system	•		•	
QuickPitch™ guying system	•		•	
Limpet™ ready	•		•	
SabreLink™ ready	•		•	
Double mud wall	–		–	
Flyscreen panels	RH window / LH & RH doors		RH window / LH & RH doors	
Zip-out front panels	•		•	
Zip-out side panels	•		•	
Curtains / Blinds	Curtains		Curtains	
Triple beading	–		–	
/ Scope of delivery				
Hand pump	•		•	
Pegs	•		•	
Carry bag	•		•	
Storm straps	•		–	
Roof lining	–		–	
Snow support poles	–		–	
Rear upright poles	–		–	
/ Optional extras				
All-Season AIR tall annexe	9120001169	9120001169	–	–
Pro AIR tall annexe	–	–	9120001170	9120001170
Pro AIR annexe	–	–	9120000051	9120000051
Pro AIR conservatory	–	–	9120000052	9120000052
Side Wing	LH: 9120001165 RH: 9120001166	LH: 9120001167 RH: 9120001168	LH: 9120001155 RH: 9120001156	LH: 9120001157 RH: 9120001158
Roof lining	9120001184	9120001184	9120001184	9120001184
Solar Shade	9120001975	9120001975	9120001975	9120001975
Mesh panel set	9120000194	9120000194	9120000194	9120000194
Inner tent	9120000330	9120000330	9120000330	9120000330
Continental carpet	9120000298	9120000298	9120000298	9120000298
Easy Tread carpet	–	–	–	–
Footprint	9120000368	9120000368	9120000368	9120000368
Storm tie down kit	•	•	Green: 9120000389 / Grey: 9120000390	
AccessoryTrack™	9120000328	9120000328	9120000328	9120000328


			
WINTER AIR PVC		RALLY AIR ALL-SEASON	
Winter AIR PVC 260 S	Winter AIR PVC 260 M	Rally AIR All-Season 260 S	Rally AIR All-Season 260 M
9120001962	9120001963	9120001111	9120001112
2600	2600	2600	2600
1800	1800	2500	2500
1900	1900	1850	1800
2350 - 2650	2650-2950	2350 - 2650	2650 - 2950
990 x 560 x 330	990 x 560 x 350	990 x 560 x 310	990 x 560 x 310 / 990 x 130 x 330
29.14	29.78	28.8	21.7/ 8.18
20.46	20.84	16.32	16.85
Weathershield™ PVC		Weathershield™ All-Season	
•		•	
•		•	
•		•	
•		•	
•		•	
•		–	
–		RH window / LH & RH doors	
–		•	
–		•	
Blinds		Curtains	
4, 6 and 7 mm		–	
•		•	
•		•	
•		•	
•		•	
•		–	
•		–	
•		–	
–		9120001169	
–		–	
–		–	
–		–	
–		–	
Included		9120001175	
9120001973		9120001973	
–		9120000196	
9120000330		9120000330	
9120000283		9120000294	
–		9120000319	
9120000383		9120000364	
•		•	
9120000328		9120000328	


TECHNICAL DATA			
	RALLY AIR PRO		
INFLATABLE AWNINGS			
Product name	Rally AIR Pro 200 S	Rally AIR Pro 260 S	Rally AIR Pro 260 M
Ref.	9120001126	9120001127	9120001128
Awning width (mm)	2000	2600	2600
Awning depth (mm)	2500	2500	2500
Highest point at front (mm)	1850	1850	1850
Connection height (mm)	2350 - 2650	2350 - 2650	2650 - 2950
Pack size (L x W x H mm)	990 x 560 x 230	990 x 560 x 290	990 x 560 x 290
Weight (kg)	19	23.1	23.4
Min. weight* (kg)	10.28	13.45	13.68
Material	Weathershield™ Pro	Weathershield™ Pro	
/ Key features			
Single Point Inflation™	•	•	
Dual-Pitch™ roof system	•	•	
QuickPitch™ guying system	•	•	
Limpet™ ready	•	•	
SabreLink™ ready	•	•	
Flyscreen panels	RH window LH & RH doors	RH window LH & RH doors	
Zip-out front panels	•	•	
Zip-out side panels	•	•	
Curtains / Blinds	Curtains	Curtains	
/ Scope of delivery			
Hand pump	•	•	
Pegs	•	•	
Carry Bag	•	•	
/ Optional extras			
Pro AIR tall annexe	9120001170	9120001170	
Pro AIR annexe	9120000051	9120000051	
Pro AIR conservatory	9120000052	9120000052	
Roof lining	9120001174	9120001175	
Solar shade	9120001186	9120001973	
Mesh panel set	9120000197	9120000196	
Inner tent	–	9120000330	
Continental carpet	9120000293	9120000294	
Easy tread carpet	9120000318	9120000319	
Footprint	9120000363	9120000364	
Storm tie down kit	Green: 9120000389 Grey: 9120000390	Green: 9120000389 Grey: 9120000390	
AccessoryTrack™	9120000328	9120000328	

Rally AIR Pro 330 S	Rally AIR Pro 330 M	Rally AIR Pro 390 S	Rally AIR Pro 390 M
9120001129	9120001130	9120001131	9120001132
3300	3300	3900	3900
2500	2500	2500	2500
1850	1850	1850	1850
2350 - 2650	2650 - 2950	2350 - 2650	2650 - 2950
990 x 560 x 290	990 x 560 x 290	990 x 560 x 330	990 x 560 x 330
24	24.64	26.2	26.6
14.12	14.34	15.1	15.32
Weathershield™ Pro		Weathershield™ Pro	
•		•	
•		•	
•		•	
•		•	
•		•	
RH window LH & RH doors		RH window LH & RH doors	
•		•	
•		•	
Curtains		Curtains	
•		•	
•		•	
•		•	
9120001170		9120001170	
9120000051		9120000051	
9120000052		9120000052	
9120001176		9120001177	
9120001974		9120001975	
9120000195		9120000194	
9120000330		9120000330	
9120000295		9120000296	
9120000320		9120000321	
9120000365		9120000366	
Green: 9120000389 Grey: 9120000390		Green: 9120000389 Grey: 9120000390	
9120000328		9120000328	


TECHNICAL DATA			
	LEGGERA AIR		
INFLATABLE AWNINGS			
Product name	Leggera AIR 220 S	Leggera AIR 260 S	<div>New</div> Leggera AIR 260 M
Ref.	9120001133	9120001134	9120002139
Awning width (mm)	2200	2600	2600
Awning depth (mm)	2400	2400	2400
Highest point at front (mm)	2100	2100	2100
Connection height (mm)	2350 - 2650	2350 - 2650	2650 - 2950
Pack size (L x W x H mm)	820 x 310 x 310	820 x 350 x 350	820 x 350 x 350
Weight (kg)	9.85	10.5	12.02
Min. weight* (kg)	7.85	8.09	9
Material	Weathershield™ 150D	Weathershield™ 150D	Weathershield™ 150D
/ Key features			
Single Point Inflation™	•		
Limpet™ ready	•		
SabreLink™ ready	•		
Flyscreen panels	LH & RH doors		
Roll-to-top front panels	•		
Curtains / Blinds	Blinds		
/ Scope of delivery			
Hand pump	•		
Storm straps	•		
Pegs	•		
Carry Bag	•		
/ Optional extras			
Canopy	9120000289	9120000288	9120000288
Continental carpet	9120000285	9120000286	9120000286
Footprint	9120000385	9120000386	9120000386
AccessoryTrack™	9120000328	9120000328	9120000328


	
LEGGERA AIR REDUX	
Leggera AIR Redux 220 S	Leggera AIR Redux 260 S
9120001966	9120001967
2200	2600
2400	2400
2100	2100
2350 - 2650	2350 - 2650
820 x 310 x 310	820 x 330 x 330
9.85	12.08
8.09	10.05
Weathershield™ Redux	Weathershield™ Redux
•	
•	
•	
LH & RH doors	
•	
Blinds	
•	
•	
•	
•	
9120000289	9120000288
9120000285	9120000286
9120000385	9120000386
9120000328	9120000328


TECHNICAL DATA					
ACCESSORIES	ANNEXES				
Product name	All-Season AIR Tall Annexe	Pro AIR Conservatory	Pro AIR Tall Annexe	Pro AIR Annexe	Pro Annexe
Ref.	9120001169	9120000052	9120001170	9120000051	9120000056
Product width (mm)	1900	1900	1900	2200	2200
Product depth (mm)	1800	1800	1800	1800	1800
Pack size (L x W x H, mm)	720 x 300 x 300	720 x 300 x 200	670 x 250 x 250	670 x 250 x 250	670 x 210 x 210
Weight (kg)	10.9	9.6	7.72	6.8	6.58
Material	Weathershield™ All-Season	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro
/ Scope of delivery					
Pole set	–	–	–	–	•
Curtains	–	•	–	–	–
Inner tent	•	–	•	•	•
Pegs	•	•	•	•	•
Carry bag	•	•	•	•	•
Dividing curtain	•	–	•	–	–

TECHNICAL DATA				
ACCESSORIES	CLUB AIR PRO CANOPY			
Product name	Club AIR Pro 260 Canopy	Club AIR Pro 330 Canopy	Club AIR Pro 390 Canopy	Club AIR Pro 440 Canopy
Ref.	9120001172	9120000061	9120000060	9120001171
Product width (mm)	2600	3300	3900	4400
Product depth (mm)	2400	2400	2400	2400
Height (mm)	2200	2200	2200	2200
Connection height (mm)	2200/1850	2200/1850	2200/1850	2200/1850
Pack size (L x W x H, mm)	720 x 250 x 170	720 x 250 x 190	720 x 250 x 210	720 x 250 x 210
Weight (kg)	4.5	5.12	5.74	6.13
Material	Weathershield™ Pro			
/ Scope of delivery				
Pegs	•	•	•	•
Carry bag	•	•	•	•

TECHNICAL DATA				
ACCESSORIES	CLUB AIR ALL-SEASON CANOPY		LEGGERA AIR CANOPY	
Product name	Club AIR All-Season Canopy 330	Club AIR All-Season Canopy 390	Leggera AIR 220 Canopy	Leggera AIR 260 Canopy
Ref.	9120000058	9120000057	9120000289	9120000288
Product width (mm)	3300	3900	1500	1900
Product depth (mm)	2400	2400	1450	1450
Height (mm)	2200	2200	2100	2100
Connection height (mm)	2200/1850	2200/1850	2100	2100
Pack size (L x W x H mm)	720 x 250 x 230	720 x 270 x 250	750 x 90 x 90	750 x 100 x 100
Weight (kg)	6.4	7.36	2.1	2.3
Material	Weathershield™ All-Season		Weathershield™ 150D	
/ Scope of delivery				
Pole set	–		•	
Pegs	•		•	
Carry bag	•		•	

TECHNICAL DATA				
	AIR BREAK PRO			
Product name	AIR Break Pro 1	AIR Break Pro 3	AIR Break Pro 5	AIR Break Pro Door
Ref.	9120001984	9120001985	9120001986	9120001987
Product width (mm)	2250	6800	11400	2250
Height (mm)	1400	1400	1400	1400
Pack size (L x W x H, mm)	850 x 170 x 170	850 x 310 x 210	850 x 310 x 310	620 x 180 x 180
Weight (kg)	3.32	8.64	11.46	3.8
Material	Weathershield™ Pro			
/ Scope of delivery				
Pegs	•	•	•	•
Carry bag	•	•	•	•

TECHNICAL DATA				
	AIR BREAK ALL-SEASON			
Product name	AIR Break All-Season 1	AIR Break All-Season 3	AIR Break All-Season 5	AIR Break All-Season Door
Ref.	9120001988	9120001989	9120001990	9120001991
Product width (mm)	2250	6800	11400	2250
Height (mm)	1400	1400	1400	1400
Pack size (L x W x H, mm)	850 x 170 x 170	850 x 310 x 270	990 x 370 x 270	620 x 200 x 200
Weight (kg)	3.8	10.2	16.7	3.98
Material	Weathershield™ All-Season			
/ Scope of delivery				
Pegs	•	•	•	•
Carry bag	•	•	•	•

TECHNICAL DATA				
	PRO WINDBREAK			
Product name	Pro Windbreak 1	Pro Windbreak 3	Pro Windbreak 5	Pro Windbreak Door
Ref.	9120000355	9120000356	9120000357	9120000358
Product width (mm)	1530	4600	7650	1000
Height (mm)	1400	1400	1400	1400
Pack size (L x W x H, mm)	1050 x 170 x 110	1050 x 170 x 180	1050 x 190 x 210	550 x 80 x 80
Weight (kg)	3.62	10.7	16.3	1.06
Material	Weathershield™ Pro			
/ Scope of delivery				
Hand pump	–	–	–	–
Storm straps	–	–	–	–
Pegs	•	•	•	•
Pole bag	•	•	•	–
Carry bag	•	•	•	•
Figure-of-8 extrusion strips	–	–	–	Four

TECHNICAL DATA						
ACCESSORIES	INNER TENTS					
Product name	Grande EXT LH	Grande EXT RH	Club/Ace EXT LH	Club/Ace EXT RH	Rally AIR 240 TG	Universal
Ref.	9120001201	9120001202	9120001203	9120001204	9120000203	9120000330
Product width (mm)	1750	1750	1750	1750	1450	1200
Product height (mm)	1950	1950	1950	1950	2050	2250
Pack size (L x W x H, mm)	600 x 120 x 90	600 x 120 x 90	600 x 120 x 90	600 x 120 x 90	600 x 150 x 150	600 x 120 x 120
Weight (kg)	2.18	2.18	1.96	1.96	3.13	1.62
/ Scope of delivery						
Pegs	•	•	•	•	•	•
Carry bag	•	•	•	•	•	•

Mobile living made easy.



dometic.com

**YOUR LOCAL
DEALER**

dometic.com/dealer

**YOUR LOCAL
SUPPORT**

dometic.com/contact

**YOUR LOCAL
SALES OFFICE**

dometic.com/sales-offices

We distribute our products in around 100 markets. Please ask for your contact point or visit our website **dometic.com**

Dometic UK Awnings Limited, Witham, Essex, UK