

2023

# CAMPERVAN & SUV AWNINGS

THE FULL RANGE



 **DOMETIC** **OUTDOOR**





# MOBILE LIVING MADE EASY.

Welcome to Dometic!

Make the most of the outdoors with a Dometic awning. Our premium awnings feature the latest innovations and enhancements to provide privacy and comfort wherever you pitch-up. Designed for easy and convenient extension of your living space, quality materials are used to ensure reliable operation and durability. This year, we've advanced and developed our best-selling awnings to give you the confidence and ability to adventure further and for longer.

Welcome to our new catalogue! We invite you to go on a journey of discovery.  
Explore the Dometic world and let us know what we can do for you.



## INFLATABLE AWNINGS

PAGE 4 – 9



## ACTIVITY SHELTERS

PAGE 10 – 13



## ROOFTOP TENTS

PAGE 14 – 17

### INFLATABLE AWNINGS

Dometic Club Deluxe AIR Pro DA	4
Dometic Club AIR DA	5
Dometic Rarotonga DA FTT 401	6 - 7
Dometic Sunshine AIR Pro VW	8
Dometic Auto AIR Redux Awning	9

### ACTIVITY SHELTERS

Dometic HUB	10 - 11
Dometic HUB 2	12 - 13

### ROOFTOP TENTS

Dometic TRT 140 AIR	14 - 15
Dometic TRT 120 E	16 - 17

### TECHNICAL DATA

Technical Data	20 - 23
----------------	---------

### DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogues.

[dometic.com](https://dometic.com)





New for 2023

Fitting Height  
180 - 225 cm

# CLUB DELUXE AIR PRO DA

Premium campervan comfort

Enjoy panoramic views with the Dometic Club Deluxe AIR Pro DA, a premium campervan awning that doubles the livable space of your RV park pitch. The integral wet weather canopies featured on three sides provide over head cover, while the clever dual-fronted design enables the awning to be fitted to either the right, or left-hand side

of the campervan. The clever door and interior design allows for full customization of the awning, simply clip-in the optional sleeping inner tent or remove door panels and zip-in annexes for extra storage, great for furniture, bicycles and more.




New

## Dometic Club Deluxe AIR Pro DA

- Width: 2600 + 900 mm
- Depth: 4200 mm
- Weight: 29.1/10.4 kg
- Min weight: 24.6 kg

Ref. 9120002141



### Dual-fronted

With the front mirrored, connect the awning to the left or right-hand side of the camper.



### Single Point inflation

Single point inflation awnings inflate from just one external inflation point.



### Integral Inflatable canopy

Integral inflatable wet weather canopies feature on three sides.



# CLUB AIR DA

Road trip ready




The Dometic Club AIR DA features zip-out front and side panels and weather protected apex ventilation. The surprisingly spacious interior is designed to complement your van and bring the comfort of home to every campsite.

## Dometic Club AIR DA

- Width: 2600 mm
- Depth: 2400 mm
- Weight: 27.4 kg
- Min weight: 22.8 kg

Ref. 9120001140



For full technical data, see page 20



### Integral inflatable canopy

Integral inflatable wet weather canopy with apex mesh ventilation.



### Apex ventilation

Ventilation improves comfort by increasing air circulation and reducing condensation.



### Interior height

The design of the AIR Frame provides generous interior headroom.



New for 2023

Fitting Height  
180 - 210 cm

# RAROTONGA DA FTT 401

Drive-away awnings

Bring the comfort and convenience of a premium camping tent to your campervan pitch with the Dometic Rarotonga DA FTT. With Multi Point Inflation frame and near vertical front and side walls, the Rarotonga DA combines great weather protection, space and ease of pitching.

TC

QUICK PITCH™

4

Light

New



TC

New




150D

Dometic Rarotonga DA FTT 401 TC

With its breathable technical cotton fabric which reduces condensation, Multi Point Inflation frame and near vertical front and side walls, the Rarotonga DA combines comfort, space and ease of pitching. Tailor the Rarotonga DA to suit your family's needs with an optional vestibule.

- Width: 3000 + 900 mm
- Depth: 6050 mm
- Weight: 43.5 kg

Ref. 9120002158 (LH)  
9120002159 (RH)




Dometic Rarotonga DA FTT 401

With its lightweight waterproof polyester fabric, Multi Point Inflation frame and near vertical front and side walls, the Rarotonga DA combines great weather protection, space and ease of pitching.

- Width: 3000 + 900 mm
- Depth: 6050 mm
- Weight: 35.32 kg

Ref. 9120002160 (LH)  
9120002161 (RH)



For full technical data, see page 21







# SUNSHINE AIR PRO VW

The traditional sunshade made simpler, safer and smarter




The innovative Sunshine AIR replaces metal poles with a rigid Air Frame. Relax in comfort from the summer sun or simply attach optional side walls to provide a little privacy and protection from the wind.

## Domestic Sunshine AIR Pro VW

- Width: 2400 mm
- Depth: 1950 mm
- Weight: 8.5 kg
- Min weight: 6.22 kg

Ref. 9120000201



# AUTO AIR REDUX

Experience endless versatility




The Dometic Auto AIR Redux is designed for use with passenger cars, SUVs and MPVs. It fits conveniently to the rear or side of your vehicle. This versatile, drive-away awning features lightweight 150D ripstop polyester, woven with recycled plastic bottle yarn, and a sturdy Single-Point inflatable AIR Frame.

## Domestic Auto AIR Redux Awning

- Width: 2600 mm
- Depth: 2350 mm
- Height: 2300 mm
- Weight: 22.06 kg
- Min weight: 18.16 kg

Ref. 9120002032



### Mesh panels

Zippered mesh panels site behind the doors and windows, adding comfort in hot weather.



### Integrated Canopy

A large sun canopy adds shaded space for dining and relaxing. Canopy poles included.



### Zip-in bathtub groundsheet

The zip-in waterproof groundsheet can be pegged down for step free access or toggled up to prevent insects accessing the awning.

For full technical data, see page 22





Fitting Height  
Campervan:  
180 - 210 cm  
SUV:  
160 - 210 cm

# HUB

Inflatable modular shelter

With the HUB, versatility is built in. Whether it's weekends away in the SUV, family vacations in the campervan or quick and convenient shelter from sun in the garden or park, the Dometic HUB has you covered.

Adapt the HUB to suit your needs, start with the base shelter and add an annexe, mesh panels, wall panels and connection tunnels to suit SUVs and campervans. Single point inflation Air Frame technology and QuickPitch straps ensure you are pitched and ready to enjoy the outdoors in no time.



### QuickPitch™ guying system

Set-up in seconds. Peg the bottom strap taut and adjust the buckle to apply tension.




### Optional zip-in panels

Optional panels can be zipped out to reduce weight and to open the shelter up.



### Single point inflation

Single Point Inflation awnings inflate from just one external inflation point.




For full technical data, see page 22

## Dometic HUB

- Width: 2300 mm
- Depth: 2300 mm
- Height: 2300 mm
- Weight: 13.8 kg
- Min weight: 12.3 kg

Ref. 9120001506



### Optional



## HUB Connector Strip

Seamlessly connect multiple Dometic HUB 1's together with the Dometic HUB Connection Strip. Simply zip on and multiply your liveable pitch space in up to four directions - perfect for hosting friends and family.

Ref. 9120001972

### Optional



## HUB Sleeping Annexe

Complete with inner tent. This optional annexe is great for extra guests, pets and storage.

Ref. 9120001507

### Optional



## HUB Connect Tunnel

Optional connection tunnels to fit to SUVs and campervans.

### SUV Connect Tunnel


Ref. 9120001510

### VW Connect Tunnel

Ref. 9120001511

To view the full range of accessories, visit [dometic.com](https://dometic.com)






Featuring innovative design and function, the Dometic HUB 2 ensures fast shelter whenever you need it. Our all-new Weathershield™ Redux polyester, woven with recycled plastic bottle yarn, is high-performance and extremely reliable. The HUB 2 utilizes smart weight saving features and patented AIR Frame technology, forming a compact pack size that's perfect for carrying on your back or throwing in the trunk of your car, ready for your next adventure.




**Removable groundsheet**  
Made from recycled plastic bottles, the HUB 2 toggle-in groundsheet provides comfort and protection from wet or rugged terrain.



**Single point inflation**  
Single Point Inflation awnings inflate from just one external inflation point.




**Weathershield™ Redux**  
Waterproof, lightweight, and environmentally responsible. This material is woven from recycled plastic bottle yarn.



**Dometic HUB 2**

- Width: 2300 mm
- Depth: 2300 mm
- Height: 2300 mm
- Weight: 8.94 kg
- Min weight: 8.5 kg

Ref. 9120001968



For full technical data, see page 22

Optional



**HUB Weight Bag**

Pitch your Dometic HUB on hard, stony or sandy ground with ease. Fill the Weight Bag with water or sand and secure to your inflatable shelter, allowing you to securely pitch your HUB wherever you are – even when using pegs is not an option.

Ref. 9120001512

Optional



**HUB 2 Inner Tent**

Easy to install, simply toggle-in this inner tent and create a private sleeping space in your Dometic HUB 2. Made from breathable cotton fabric for added comfort and a zipped door for convenience.

Ref. 9120001983

Optional



**HUB 2 Mesh Panel**

Enhance the comfort of your outdoor experience. Keep unwanted insects away and add shade with the Dometic Mesh Panel.

Ref. 9120001971

To view the full range of accessories, visit [dometic.com](https://dometic.com)



New for 2023

CAR CAMPING  
FREEDOM

Dometic TRT 140 AIR

With our high-performance 12 V pump included, the Dometic TRT 140 AIR is fully inflated and ready to support your outdoor adventure in minutes. This versatile rooftop tent features our ultra-sturdy, single point inflation AIR Frame and an integrated foam mattress to provide fast, effective shelter for up to two people. The Dometic TRT 140 AIR utilizes breathable polycotton material and mesh windows throughout, reducing condensation and providing comfort in cold and warmer climates.

Inflatable rooftop tent

New

For full technical data, see page 19

Dometic TRT 140 AIR

- 12v electric pump (included)
- Single point inflation
- Fast, effective shelter for up to two people
- Breathable technical cotton material and mesh windows throughout

Width: 2190 mm

Depth: 1440 mm

Height: 1100 mm

Sleeping area: 2100 x 1400 mm

Pack size: 1460 x 800 x 320 mm  
790 x 500 x 115 mm

Weight: 48.62 kg / 9.02 kg

Ref. 9120002118

**Quick and easy to pitch**  
Sturdy inflatable tent frame with 12 V electric pump

**Compact pack size**  
Tri-fold design for convenient transport and storage

**Full comfort control**  
Polycotton fabric, mesh windows and zipped blinds for extra comfort

New

Optional

Dometic RT Awning

Adding privacy and shelter to your car camping setup, the Dometic RT Awning can be set up as either an all round sun shade or a privacy room in a matter of minutes.

- Width: 2200 mm
- Depth: 1900 mm
- Connection Height: 1450 - 1690 mm (Low) / 1700 - 2000 mm (Tall)
- Weight: 8.21 kg (Low) / 8.64 kg (Tall)
- Small - designed for use with standard height passenger cars
- Large - designed for use with taller SUVs and off-road vehicles

Ref. 9120002119 (Low) / 9120002120 (Tall)

14 — DOMETIC.COM

MOBILE LIVING MADE EASY — 15

INFLATABLE AWNINGS  
ACTIVITY SHELTERS  
ROOFTOP TENTS  
TECHNICAL DATA



# A PEACEFUL NIGHT'S SLEEP

## UNDER THE STARS

Built for the outdoors, the Dometic TRT 120E features a two layer construction, suitable for even the most remote destinations in the middle of winter. The TRT 120E's robust design is further enhanced by a durable water resistant PVC tent cover with a UPF 50+ protection rating, and can handle just about anything that is thrown at it. Thanks to the double layered windows with integrated fly screens, you can get plenty of airflow through the tent while keeping insects out. Despite the robust construction of the TRT120E, its frame is made from lightweight aluminium alloy. Setting up the TRT 120E is simple with a 12 V operation and wireless remote control that assembles the tent in a matter of minutes.



- Dometic TRT 120E  
Rooftop Tent**
- The Dometic TRT 120E can be set up in a matter of minutes thanks to its powered 12V operation and remote control (included). A peaceful night's sleep is guaranteed with its 5 cm thick, high density foam mattress which is big enough to comfortably fit two people. Entering the tent is easy thanks to the lightweight, telescopic aluminium ladder.
- Width: 1320 mm
  - Depth: 2180 mm
  - Height: 1150 mm
  - Pack size: 2290 x 1440 x 320 mm
  - Weight: 58.92 kg

Ref. 9120002023 (Blue) / 9120002082 (Green)

For full technical data, see page 19



**Insulated**  
Two layer fabric construction for excellent thermal insulation.



**Comfortable**  
5 cm thick high density foam mattress, big enough to comfortably sleep two people.



**Easy access**  
Access the tent with the lightweight telescopic aluminium ladder.








# CAMPING FURNITURE

Ultimate touring comfort

## Camping Chairs

Recline and relax, sit up and eat or position your chair to lean back out in the sun. We have a variety of ergonomically designed chairs with SoftMesh™ fabric and sturdy aluminium or steel frames. Ideal for creating comfortable communal areas when you're camping.



## Camping Tables




Quick to set up, lightweight and durable, our tables are built for use in harsh outdoor environments. Adjustable legs ensure a level dining surface on uneven ground, while foldable designs make storage and transport easy. Sizes available for couples and groups.

View the full range online, visit [dometic.com](https://dometic.com)

# TECHNICAL DATA










TECHNICAL DATA	<div>New</div>		
INFLATABLE AWNINGS	CLUB DELUXE AIR PRO DA	CLUB AIR DA	SUNSHINE AIR PRO VW
Ref.	9120002141	9120001140	9120000201
Awning/tent width (mm)	2600 + 900	2600	Canopy: 240 / Tubes: 325
Awning/tent depth (mm)	4200	2400	1950
Highest point at front (mm)	2250	2250	2200
Connection height (mm)	1800 - 2250	1800 - 2250	1800 - 2100 awning 1800 - 1900 side walls
Pack size (L x W x H, mm)	990 x 560 x 350 / 990 x 130 x 330	990 x 560 x 330	720 x 310 x 310
Weight (kg)	29.1 / 10.4	27.4	8.5
Min. weight* (kg)	24.6	22.8	6.22
Material	Weathershield Pro	Weathershield™ Pro	Weathershield™ Pro
/ Key features			
Single Point Inflation™	•	•	•
Dual-Pitch™ roof system	–	–	–
QuickPitch™ guying system	•	•	–
SabreLink™ ready	•	•	–
Flyscreen panels	•	Mesh screen behind at least one door and RH mesh panel/window	–
Zip-out front panels	•	•	–
Roll-to-side front panels	•	–	–
Zip-out side panels	•	•	–
Curtains / Blinds	Curtains	Curtains	–
/ Scope of delivery			
QuickPitch™ straps	•	•	–
Connection straps	•	•	–
Storm straps	–	–	•
Clamp pole and clamps	–	–	•
Hand pump	•	•	•
Pegs	•	•	•
Carry bag	•	•	•
/ Optional extras			
Pro AIR tall annexe	9120001170	9120001170	–
Pro AIR annexe	9120000051	9120000051	–
Pro AIR conservatory	9120000052	9120000052	–
Inner tent	9120002220	–	–
Roof Lining	9120002143	9120001185	–
Mesh panel set	9120001195	9120001195	–
Side wall set	–	–	9120000202
Carpet	9120002204	9120001200	–
Footprint	9120002150	9120001209	–
Storm tie down kit	9120000389	–	–

	<div>New</div> <div></div>	<div>New</div> <div></div>
TECHNICAL DATA		
INFLATABLE AWNINGS	RAROTONGA DA FTT 401 TC	RAROTONGA DA FTT 401
Ref.	9120002158 (LH) / 9120002159 (RH)	9120002160 (LH) / 9120002161 (RH)
Tent length (mm)	6050	6050
Awning/tent width (mm)	3000 + 900	3000 + 900
Awning/tent height (mm)	2100	2100
Inner tent width (mm)	2800	2800
Inner tent depth (mm)	2250	2250
Inner tent height (mm)	2000	2000
Pack size (L x W x H, mm)	1000 x 540 x 470	850 x 470 x 460
Weight (kg)	43.5	35.32
Material	Weathershield™ TC	Weathershield™ 150D
/ Key features		
Single Point Inflation™	Multi Point Inflation	
QuickPitch™ guying system	•	
SabreLink™ Flex ready	•	
Climate control	•	
Sleep-Tite bedrooms	•	
Wider bedrooms	•	
Wardrobe pole ready	•	
Flyscreen panels	•	
Groundsheet	•	
Curtains / Blinds	Blinds	
/ Scope of delivery		
Inner tent	•	
Storm straps	•	
Hand pump	•	
Pegs	•	
Repair kit	•	
Carry bag	•	
/ Optional extras		
Carpet	9120001496	
Footprint	9120001501	



TECHNICAL DATA			
INFLATABLE AWNINGS	AUTO AIR REDUX	HUB	HUB 2
Ref.	9120002032	9120001506	9120001968
Awning / shelter width (mm)	2600	2300	2300
Awning / shelter depth (mm)	2350	2300	2300
Highest point at front (mm)	2300	–	–
Connection height (mm)	1500 - 2000	1800 - 2100	–
Pack size (L x W x H, mm)	990 x 370 x 370	830 x 310 x 310	650 x 290 x 270
Weight (kg)	22.06	13.8	8.94
Min. weight* (kg)	18.16	12.3	8.5
Material	Weathershield™ Redux	Weathershield™ Pro	Weathershield™ Redux
/ Key features			
Single Point Inflation™	•	•	•
QuickPitch™ guying system	•	•	•
SabreLink™ ready	–	•	•
Flyscreen panels	Mesh screen behind side doors and windows	Interchangeable panels	Toggle-in mesh panels
Zip-out front panels	–	•	–
Zip-out side panels	–	•	–
Curtains / Blinds	Blinds	–	–
/ Scope of delivery			
QuickPitch™ straps	•	•	•
Connection straps	•	–	–
Storm straps	–	•	–
Hand pump	•	•	•
Pegs	•	•	•
Carry bag	•	•	•
/ Optional extras			
Continental carpet	–	9120002060	9120002060
Footprint	9120002034	9120001458	Included
Inner Tent	9120002033	–	9120001983
HUB / HUB 2 Mesh Panel	–	9120001509	9120001971
HUB sleeping annexe	–	9120001507	–
HUB Window Panel	–	9120001508	–
HUB SUV Connect Tunnel	–	9120001510	–
HUB VW Connect Tunnel	–	9120001511	–
HUB Weight Bag	–	9120001512	9120001512
HUB Connector Strip	–	9120001972	–

TECHNICAL DATA		
ROOF TOP TENTS	TRT 140 AIR	TRT120E
Ref.	9120002118	9120002082 (forest green) / 9120002023 (ocean blue)
Tent width (mm)	2180	1320
Tent depth (mm)	1450	2180
Tent height (mm)	1200	1150
Sleeping area width (mm)	2150	1200
Sleeping area depth (mm)	1400	2000
Sleeping area height (mm)	1100	1000
Pack size (L x W x H, mm)	1460 x 800 x 320 / 790 x 500 x 115	2290 x 1440 x 320
Weight (kg)	48.62 / 9.02	53
Material	Weathershield™ TC	Outer: 210D rip-stop polyoxford / Inner: polycotton
/ Key features		
Single Point Inflation™	•	–
Climate control	•	–
SabreLink™ Flex ready	•	–
Flyscreen panels	•	•
Curtains / Blinds	Blinds	–
/ Scope of delivery		
Telescopic ladder	•	•
Mattress	•	•
Remote control	–	•
12V Plug 5M Cable	–	•
Pump	Dometic Gale 12v electric pump	–
Storage pocket bags	•	•
Carry bag	PVC cover	PVC cover
Tool bag	•	•
/ Optional extras		
Rooftop tent awning	9120002119 (low) / 9120002120 (tall)	–



Mobile living made easy.



**dometic.com**

---

**YOUR LOCAL  
DEALER**

**[dometic.com/dealer](https://dometic.com/dealer)**

**YOUR LOCAL  
SUPPORT**

**[dometic.com/contact](https://dometic.com/contact)**

**YOUR LOCAL  
SALES OFFICE**

**[dometic.com/sales-offices](https://dometic.com/sales-offices)**

---

We distribute our products in around 100 markets. Please ask for your contact point or visit our website **dometic.com**

Dometic UK Awnings Limited, Witham, Essex, UK