

CONTENTS

Criteria to consider when swaping the "old" refrigerator.

Absorption fridges	4-7
Compressor fridges	8 - 9





NEW FOR OLD – SIMPLY SWAP

Would you like to replace your good old absorption refrigerator with a contemporary one of the Dometic 10, 8 or 5 series to enjoy more convenience, up-to-date technology and a real eye-catcher in your kitchen?

Our swap guide helps you to find out which absorption or compressor refrigerator model best suits your size requirements.



VENTILATION CLEARANCE

Please note that the unit dimensions given in the tables on the next pages refer to the size of the refrigerator only. The size and position of the ventilation openings may differ from those of your current fridge. For Dometic refrigerators, a clearance of 15 mm to 25 mm must be maintained to the vehicle wall in addition to the depth dimension of the unit.



HEIGHT COMPENSATION

If your new Dometic refrigerator is a bit smaller in height than its predecessor, you can easily compensate for the height difference by attaching feet to the unit. For Thetford models, a minimum distance of 12 mm to the floor must be maintained if no feet are attached to the appliance.

Besides these general notes, it is always advisable to read the installation instructions of the desired appliance before replacing a refrigerator.

ABSORPTION FRIDGES

MODEL


^> DOMETIC


RM 300 P/A / RM 301 / RM 4290L RM 4300 / RM 6291 / RM 7290L RM 7291L / RMS 850x

THETFORD

MODEL

N3090A / N3090E / N4090A N4100A / N4100E+ / N90 1P N90 2E / N3097A / N3097E N4097A / N4097E





^> DOMETIC

MODEL

RM 400R / RM 400 P/C / RM 415 RM 4400 / RM 4401LM / RM 4405LM RM 6401 / RM 7401 L / RM 7405L RM 850x

THETFORD

MODEL

N100 1P / N100 2E / N100 6E N100 6A / N3100A / N3104A N3100E / N3104A / N3104E N4100E+ / N4100A / N4104E+ N4104A / N104 1P / N104 2E N104 6E / N104 6A

^> DOMETIC



Model	RM 10.5T
WxHxD (mm)	523 x 821 x 548 (+15 up to 25)
Technology	Absorption
Volume	86 L
SKU	9600027098

^> DOMETIC

MODEL


RML 8330 / RML 9330 / RML 9335 RML 9331 / RML 9430* / RML 9431* RML 9435*


*Replacement Kit needed (9600025974).


^> DOMETIC




Model	RML 10.4(T)
W x H x D (mm)	420 x 1293 x 578 (+15 up to 25)
Technology	Absorption
Volume	133 L














ABSORPTION FRIDGES















WHEN AN ABSORPTION REFRIGERATOR IS REPLACED WITH A COMPRESSOR UNIT, THE EXTERNAL VENTILATION GRIDS HAVE TO BE CLOSED.




COMPRESSOR FRIDGES


^> DOMETIC ^> DOMETIC MODEL RM 4501 L / RM 4505 L / RM 7501 L RM 7505 L / RM 7601 L / RM 7605 L RMD 8501 / RMD 8505 **THETFORD** Model RCD 10.5(T) MODEL 523 x 1282 x 535* WxHxD (mm) (+15 up to 25) Compressor Technology N3145A / N3145E+ / N3150A N3150E / N4145E+ N4145A 153 L N4150E+ / N150 6E / N150 6A Volume N145 6E / N145 6A / T2160 SKU 9600027684















N3104A / N3100E / N3104A / N3104E

N4100E+ / N4100A / N4104E+

N4104A / N104 1P / N104 2E

N104 6E / N104 6A



Volume

SKU

83 L


9600028196



Dometic on the web

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all of our catalogues.

dometic.com



THE FULL RANGE

View Products: **dometic.com**

UNITED KINGDOM DOMETIC UK LTD.

Dometic House, The Brewery, Blandford St. Mary Dorset DT11 9LS Tel 0344 626 0133

Fax 0344 626 0143 Mail sales@dometic.co.uk

GERMANY DOMETIC GERMANY GMBH

Hollefeldstraße 63 D-48282 Emsdetten

Tel +49 (0) 2572 879-0 Mail kontakt@dometic.de

